Homework 7 - Analysis

In this homework, we are going to work to become comfortable with the mathematical notation used in algorithmic analysis.

Problem 1: Quantifiers

For each of the following, write an equivalent *English statement.* Then decide whether those statements are true if x and y are integers (e.g., they can be any integer). Then write a convincing argument to prove your claim.

1. $\forall x\, \exists y : x + y = 0$

For every x, there is a y existing to let $x+y=0$

True.

when $y=-x$. it is true.

2. $\exists y\, \forall x : x + y = x$

~~For every y, there~~

There ~~existing~~ exists a y for every x , $x+y=0$

True: $y=0$

3. $\exists x\, \forall y : x + y = x$

for every ~~y~~ x, there ~~existing~~ exists a y to let $x+y=x$.

true. $y=0$

Name: ______________________________

Problem 2: Growth of Functions

Organize the following functions into six (6) columns. Items in the same column should have the same asymptotic growth rates (they are big-Oh and big-Θ of each other. If a column is to the left of another column, all of its growth rates should be slower than those of the column to its right.

~~n^2~~, $n!$, ~~$n\,log_2\,n$~~, ~~$3n$~~, ~~$5n^2+3$~~, ~~2^n~~, ~~10000~~, ~~$n\,log_3\,n$~~, ~~100~~, ~~$100n$~~

$n!$	2^n	$5n^2+3$ n^2	$n\log_2 n$ $n\log_3 n$	$3n$ $100n$	100 1000

← faster

Problem 3: Function Growth Language

Match the following English explanations to the *best* corresponding big-Oh function by drawing a line from an element in the left column to an element in the right column.



Constant

Logarithmic

Linear

Quadratic

Cubic

Exponential

Factorial

$O(n^3)$

$O(1)$

$O(n)$

$O(log_2\,n)$

$O(n^2)$

$O(n!)$

$O(2^n)$

Name: ____ Homework 7 - Analysis

Problem 4: Big-Oh

1. Using the definition of big-Oh, show that $100n + 5 \in O(2n)$

n^2 ?

$$\overset{C}{}$$

$$100n + 5 \le 2n^2$$

$$100 + \frac{5}{n} \le \overset{c}{2}n.$$

when $n > 100$

$c = 105$ All $100n+5$ is in $O(n^2)$

2. Using the definition of big-Oh, show that $n^3 + 2^n + n + 42 \in O(n^3)$

?

$$n^3 + 2^n + n + 42 \le n^3$$

$$\lim_{x \to \infty} \frac{2^n}{n^3} = \frac{\ln 2 \cdot 2^n}{3 \cdot x^2} \quad \cancel{= \infty}$$

$$= \frac{\ln^2 2 \cdot 2^n}{6x} = \infty$$

3. Using the definition of big-Oh, show that $n^{42} + 1{,}000{,}000 \in O(n^{42})$

$$n^{42} + 1000000 \le n^{42} \times c$$

$$1 + \frac{1000000}{n^{42}} \le c$$

for $c = 1000001$, and $n \ge 1$.

Problem 5: Searching

In this problem, we consider the problem of searching in ordered and unordered arrays:

1. We are given an algorithm called *search* that can tell us *true* or *false* in one step per search query if we have found our desired element in an unordered array of length 2048. How many steps does it takes in the worst possible case to search for a given element in the unordered array?

2048

2. Describe a *fasterSearch* algorithm to search for an element in an ordered array. In your explanation, include the time complexity using big-Oh notation and draw or otherwise clearly explain why this algorithm is able to run faster.



$O(\log_2(n))$

3. How many steps does your *fasterSearch* algorithm (from the previous part) take to find an element in an ordered array of length 2,097,152 in the worst case? Show the math to support your claim.

$\log_2(2097152) = 21$

Name: ______________________________ Homework 7 - Analysis

Problem 6: Another Search Analysis

Imagine it is your lucky day, and you are given 100 golden coins. Unfortunately, 99 of the gold coins are fake. The fake gold coins all weight 1 oz. but the real gold weighs 1.0000001 oz. You are also given one balancing scale that can precisely weight each of the two sides. If one side is heavier than the other the other side, you will see the scale tip.

1. Describe an algorithm for finding the real coin. You must also include the algorithm's time complexity. **Hint:** Think carefully – or do this experiment with a roommate and think about how many ways you can prune the maximum number of fake coins using your scale.

Devide three parts for everytime, and two parts

It would cause maximum five

times.

Bigo : $\log_3 n$.

2. How many weightings must you do to find the real coin given your algorithm?

5.

Name: ______________________________ Homework 7 - Analysis

Problem 7 – Insertion Sort

1. Explain what you think the worst case, big-Oh complexity and the best-case, big-Oh complexity of insertion sort is. Why do you think that?

worst case : n^2 : two loops.

best case : n : nearly sorted, so only one loop needed.

2. Do you think that you could have gotten a better big-Oh complexity if you had been able to use additional storage (i.e., your implementation was not *in-place*)?

No, still need to loop over [illegible]