

拉取与提交

BBCLOUD 林凡

https://github.com/lvancer/course_git

lin029011@163.com



大纲

Git同步逻辑

Pull拉取


Commit

Push提交

免输入密码



Git同步逻辑




Pull拉取

右键选择TortoiseGit

在子菜单中点击Pull

进行拉取


可以获得最新的内容



Pull拉取


Remote Branch

表示要拉取的分支



Pull拉取

拉取完成



lin029011@163.com

Commit

Commit是将代码提交到本地的操作

当有对当前项目做出修改时，都要先进行Commit操作

进入git项目

右键点击




Git Commit

后面的master表示当前分支

先记住每个git项目必须有一个master主分支


更多分支的内容以后在详细说明



lin029011@163.com

Commit


如果没有设置用户名会提示



之后进入右边的配置页面

填入Name和Email

点击确定




lin029011@163.com

Commit

Message写入本次提交的信息

下面的框显示了本次的所有修改
一般直接点击其上方的**All**按钮
就会将所有的修改打勾

如需特别处理，可以自己选择
要提交的修改




Commit

完成了Commit

如需直接提交到项目仓库
可以点击Push按钮

不需要则点击Close




lin029011@163.com

Push提交

右键选择TortoiseGit

在子菜单中点击Push

进行提交



Push提交

提交页面


Local 代表本地的分支

Remote代表远程仓库的分支

这里就表示从本地的master分支

提交到远程仓库的master分支

一般不需要做修改，直接OK



C:\Users\lin02\Documents\教学\Git\course_git - Push - TortoiseGit

Ref

☐ Push all branches

Local: master

Remote: master

Destination

☒ Remote: origin Manage

☐ Arbitrary URL:

Options

Force: May discard ☐ known changes ☐ unknown changes

☐ Use Thin Pack (For slow network connections)

☐ Include Tags

☒ Autoload Putty Key

☐ Set upstream/track remote branch

☐ Always push to the selected remote archive for this local branch



☐ Always push to the selected remote branch for this local branch

Recurse submodule None

OK Cancel Help

Push提交


同样会遇到用户名密码问题
输入有提交权限的账号即可



lin029011@163.com

Push提交

提交成功




lin029011@163.com

免输入密码

右键选择TortoiseGit

在子菜单中点击Settings


进入设置



免输入密码

点击 **Edit local .git/config**

编辑本地git配置文件




免输入密码

在文本最后加入

```
[credential]
  helper = store
```

下次再输入用户名密码就能记住了



```
config - Notepad2
File Edit View Settings ?

1 [core]
2   repositoryformatversion = 0
3   filemode = false
4   bare = false
5   logallrefupdates = true
6   symlinks = false
7   ignorecase = true
8 [remote "origin"]
9   url = https://github.com/lvancer/course_git
10  fetch = +refs/heads/*:refs/remotes/origin/*
11 [branch "master"]
12   remote = origin
13   merge = refs/heads/master
14
15 [credential]
16   helper = store
```