

π_{ref}	-	0.51	0.50	0.06	0.37	0.05	0.40	0.11	0.03	0.04	0.04	0.05
DPO	0.49	-	0.49	0.06	0.36	0.06	0.41	0.10	0.05	0.05	0.06	0.04
IPO	0.50	0.51	-	0.07	0.38	0.06	0.43	0.11	0.03	0.04	0.05	0.04
RPO	0.94	0.94	0.93	-	0.89	0.50	0.91	0.67	0.43	0.45	0.48	0.46
DDPO	0.63	0.64	0.62	0.11	-	0.08	0.52	0.15	0.06	0.08	0.08	0.08
RIPO	0.95	0.94	0.94	0.50	0.92	-	0.92	0.69	0.44	0.46	0.50	0.46
ML-RDPO	0.60	0.59	0.57	0.09	0.48	0.08	-	0.14	0.07	0.08	0.07	0.07
RDPO	0.89	0.90	0.89	0.33	0.85	0.31	0.86	-	0.28	0.31	0.31	0.29
Distorted DPO	0.97	0.95	0.97	0.57	0.94	0.56	0.93	0.72	-	0.52	0.55	0.52
DPO + Linear SFT	0.96	0.95	0.96	0.55	0.92	0.54	0.92	0.69	0.48	-	0.51	0.49
DPO + Step SFT	0.96	0.94	0.95	0.52	0.92	0.50	0.93	0.69	0.45	0.49	-	0.49
Rating DPO with R_{min}	0.95	0.96	0.96	0.54	0.92	0.54	0.93	0.71	0.48	0.51	0.51	-
	π_{ref}	DPO	IPO	RPO	DDPO	RIPO	ML-RDPO	RDPO	Distorted DPO	DPO + Linear SFT	DPO + Step SFT	Rating DPO with R_{min}