

π_{ref}	-	0.47	0.43	0.04	0.33	0.03	0.32	0.04	0.04	0.04	0.04	0.02
DPO	0.53	-	0.50	0.03	0.36	0.03	0.37	0.05	0.06	0.04	0.05	0.04
IPO	0.57	0.50	-	0.04	0.33	0.03	0.36	0.04	0.05	0.05	0.05	0.05
RPO	0.96	0.97	0.96	-	0.94	0.44	0.94	0.54	0.55	0.51	0.51	0.49
DDPO	0.67	0.64	0.67	0.06	-	0.06	0.53	0.07	0.09	0.08	0.10	0.06
RIPO	0.97	0.97	0.97	0.56	0.94	-	0.95	0.58	0.59	0.56	0.55	0.54
ML-RDPO	0.68	0.63	0.64	0.06	0.47	0.05	-	0.07	0.07	0.06	0.07	0.07
RDPO	0.96	0.95	0.96	0.46	0.93	0.42	0.93	-	0.52	0.48	0.48	0.45
Distorted DPO	0.96	0.94	0.95	0.45	0.91	0.41	0.93	0.48	-	0.47	0.47	0.46
DPO + Linear SFT	0.96	0.96	0.95	0.49	0.92	0.44	0.94	0.52	0.53	-	0.50	0.46
DPO + Step SFT	0.96	0.95	0.95	0.49	0.90	0.45	0.93	0.52	0.53	0.50	-	0.47
Rating DPO with $R_{\min}$	0.98	0.96	0.95	0.51	0.94	0.46	0.93	0.55	0.54	0.54	0.53	-
	π_{ref}	DPO	IPO	RPO	DDPO	RIPO	ML-RDPO	RDPO	Distorted DPO	DPO + Linear SFT	DPO + Step SFT	Rating DPO with $R_{\min}$