

π_{ref}	-	0.47 ± 0.09	0.04 ± 0.04	0.33 ± 0.08	0.32 ± 0.08	0.03 ± 0.03	0.43 ± 0.09	0.04 ± 0.03	0.04 ± 0.04	0.04 ± 0.03	0.04 ± 0.04	0.03 ± 0.03
DPO	0.53 ± 0.09	-	0.05 ± 0.04	0.36 ± 0.08	0.37 ± 0.09	0.03 ± 0.03	0.51 ± 0.09	0.03 ± 0.03	0.06 ± 0.04	0.04 ± 0.04	0.05 ± 0.04	0.04 ± 0.04
Ratings DPO	0.96 ± 0.04	0.95 ± 0.04	-	0.93 ± 0.04	0.93 ± 0.04	0.42 ± 0.09	0.96 ± 0.04	0.46 ± 0.09	0.52 ± 0.09	0.48 ± 0.09	0.48 ± 0.09	0.45 ± 0.09
Distilled DPO	0.67 ± 0.08	0.64 ± 0.08	0.07 ± 0.04	-	0.53 ± 0.09	0.06 ± 0.04	0.67 ± 0.08	0.06 ± 0.04	0.09 ± 0.05	0.08 ± 0.05	0.10 ± 0.05	0.07 ± 0.04
DPO + distilled DPO	0.68 ± 0.08	0.63 ± 0.09	0.07 ± 0.04	0.47 ± 0.09	-	0.05 ± 0.04	0.64 ± 0.08	0.07 ± 0.04	0.07 ± 0.05	0.06 ± 0.04	0.07 ± 0.05	0.07 ± 0.04
Ratings IPO	0.97 ± 0.03	0.97 ± 0.03	0.58 ± 0.09	0.94 ± 0.04	0.95 ± 0.04	-	0.97 ± 0.03	0.56 ± 0.09	0.59 ± 0.09	0.56 ± 0.09	0.55 ± 0.09	0.54 ± 0.09
IPO	0.57 ± 0.09	0.49 ± 0.09	0.04 ± 0.04	0.33 ± 0.08	0.36 ± 0.08	0.03 ± 0.03	-	0.04 ± 0.03	0.05 ± 0.04	0.05 ± 0.04	0.05 ± 0.04	0.05 ± 0.04
RPO	0.96 ± 0.03	0.97 ± 0.03	0.54 ± 0.09	0.94 ± 0.04	0.94 ± 0.04	0.44 ± 0.09	0.96 ± 0.03	-	0.55 ± 0.09	0.51 ± 0.09	0.51 ± 0.09	0.49 ± 0.09
Distorted DPO	0.96 ± 0.04	0.94 ± 0.04	0.48 ± 0.09	0.91 ± 0.05	0.93 ± 0.05	0.41 ± 0.09	0.95 ± 0.04	0.45 ± 0.09	-	0.47 ± 0.09	0.47 ± 0.09	0.46 ± 0.09
DPO + Linear SFT	0.96 ± 0.03	0.95 ± 0.04	0.52 ± 0.09	0.92 ± 0.05	0.94 ± 0.04	0.44 ± 0.09	0.95 ± 0.04	0.49 ± 0.09	0.53 ± 0.09	-	0.50 ± 0.09	0.47 ± 0.09
DPO + Step SFT	0.96 ± 0.04	0.95 ± 0.04	0.52 ± 0.09	0.90 ± 0.05	0.93 ± 0.05	0.45 ± 0.09	0.95 ± 0.04	0.49 ± 0.09	0.53 ± 0.09	0.50 ± 0.09	-	0.47 ± 0.09
Ratings DPO with R_{min}	0.97 ± 0.03	0.96 ± 0.04	0.55 ± 0.09	0.94 ± 0.04	0.93 ± 0.04	0.47 ± 0.09	0.95 ± 0.04	0.51 ± 0.09	0.54 ± 0.09	0.54 ± 0.09	0.53 ± 0.09	-
	π_{ref}	DPO	Ratings DPO	Distilled DPO	DPO + distilled DPO	Ratings IPO	IPO	RPO	Distorted DPO	DPO + Linear SFT	DPO + Step SFT	Ratings DPO with R_{min}