


Date 23.02.2011	Rev.date	Work nr.	Drw. nr. TSDFI03-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:3	Building	.	File nr.	.



1. UNDERLAY
2. BATTEN, e.g. 32*50
3. WOODEN BATTEN 32*100
4. UNDERLAY
5. TILE SHEET e.g. MONTERREY
6. FASTENER
7. UNIVERSAL SEALING
8. RIDGE CAPPING, RA1BRO
9. FASTENER
10. VENTILATING GRATES IN BUILDING GABLE ROOF


When using breathable underlay the strip of underlay (4) can be excluded and draw underlay (1) continuously over the ridge.

RUUKKI

Contents of drawing


Tile sheet
Wooden batten
Ridge

Date 23.02.2011	Rev.date	Work nr.	Drw. nr. TSDFI06-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:3	Building	.	File nr.	.



1. UNDERLAY
2. BATTEN, e.g. 32*50
3. WOODEN BATTEN 32*100
4. TILE SHEET, e.g. MONTERREY
5. UNIVERSAL SEALING
6. FASTENER
7. RIDGE CAPPING, RA1BRO
8. TIMBER JOISTS e.g. wooden grids extension rafter

Date 23.02.2011	Rev.date	Work nr.	Drw. nr. TSDFI01-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:3	Building	.	File nr.	.



1. UNDERLAY
2. BATTEN, e.g. 32*50
3. WOODEN BATTEN 32*100
4. WOOD, 2 PIECE 22*100
5. EAVES FLASHING, RA1BE
6. TILE SHEET, e.g. MONTERREY
7. FASTENER
8. FASTENER

Underlay must always come over external wall!


Eaves flashing RA1BE can be installed either under the gutter or over it.

RUUKKI

Contents of drawing

Tile sheet
Wooden battens
Side eaves
Overhead fascia board, notched roof struss

Date 23.02.2011	Rev. date	Work nr.	Drw nr. TSDFI01-03	Rev.
Drawn by Ruukki	Rev.			
Scale 1:5	Building		File nr.	



1. UNDERLAY
2. WOOD, 2 PIECE 22*100
3. WOODEN BATTEN 32*100
4. BATTEN, e.g. 32*50
5. FASTENER
6. TILE SHEET, e.g. MONTERREY
7. FASTENER
8. EAVES FLASHING, RA1BE
9. FASTENER
10. PANEL, e.g. 21*95
11. NOTCHED ROOF STRUSS
12. E.G. PLYWOOD BATTEN 10*50

Underlay must always come over external wall!


Eaves flashing RA1BE can be installed either under the gutter or over it.



Contents of drawing

Tile sheet
Wooden battens
Gable eaves

Date 23.02.2011	Rev.date	Work nr.	Drw. nr. TSDFI02-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:3	Building	.	File nr.	.



1. UNDERLAY
2. VERGE BOTTOM PROFILE RA1BB, (when necessary)
3. WOODEN BATTEN 32*100
4. TILE SHEET, e.g. MONTERREY
5. FASTENER
6. VERGE TRIM, RA1BG
7. FASTENER
8. FASTENER

Underlay must always come over external wall!

Underlay dangles between roof truss approx. 40 mm.


RUUKKI

Contents of drawing

Tile sheet
 Wooden battens
 Gable eaves
 Overhead fascia board, notched roof struss

Date 23.02.2011	Rev. date	Work nr.	Drw nr. TSDFI02-03	Rev.
Drawn by Ruukki	Rev.			
Scale 1:5	Building		File nr.	

Elite 60 mm,
 Monterrey 39 mm
 Decorrey 28 mm



Underlay must always come over external wall!


Underlay dangles between roof truss approx. 40 mm.

1. UNDERLAY
2. WOODEN BATTEN 32*100
3. BATTEN, E.G. 32*50
4. TILE SHEET, e.g. MONTERREY
5. FASTENER
6. VERGE TRIM, RA1BG
7. FASTENER
8. FASTENER
9. PANEL, e.g. 21*95
10. VERGE BOTTOM PROFILE RA1BB, (when necessary)
11. CONTINUOUS BEAMS

**Contents of drawing**

**Tile sheet
Wooden batten
Pane of roof**


Date 23.02.2011	Rev.date	Work nr.	Drw. nr. TSDFI07-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:3	Building	.	File nr.	.



Underlay dangles between roof truss.

1. ROOF RAIL
2. BATTEN, e.g. 32*50
3. WOODEN BATTEN 32*100
4. FASTENER
5. TILE SHEET, e.g. MONTERREY
6. FASTENER
7. OVERLAPPING SCREW
8. UNDERLAY

Date 23.02.2011	Rev.date	Work nr.	Drw. nr. TSDFI04-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:3	Building	.	File nr.	.




- 1. UNDERLAY
- 2. WOODEN BATTEN 32*100
- 3. FASTENER,
- 4. TILE SHEET e.g. MONTERREY
- 5. UNIVERSAL SEALING
- 6. FASTENER
- 7. UPPER EAVES FLASHING, RA1AEU
- 8. FASTENER
- 9. BATTEN, e.g 32*50

Underlay must always come over external wall!

**Contents of drawing****Tile sheet****Wooden battens****Upper eaves for monopitch roof****Overhead fascia board, notched roof struss**

Date 23.02.2011	Rev. date	Work nr.	Drw nr. TSDFI04-03	Rev.
Drawn by Ruukki	Rev.			
Scale 1:5	Building		File nr.	



1. UNDERLAY
2. WOODEN BATTEN 32*100
3. BATTEN, e.g. 32*50
4. TILE SHEET, e.g. MONTERREY
5. UNIVERSAL SEALING
6. FASTENER
7. UPPER EAVES FLASHING, RA1AEU
8. FASTENER
9. FASTENER
10. E.G. PLYWOOD BATTEN 10*50
11. NOTCHED ROOF STRUSS
12. PANEL, E.G. 21*95


**Underlay must always come
over external wall!**

RUUKKI

Contents of drawing

Tile sheet
Wooden batten
Roof valley straight

Date 23.02.2011	Rev. date	Work nr.	Drw. nr. TSDFI05-01	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:7.5	Building	.	File nr.	.



1. UNDERLAY
Lower strip of underlay parallel with roof valley,
underlays from pane of the roof over it.
2. BATTEN, e.g. 22*100
3. BOARDING 22*100
4. VALLEY FLASHING, RA1BV
5. FILLER FOR ROOF VALLEY
6. TILE SHEET, e.g. MONTERREY
7. FASTENER
8. ROOF RAIL, e.g. wooden grids extension rafter


RUUKKI

Contents of drawing


Tile sheet
Wooden batten
Flat joint

Date 23.02.2011	Rev. date	Work nr.	Drw nr. TSDFI07-02	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:5	Building	.	File nr.	.

LONGITUDINAL SEAM TSDFI07-01



JOINT ALWAYS UNDER THE
TRANSVERSE PATTERN



1. WOODEN BATTEN 32*100
2. BATTEN, e.g. 32*50
3. UNDERLAY
4. TILE SHEET, e.g. MONTERREY, LOWER
5. TILE SHEET, e.g. MONTERREY, UPPER
6. FASTENER, bottom in every wave

Date 23.02.2011	Rev. date	Work nr.	Drw nr. TSDFI07-03	Rev.
Drawn by Ruukki	Rev.	.	.	.
Scale 1:5	Building	.	File nr.	.

1. Eaves, on the bottom of every second wave.
2. Ridge, on the bottom of every second wave.
3. Flat joint, on the bottom of every wave.
4. Gable eaves, bottom of the outermost wave in every batten.
5. Logngitudinal seam, every transverse patterns wave lower ridge.
6. Mid range, every second batten, every 3. wave bottom.

