

TESTER.IO · DAY3-FORMS PROJECT

Commands *reference.*

A single page for every CLI command, URL, and credential.

Generated 2026-05-29

v1.0

Windows · PowerShell

- › Servers (long-running)
- › Morning briefing
- › Briefing API endpoints
- › Playwright tests
- › Seed Supabase
- › Supabase CLI
- › npm
- › Supabase SQL patches
- › Project URLs
- › Important values
- › Process control
- › Troubleshooting

[01] Servers (*long-running*)

```
# Static site server
node serve.mjs                # → http://localhost:3000

# Express server (POST /api/contact → Google Sheets)
node server.js                # → http://localhost:3000

# Briefing daemon (cron + Run-now API on :3100)
node morning-briefing.mjs watch
```

[02] Morning *briefing*

Preview (no email sent)

```
node morning-briefing.mjs preview      # real Supabase Leads (24h)
node morning-briefing.mjs preview --demo  # 6 sample Leads
```

Send for real

```
node morning-briefing.mjs run          # real Leads, via Resend
node morning-briefing.mjs run --demo    # demo Leads, via Resend
node morning-briefing.mjs run --gmail    # real Leads, via Gmail
node morning-briefing.mjs run --demo --gmail  # demo Leads, via Gmail
```

Dry run (renders, prints stats, no email, no DB log)

```
node morning-briefing.mjs run --demo --dry
node morning-briefing.mjs run --gmail --dry
```

[03] Briefing *API endpoints*

Available only while the watch daemon is running.

```
curl.exe http://localhost:3100/api/briefing/health

curl.exe -X POST http://localhost:3100/api/briefing/run-now
curl.exe -X POST "http://localhost:3100/api/briefing/run-now?demo=1"
curl.exe -X POST "http://localhost:3100/api/briefing/run-now?demo=1&gmail=1"
curl.exe -X POST "http://localhost:3100/api/briefing/run-now?dry=1"

curl.exe -X POST "http://localhost:3100/api/briefing/preview?demo=1"
```

[04] Playwright *tests*

```
npx playwright test                # all tests, headless
npx playwright test --headed        # all tests, watch browser
npx playwright test --ui            # interactive UI
npx playwright test --debug         # step-through debugger
npx playwright show-report          # open HTML report

# Specific spec files
npx playwright test tests/form.spec.mjs      # 20 form submissions
npx playwright test tests/links.spec.mjs     # link integrity audit
npx playwright test tests/briefing.spec.mjs  # briefing preview smoke

# Single test by line number
npx playwright test tests/form.spec.mjs:14
```

[05] Seed *Supabase*

```
node seed-supabase.mjs                # 20 rows via edge function (sends emails)
node seed-supabase.mjs --no-email      # 20 rows via direct REST (needs insert RLS)
```

[06] Supabase *CLI*

```
# One-time setup
npx supabase login # OAuth in browser
npx supabase link --project-ref ejdarjipxnruwxoaimgs

# Deploy edge functions
npx supabase functions deploy submit
npx supabase functions deploy reply
npx supabase functions deploy unsubscribe

# Inspect
npx supabase functions list
npx supabase functions logs submit # tail logs
npx supabase secrets list # see secret names
```

[07] npm

```
npm install # install all deps
npm install -D @playwright/test # already done
npm install groq-sdk resend nodemailer node-cron # already done

npx playwright install # re-download browsers
npx playwright install chromium # just chromium
```

[08] Supabase *SQL patches*

Run each once in the Supabase SQL editor at

supabase.com/dashboard/project/ejdarjipxnruwxoaimgs/sql/new .

FILE	WHAT IT ENABLES
supabase/dashboard-read-policy.sql	Dashboard reads submissions + unsubscribe button works
supabase/dashboard-tables.sql	Creates <code>email_log</code> + <code>newsletters</code> tables
supabase/email-log-add-briefing-source.sql	Allows briefing sends to log to <code>email_log</code>

[09] Project *URLs*

URL	PAGE
localhost:3000/	Tester.io landing
localhost:3000/dashboard.html	Admin dashboard (pwd: <code>tester-io-admin</code>)
localhost:3000/briefing/preview.html	Last generated email preview
localhost:3000/contact.html	Contact page
localhost:3000/customers.html	Customers page
localhost:3000/changelog.html	Changelog
localhost:3000/status.html	Service status
localhost:3000/manifesto.html	Manifesto
localhost:3000/careers.html	Open roles
localhost:3000/press.html	Press kit
localhost:3000/privacy.html	Privacy policy
localhost:3000/terms.html	Terms
localhost:3000/security.html	Security practices
localhost:3000/dpa.html	Data Processing Addendum
localhost:3000/TesterTech.html	Smart devices catalog
localhost:3000/Sights.html	Field-notes journal
localhost:3100/api/briefing/health	Briefing daemon status

[10] Important *values*

WHAT	VALUE
Dashboard password	tester-io-admin
Local site port	:3000
Briefing daemon port	:3100
Supabase project ID	ejdarjipxnruwxoaimgs
Supabase table (leads)	form_submissions
Briefing cron schedule	0 8 * * * (08:00 Asia/Manila)
Briefing recipient	aernestleanrivera@gmail.com
Resend "from"	onboarding@resend.dev
Gmail user	aernestleanrivera@gmail.com
Groq model	llama-3.3-70b-versatile

[11] Process *control*

```
# Check what is listening on each port
netstat -ano | findstr :3000
netstat -ano | findstr :3100

# Kill all node processes
Get-Process node | Stop-Process

# Kill a specific PID (from netstat)
Stop-Process -Id 12345
```

[12] Troubleshooting

SYMPTOM	FIX
"Daemon not running on :3100" in dashboard	Run <code>node morning-briefing.mjs watch</code>
"RESEND_API_KEY missing"	Open <code>.env</code> , set <code>RESEND_API_KEY=re...</code>
"GMAIL_USER / GMAIL_PASS_ARCA missing"	Open <code>.env</code> , fill both
"You can only send testing emails..." (Resend)	Change <code>BRIEFING_TO</code> to your Resend-registered email, OR verify a domain
Dashboard 401 / RLS error	Run <code>supabase/dashboard-read-policy.sql</code>
"relation ... does not exist"	Run <code>supabase/dashboard-tables.sql</code>
Briefings not in Email Log tab	Run <code>supabase/email-log-add-briefing-source.sql</code>
Port 3000 / 3100 already in use	<code>Get-Process node</code> <code>Stop-Process</code> then restart

Pro tip. Start two PowerShell terminals at the project root and leave them running: `node serve.mjs` in one, `node morning-briefing.mjs watch` in the other. The dashboard will detect both daemons automatically.