


EmailAuto *on Vercel.*

*A one-page guide to your deployed morning-briefing project —
what runs where, what to click, and how to fix it when it breaks.*

arca-academy-activities-training-pv.vercel.app

v1.0 · 2026-05-29

— ARCHITECTURE AT A GLANCE



- › What got deployed
- › Live URLs
- › Credentials & secrets
- › Manual trigger (curl)
- › Cron schedule
- › Dashboard "Run now"
- › Changing the schedule
- › File layout
- › Troubleshooting
- › Cleanup / rollback

[01] What got *deployed*

Vercel imports `lw1414/Arca-Academy-Activities-Training`, treats the `Day4-EmailAuto` subfolder as the project root, and serves it as a hybrid project:

- **Static files** — the full Tester.io marketing site (index, contact, pricing, dashboard, 11 more pages, all CSS, brand assets)
- **One serverless function** — `api/briefing.mjs` available at `/api/briefing`
- **Two cron schedules** registered from `vercel.json` — both POST to `/api/briefing`

The function pulls signups from Supabase, asks Groq to rank them, renders an email-safe HTML template, sends via Resend, and logs the send to your Supabase `email_log` table.

[02] Live *URLs*

PATH	WHAT IT SERVES
<code>/</code>	Tester.io landing page
<code>/dashboard.html</code>	Admin dashboard (password gated)
<code>/contact.html</code>	Contact form — posts to Supabase + Sheets
<code>/customers.html</code>	Customer logos + case studies
<code>/changelog.html</code>	Release notes
<code>/manifesto.html</code> , <code>/careers.html</code> , <code>/press.html</code>	Company pages
<code>/privacy.html</code> , <code>/terms.html</code> , <code>/security.html</code> , <code>/dpa.html</code>	Legal pages
<code>/status.html</code>	Service status
<code>/api/briefing</code>	The briefing serverless function (POST/GET with <code>?secret=...</code>)

[03] Credentials & *secrets*

NAME	VALUE	WHERE USED
Dashboard password	tester-io-admin	Gate at <code>/dashboard.html</code>
BRIEFING_SECRET	vuf2j6wUkarqL5KzPh79I8gNm1SGtTJAcZxdnpBoVR0Hsi3b	Required to manually call <code>/api/briefing</code> ; also asked once by the dashboard's "Run now" button
Briefing recipient	aernestleanrivera@gmail.com	Where the daily email lands
From address	onboarding@resend.dev	Resend shared sender (only sends to your registered email)

Resend free-tier rule: `onboarding@resend.dev` can only send to the email registered with Resend. To send to anyone else, verify a domain at resend.com/domains and change `RESEND_FROM` to `briefing@yourdomain.com` in Vercel env vars.

[04] Manual *trigger*

From PowerShell:

```
# Replace with your project subdomain
$URL = "https://arca-academy-activities-training-pv.vercel.app/api/briefing"
$SECRET = "vuf2j6wUkarqL5KzPh79I8gNm1SGtTJAcZxdnpBoVR0Hsi3b"

# Dry run – renders + summarizes, no email sent
curl.exe "$URL`?dry=1&demo=1&secret=$SECRET"

# Real send with 6 sample Leads
curl.exe "$URL`?demo=1&secret=$SECRET"

# Real send with last 24h of Live Supabase Leads
curl.exe "$URL`?secret=$SECRET"
```

Expected success response:

```
{ "ok": true, "id": "abc-123-...", "provider": "resend", "headline": "Strong enterprise interest overnight", "total": 6 }
```

[05] Cron *schedule*

Two daily fires registered in `vercel.json` :

CRON (UTC)	ASIA/MANILA	USE CASE
30 12 * * *	8:30 PM	Evening recap
0 23 * * *	7:00 AM	Morning briefing (per activity spec)

Check **Vercel** → **Settings** → **Cron Jobs** to confirm both rows are registered.

Hobby plan caveat. Vercel rounds cron schedules to **daily granularity** — fires once per day around that time, not always exactly to the minute. Fine for a morning briefing; not suitable for minute-precise jobs.

[06] Dashboard "Run now"

The dashboard auto-detects where it's hosted:

OPENED FROM	"RUN NOW" HITS
http://localhost:3000	http://localhost:3100/api/briefing/run-now (your watch daemon)
https://...vercel.app	/api/briefing?secret=... (same origin)

On Vercel the dashboard will **prompt for the BRIEFING_SECRET on first use** and cache it in `localStorage`. To clear it later, open DevTools console and run `localStorage.removeItem("brf_secret")`.

[07] Changing the *schedule*

- 01** Open `Day4-EmailAuto/vercel.json` in the repo.
- 02** Edit the entries inside `crons[]`. Schedule strings are UTC cron; convert from Manila by subtracting 8 hours.
- 03** Commit + push to `training/main`. Vercel auto-redeploys within ~30s.
- 04** Refresh **Settings** → **Cron Jobs** on Vercel to confirm the new schedule.

Common UTC ↔ Manila conversions

0 7 * * *	UTC → 3 PM Manila	0 12 * * *	UTC → 8 PM Manila
0 23 * * *	UTC → 7 AM Manila	30 12 * * *	UTC → 8:30 PM Manila

[08] File *layout*

```
Day4-EmailAuto/
├─ api/
│  └─ briefing.mjs           # Vercel serverless handler
├─ briefing/
│  └─ template.mjs          # Email-safe HTML renderer
├─ morning-briefing.mjs      # Local CLI + watch daemon (not used on Vercel)
├─ dashboard.html            # Admin UI w/ auto-detect for API base
├─ index.html, contact.html, ... # 14 marketing pages
├─ css/subpage.css, brand_assets # Static assets
├─ supabase/
│  └─ dashboard-tables.sql    # Creates email_log + newsletters
│  └─ email-log-add-briefing-source.sql
├─ tests/                    # Playwright (form, links, briefing preview)
├─ vercel.json                # Crons + function config
├─ package.json
├─ .env.example
└─ README.md, DEPLOY.md
```

[09] Troubleshooting

SYMPTOM	FIX
Build fails: "no package.json found"	Vercel → Settings → General → Root Directory must be <code>Day4-EmailAuto</code>
Build fails: "No matching version for X"	Bad version in <code>package.json</code> . Check the npm registry and bump to a real version.
Manual trigger returns <code>401 invalid_secret</code>	Secret in the URL doesn't match Vercel env var. Re-check it.
Manual trigger returns Resend rejection	<code>BRIEFING_TO</code> doesn't match Resend-registered email. Change it or verify a domain.
Email lands in spam	Verify a domain in Resend, change <code>RESEND_FROM</code> to <code>briefing@yourdomain.com</code>
Cron doesn't fire	Vercel re-reads <code>vercel.json</code> only on deploy. After editing schedule, push to trigger redeploy.
Dashboard "Run now" button errors on Vercel	Clear cached secret: open DevTools console → <code>localStorage.removeItem("brf_secret")</code> → refresh → re-enter
Briefings missing from Email Log tab	Run <code>supabase/email-log-add-briefing-source.sql</code> once in the Supabase SQL editor

[10] Cleanup / *rollback*

To pause the briefing without deleting:

- Vercel → Settings → Cron Jobs → toggle each cron OFF
- Or remove the `crons` array from `vercel.json` and push → redeploy

To delete the deployed project:

- Vercel → Settings → Advanced → **Delete Project**
- Repo files stay intact; you can re-deploy any time

To revert any code change:

```
git revert <commit-sha>
git push training
```

Vercel auto-redeploys from the revert commit.