

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are you?		
		1 12 years old or younger	36	0.3
		2 13 years old	338	3.1
		3 14 years old	2,493	23.0
		4 15 years old	2,913	26.2
		5 16 years old	2,828	23.2
		6 17 years old	2,387	19.8
		7 18 years old or older	544	4.4
		Missing	31	
18-18	Q2	What is your sex?		
		1 Female	6,104	50.0
		2 Male	5,424	50.0
		Missing	42	
19-19	Q3	In what grade are you?		
		1 9th grade	3,164	29.7
		2 10th grade	2,999	27.2
		3 11th grade	2,717	22.1
		4 12th grade	2,540	20.5
		5 Ungraded or other grade	64	0.4
		Missing	86	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	5,108	34.6
		2 No	6,213	65.4
		Missing	249	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	22	0.2
		G	5	0.0
		F	19	0.2
		E	1,895	22.6
		E H	3	0.0
		D	514	3.5
		D H	1	0.0
		DE	16	0.1
		C	3,762	48.7
		C E	114	0.4
		CD	72	0.3
		CDE	12	0.0
		B	1,123	19.7
		B E	34	0.1
		B D	25	0.1
		B DE	3	0.0
		BC	62	0.2
		BC E	9	0.1
		BCD	5	0.0
		A	373	2.3
		A H	1	0.0
		A G	1	0.0
		A F	1	0.0
		A E	27	0.2
		A D	13	0.1
		A DE	1	0.0
		A C	111	0.5
		A C E	37	0.2
		A CD	9	0.0
		A CDE	2	0.0
		AB	15	0.1
		AB E	3	0.0
		AB DE	3	0.0
		ABC	7	0.0
		ABC E	4	0.0
		ABCD	3	0.0
		ABCDE	18	0.2
			3,245	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?		
		1 I did not ride a bicycle during the past 12 months	4,428	36.6
		2 Never wore a helmet	5,589	49.7
		3 Rarely wore a helmet	639	5.8
		4 Sometimes wore a helmet	356	3.3
		5 Most of the time wore a helmet	215	2.0
		6 Always wore a helmet	234	2.5
		Missing	109	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 0 times	10,861	97.1
		2 1 time	91	0.9
		3 2 or 3 times	56	0.5
		4 4 or 5 times	41	0.4
		5 6 or more times	113	1.1
		Missing	408	
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	10,262	90.9
		2 1 day	311	2.8
		3 2 or 3 days	277	2.5
		4 4 or 5 days	91	0.7
		5 6 or more days	380	3.1
		Missing	249	
44-44	Q13	During the past 30 days, on how many days did you carry a gun?		
		1 0 days	11,081	97.7
		2 1 day	112	0.9
		3 2 or 3 days	58	0.5
		4 4 or 5 days	19	0.2
		5 6 or more days	102	0.7
		Missing	198	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
45-45	Q14	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	10,890	96.4
		2 1 day	126	1.1
		3 2 or 3 days	80	0.7
		4 4 or 5 days	42	0.4
		5 6 or more days	178	1.5
		Missing	254	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	10,436	91.6
		2 1 day	640	4.9
		3 2 or 3 days	230	1.9
		4 4 or 5 days	56	0.4
		5 6 or more days	147	1.2
		Missing	61	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	10,732	93.3
		2 1 time	376	3.1
		3 2 or 3 times	185	1.6
		4 4 or 5 times	63	0.6
		5 6 or 7 times	34	0.3
		6 8 or 9 times	13	0.1
		7 10 or 11 times	11	0.1
		8 12 or more times	100	0.8
		Missing	56	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	8,199	71.4
		2 1 time	1,461	12.7
		3 2 or 3 times	1,026	9.4
		4 4 or 5 times	308	2.7
		5 6 or 7 times	117	1.1
		6 8 or 9 times	71	0.5
		7 10 or 11 times	33	0.4
		8 12 or more times	228	1.8
		Missing	127	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
51-51	Q20	During the past 12 months, did your boyfriend or girlfriend ever hit, slap, or physically hurt you on purpose?		
		1 Yes	1,166	10.4
		2 No	10,209	89.6
		Missing	195	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	772	6.5
		2 No	10,621	93.5
		Missing	177	
53-53	Q22	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	1,308	11.7
		2 No	10,039	88.3
		Missing	223	
54-54	Q23	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	1,249	11.0
		2 No	10,212	89.0
		Missing	109	
55-55	Q24	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	3,178	26.9
		2 No	8,176	73.1
		Missing	216	
56-56	Q25	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	1,368	11.6
		2 No	10,063	88.4
		Missing	139	
58-58	Q27	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	8,568	91.6
		2 1 time	497	5.1
		3 2 or 3 times	197	2.1
		4 4 or 5 times	44	0.5
		5 6 or more times	69	0.6
		Missing	2,195	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
59-59	Q28	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	8,397	91.8
		2 Yes	216	2.5
		3 No	561	5.7
		Missing	2,396	
60-60	Q29	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	3,192	28.9
		2 No	8,005	71.1
		Missing	373	
62-62	Q31	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	10,111	91.5
		2 1 or 2 days	346	3.2
		3 3 to 5 days	131	1.3
		4 6 to 9 days	99	0.8
		5 10 to 19 days	83	0.7
		6 20 to 29 days	79	0.8
		7 All 30 days	183	1.8
		Missing	538	
63-63	Q32	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	9,966	91.4
		2 Less than 1 cigarette per day	318	2.9
		3 1 cigarette per day	202	1.9
		4 2 to 5 cigarettes per day	242	2.3
		5 6 to 10 cigarettes per day	79	0.8
		6 11 to 20 cigarettes per day	30	0.3
		7 More than 20 cigarettes per day	49	0.4
		Missing	684	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?		
		1 I did not smoke during the past 12 months	9,245	84.5
		2 Yes	807	7.7
		3 No	856	7.8
		Missing	662	
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?		
		1 0 days	10,935	96.7
		2 1 or 2 days	197	1.8
		3 3 to 5 days	65	0.5
		4 6 to 9 days	31	0.2
		5 10 to 19 days	25	0.2
		6 20 to 29 days	6	0.1
		7 All 30 days	60	0.5
		Missing	251	
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	4,461	42.5
		2 8 years old or younger	736	6.9
		3 9 or 10 years old	582	4.9
		4 11 or 12 years old	1,198	11.0
		5 13 or 14 years old	2,378	20.8
		6 15 or 16 years old	1,449	11.9
		7 17 years old or older	224	2.0
		Missing	542	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	7,019	69.4
		2 1 or 2 days	1,828	17.1
		3 3 to 5 days	803	7.3
		4 6 to 9 days	329	3.0
		5 10 to 19 days	186	1.8
		6 20 to 29 days	51	0.5
		7 All 30 days	101	1.0
		Missing	1,253	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
74-74	Q43	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?		
		1 0 days	9,446	87.3
		2 1 day	673	5.5
		3 2 days	391	3.5
		4 3 to 5 days	260	2.1
		5 6 to 9 days	81	0.7
		6 10 to 19 days	39	0.3
		7 20 or more days	67	0.7
		Missing	613	
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	6,904	69.1
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	456	4.2
		3 I bought it at a restaurant, bar, or club	81	0.8
		4 I bought it at a public event such as a concert or sporting event	65	0.7
		5 I gave someone else money to buy it for me	519	4.3
		6 Someone gave it to me	997	9.7
		7 I took it from a store or family member	470	4.4
		8 I got it some other way	719	6.9
		Missing	1,359	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	7,578	69.6
		2 8 years old or younger	204	1.8
		3 9 or 10 years old	143	1.1
		4 11 or 12 years old	473	4.2
		5 13 or 14 years old	1,508	12.9
		6 15 or 16 years old	1,050	9.2
		7 17 years old or older	142	1.3
		Missing	472	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	8,966	82.3
		2 1 or 2 times	779	6.4
		3 3 to 9 times	514	4.7
		4 10 to 19 times	234	2.2
		5 20 to 39 times	168	1.6
		6 40 or more times	338	2.9
		Missing	571	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	10,705	95.9
		2 1 or 2 times	208	1.9
		3 3 to 9 times	92	0.8
		4 10 to 19 times	52	0.5
		5 20 to 39 times	27	0.3
		6 40 or more times	76	0.6
		Missing	410	
83-83	Q52	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	10,037	90.0
		2 1 or 2 times	563	5.1
		3 3 to 9 times	246	2.4
		4 10 to 19 times	107	0.9
		5 20 to 39 times	60	0.5
		6 40 or more times	110	1.0
		Missing	447	
84-84	Q53	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	10,798	97.3
		2 1 or 2 times	107	1.0
		3 3 to 9 times	65	0.6
		4 10 to 19 times	45	0.4
		5 20 to 39 times	18	0.2
		6 40 or more times	61	0.5
		Missing	476	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
85-85	Q54	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	10,812	97.2
		2 1 or 2 times	112	1.1
		3 3 to 9 times	66	0.7
		4 10 to 19 times	41	0.4
		5 20 to 39 times	18	0.1
		6 40 or more times	65	0.6
		Missing	456	
86-86	Q55	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	10,509	95.3
		2 1 or 2 times	280	2.5
		3 3 to 9 times	104	0.8
		4 10 to 19 times	58	0.5
		5 20 to 39 times	40	0.3
		6 40 or more times	67	0.7
		Missing	512	
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	10,719	97.5
		2 1 time	168	1.6
		3 2 or more times	107	0.8
		Missing	576	
91-91	Q60	Have you ever had sexual intercourse?		
		1 Yes	3,865	37.8
		2 No	5,715	62.2
		Missing	1,990	
92-92	Q61	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	5,710	62.2
		2 11 years old or younger	382	3.7
		3 12 years old	346	3.3
		4 13 years old	717	7.2
		5 14 years old	979	9.5
		6 15 years old	780	7.4
		7 16 years old	498	4.9
		8 17 years old or older	182	1.7
		Missing	1,976	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
93-93	Q62	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	5,689	62.5
		2 1 person	1,360	13.3
		3 2 people	708	7.0
		4 3 people	496	4.9
		5 4 people	300	3.1
		6 5 people	234	2.3
		7 6 or more people	729	6.9
		Missing	2,054	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	5,650	62.4
		2 I have had sexual intercourse, but not during the past 3 months	1,289	12.5
		3 1 person	1,738	17.0
		4 2 people	367	3.8
		5 3 people	155	1.6
		6 4 people	79	0.8
		7 5 people	70	0.5
		8 6 or more people	122	1.3
		Missing	2,100	
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	5,647	62.5
		2 Yes	626	6.4
		3 No	3,178	31.1
		Missing	2,119	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	5,631	63.7
		2 Yes	2,490	24.9
		3 No	1,122	11.4
		Missing	2,327	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	5,624	63.7
		2 No method was used to prevent pregnancy	534	5.4
		3 Birth control pills	276	2.9
		4 Condoms	2,138	21.5
		5 Depo-Provera (or any injectable birth control), Nuva Ring (or any birth control ring), Implanon (or any implant), or any IUD	135	1.1
		6 Withdrawal	266	2.7
		7 Some other method	131	1.5
		8 Not sure	126	1.3
		Missing	2,340	
98-98	Q67	How do you describe your weight?		
		1 Very underweight	460	4.7
		2 Slightly underweight	1,273	12.9
		3 About the right weight	5,675	54.2
		4 Slightly overweight	2,567	23.6
		5 Very overweight	495	4.5
		Missing	1,100	
99-99	Q68	Which of the following are you trying to do about your weight?		
		1 Lose weight	4,880	45.0
		2 Gain weight	1,980	19.5
		3 Stay the same weight	1,810	17.5
		4 I am not trying to do anything about my weight	1,761	18.0
		Missing	1,139	
102-102	Q71	During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight?		
		1 Yes	567	5.0
		2 No	9,618	95.0
		Missing	1,385	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	2,172	21.6
		2 1 to 3 times during the past 7 days	3,430	33.5
		3 4 to 6 times during the past 7 days	1,694	16.0
		4 1 time per day	576	6.0
		5 2 times per day	825	7.8
		6 3 times per day	586	5.6
		7 4 or more times per day	966	9.6
		Missing	1,321	
104-104	Q73	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	1,987	18.1
		2 1 to 3 times during the past 7 days	3,977	36.9
		3 4 to 6 times during the past 7 days	1,642	16.5
		4 1 time per day	808	8.6
		5 2 times per day	865	9.3
		6 3 times per day	401	3.8
		7 4 or more times per day	658	6.8
		Missing	1,232	
109-109	Q78	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	2,516	26.1
		2 1 to 3 times during the past 7 days	3,858	39.3
		3 4 to 6 times during the past 7 days	1,438	13.6
		4 1 time per day	655	6.2
		5 2 times per day	605	5.8
		6 3 times per day	366	3.4
		7 4 or more times per day	607	5.6
		Missing	1,525	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	1,762	18.4
		2 1 day	910	9.1
		3 2 days	1,089	10.9
		4 3 days	1,247	13.0
		5 4 days	940	9.6
		6 5 days	1,254	13.5
		7 6 days	489	5.2
		8 7 days	1,881	20.3
		Missing	1,998	
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	1,538	17.5
		2 Less than 1 hour per day	1,325	14.9
		3 1 hour per day	1,078	11.9
		4 2 hours per day	1,736	17.7
		5 3 hours per day	1,499	15.3
		6 4 hours per day	926	9.2
		7 5 or more hours per day	1,413	13.5
		Missing	2,055	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	1,324	13.6
		2 Less than 1 hour per day	1,193	12.9
		3 1 hour per day	1,190	12.5
		4 2 hours per day	1,554	17.1
		5 3 hours per day	1,355	14.3
		6 4 hours per day	941	9.9
		7 5 or more hours per day	1,877	19.7
		Missing	2,136	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	1,883	20.5
		2 1 day	381	3.8
		3 2 days	1,392	13.2
		4 3 days	1,266	13.2
		5 4 days	742	8.0
		6 5 days	3,561	41.3
		Missing	2,345	
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	5,264	57.2
		2 1 team	2,395	26.3
		3 2 teams	1,042	10.9
		4 3 or more teams	548	5.6
		Missing	2,321	
116-116	Q85	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	2,262	23.0
		2 No	6,303	70.9
		3 Not sure	510	6.2
		Missing	2,495	
118-118	Q87	What borough of New York do you live in?		
		1 Bronx	3,310	21.9
		2 Brooklyn	2,925	32.2
		3 Manhattan	1,418	10.5
		4 Queens	2,180	28.4
		5 Staten Island	1,687	7.0
		Missing	50	
119-119	Q88	How long have you been going to this school?		
		1 Less than 1 year	3,027	29.9
		2 1 year	1,113	10.6
		3 2 years	2,157	19.4
		4 3 years	2,477	20.8
		5 4 years	1,962	14.9
		6 5 or more years	761	4.4
		Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
120-120	Q89	How long have you lived in the United States?		
		1 Less than 1 year	161	1.3
		2 1 to 3 years	377	4.3
		3 4 to 6 years	469	4.7
		4 More than 6 years but not my whole life	1,626	15.2
		5 I have always lived in the United States	8,827	74.4
		Missing	110	
121-121	Q90	How often do the people in your home speak a language other than English?		
		1 Never	2,805	24.7
		2 Rarely	1,137	9.2
		3 Sometimes	2,274	19.6
		4 Most of the time	2,588	23.4
		5 Always	2,705	23.0
		Missing	61	
122-122	Q91	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	9,422	82.3
		2 1 time	1,127	10.2
		3 2 or 3 times	492	4.0
		4 4 or 5 times	167	1.4
		5 6 or more times	271	2.2
		Missing	91	
123-123	Q92	During the past 12 months, did you ever try to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that you could not face alone?		
		1 I did not need help during the past 12 months	6,078	54.2
		2 Yes	1,923	15.8
		3 No	3,410	30.0
		Missing	159	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
124-124	Q93	How many months ago did you try cigarette smoking for the first time?		
		1 I have never tried cigarette smoking	8,261	72.6
		2 Less than 1 month ago	407	3.4
		3 1 to 3 months ago	310	2.8
		4 4 to 6 months ago	304	2.9
		5 7 to 12 months ago	357	3.2
		6 13 or more months ago	1,668	15.2
		Missing	263	
125-125	Q94	During the past 30 days, how did you usually get your own cigarettes?		
		1 I did not smoke cigarettes during the past 30 days	9,953	89.2
		2 I bought them in a store such as a convenience store, supermarket, or gas station	351	3.0
		3 I bought them on the Internet	36	0.4
		4 I bummed them	71	0.7
		5 Someone gave them to me or bought them for me	485	4.6
		6 I stole them	58	0.4
		7 I got them some other way	159	1.6
		Missing	457	
126-126	Q95	Does anyone who lives with you now smoke cigarettes?		
		1 Yes	3,670	32.5
		2 No	7,489	67.5
		Missing	411	
127-127	Q96	Out of every 10 students in your grade at school, about how many do you think smoke cigarettes?		
		1 0 students	2,271	19.5
		2 1 student	1,515	13.6
		3 2 students	1,377	12.4
		4 3 students	1,287	11.5
		5 4 students	1,073	9.5
		6 5 students	1,020	9.2
		7 6 or 7 students	898	7.9
		8 8 to 10 students	1,833	16.3
		Missing	296	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	Would you say your friends approve or disapprove of smoking?		
		1 Strongly approve	738	6.6
		2 Approve	1,180	10.6
		3 Neither approve nor disapprove	3,881	35.1
		4 Disapprove	2,580	23.7
		5 Strongly disapprove	2,683	24.1
		Missing	508	
129-129	Q98	During the past 30 days, what type of alcohol did you usually drink?		
		1 I did not drink alcohol during the past 30 days	7,259	67.4
		2 I do not have a usual type	427	3.8
		3 Beer	395	3.5
		4 Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	648	5.5
		5 Wine coolers, such as Bartles & Jaymes or Seagrams	79	0.9
		6 Wine	161	1.7
		7 Liquor, such as vodka, rum, scotch, bourbon, or whiskey	1,705	14.3
		8 Some other type	301	2.9
		Missing	595	
130-130	Q99	During the past 12 months, how many times have you taken a prescription pain medication, such as Oxycontin, Percocet, Vicodin, Hydrocodone, or Oxycodone without a doctor's prescription?		
		1 0 times	10,201	92.7
		2 1 time	268	2.5
		3 2 or 3 times	200	1.8
		4 4 or 5 times	107	0.9
		5 6 or 7 times	48	0.4
		6 8 or 9 times	51	0.6
		7 10 or 11 times	20	0.2
		8 12 or more times	100	0.9
		Missing	575	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
131-131	Q100	During the past 12 months, how many times have you taken other prescription drugs, such as Xanax, Adderall or Ritalin without a doctor's prescription?		
		1 0 times	10,545	95.2
		2 1 time	181	1.7
		3 2 or 3 times	118	1.2
		4 4 or 5 times	65	0.6
		5 6 or 7 times	36	0.3
		6 8 or 9 times	23	0.3
		7 10 or 11 times	11	0.1
		8 12 or more times	80	0.7
		Missing	511	
132-132	Q101	During the past 30 days, how many times have you had sexual intercourse?		
		1 0 times	8,372	80.0
		2 1 to 3 times	1,326	11.8
		3 4 to 7 times	491	4.1
		4 8 or more times	470	4.1
		Missing	911	
133-133	Q102	During the past 3 months, how often did you or your partner use a condom when you had sexual intercourse?		
		1 I have never had sexual intercourse	6,296	62.8
		2 I have had sexual intercourse, but not during the past 3 months	1,075	9.5
		3 Never	562	5.0
		4 Rarely	257	2.4
		5 Sometimes	306	2.9
		6 Most of the time	404	3.6
		7 Always	1,557	13.8
		Missing	1,113	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
134-134	Q103	The last time you had sexual intercourse, what one birth control method did you or your partner use?		
		1 I have never had sexual intercourse	6,125	62.6
		2 Depo-Provera (injectable birth control)	228	2.0
		3 The Ring (Nuva Ring?)	149	1.3
		4 The Patch (Ortho-Evra?)	95	0.7
		5 The IUD (intrauterine device) or Implanon? (implantable birth control)	52	0.4
		6 Emergency Contraception (EC) or the Morning After Pill	220	1.9
		7 None of these methods	2,567	23.3
		8 Not sure	801	7.7
		Missing	1,333	
135-135	Q104	The last time you used birth control, from where did you or your partner get it?		
		1 I have never used birth control	8,380	82.6
		2 Hospital	293	2.4
		3 School-based health center (school clinic or somewhere else at school)	323	2.7
		4 Doctor's office (not in a hospital)	244	2.2
		5 Pharmacy or Botanica or bodega	251	2.3
		6 Community health center or clinic	214	1.6
		7 Someplace else	102	1.0
		8 Not sure	533	5.1
		Missing	1,230	
136-136	Q105	In what grade were you when a teacher first taught a class about birth control methods such as the Pill, the ring, IUDs, birth control shots, patches, or condoms?		
		1 I have never been taught a class by a teacher about birth control methods	3,167	31.6
		2 6th grade or earlier	1,666	16.4
		3 7th grade	1,362	12.5
		4 8th grade	1,511	14.3
		5 9th grade	1,260	11.3
		6 10th grade	436	3.4
		7 11th or 12th grade	258	2.2
		8 Not sure	874	8.3
		Missing	1,036	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
137-137	Q106	During the past 12 months, have you been pregnant or gotten someone pregnant?		
		1 Yes	660	5.9
		2 No	9,333	90.7
		3 Not sure	346	3.4
		Missing	1,231	
138-138	Q107	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	4,921	50.1
		2 Females	2,669	26.0
		3 Males	2,165	18.9
		4 Females and males	539	5.0
		Missing	1,276	
139-139	Q108	Which of the following best describes you?		
		1 Heterosexual (straight)	8,994	86.2
		2 Gay or lesbian	304	2.8
		3 Bisexual	786	7.2
		4 Not sure	373	3.8
		Missing	1,113	
140-140	Q109	During the past 7 days, how many times did you eat vegetables such as green salad, carrots, green beans, or other vegetables?		
		1 I did not eat vegetables during the past 7 days	1,810	15.4
		2 1 to 3 times during the past 7 days	3,466	33.1
		3 4 to 6 times during the past 7 days	1,969	19.5
		4 1 time per day	1,260	12.6
		5 2 times per day	871	9.6
		6 3 times per day	336	3.8
		7 4 or more times per day	560	6.2
		Missing	1,298	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
141-141	Q110	During the past 7 days, how many times did you drink other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk?		
		1 I did not drink other sweetened drinks during the past 7 days	1,954	20.4
		2 1 to 3 times during the past 7 days	3,726	37.5
		3 4 to 6 times during the past 7 days	1,764	17.6
		4 1 time per day	766	7.7
		5 2 times per day	696	6.3
		6 3 times per day	465	4.1
		7 4 or more times per day	724	6.4
		Missing	1,475	
142-142	Q111	What kind of milk do you usually drink?		
		1 I do not drink milk	1,356	12.8
		2 Whole milk	3,369	33.8
		3 2% milk or reduced fat milk	2,208	21.1
		4 1% milk or low-fat milk	1,386	13.8
		5 Skim milk or non-fat milk	425	4.7
		6 Soy milk	336	3.6
		7 Not sure	940	10.3
		Missing	1,550	
143-143	Q112	In an average week when you are in school, how do you usually get to school?		
		1 I walk all the way to school	1,875	18.6
		2 I ride a bike all the way to school	132	1.4
		3 I use public transportation, such as a subway or city bus	6,002	65.5
		4 I ride a school bus	205	2.3
		5 I drive or ride in a car or other private vehicle	1,334	12.3
		Missing	2,022	
144-144	Q113	If you usually walk or bike all the way to school, how long does it take?		
		1 I do not walk or bike all the way to school	5,771	62.7
		2 Less than 10 minutes	1,073	10.1
		3 10 to 20 minutes	1,391	14.1
		4 21 to 29 minutes	396	4.3
		5 30 or more minutes	796	8.8
		Missing	2,143	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
145-145	Q114	If you usually take a school bus or use public transportation to get to school, do you walk or bike to get to the bus stop or subway station?		
		1 I do not walk or bike to a bus stop or subway station to get to school	3,194	33.3
		2 I walk to the bus stop or subway station	5,742	65.1
		3 I ride a bike to the bus stop or subway station	134	1.6
		Missing	2,500	
146-146	Q115	If you usually walk or bike to the bus stop or subway station to get to school, how long does it take?		
		1 I do not walk or bike to a bus stop or subway station to get to school	2,818	29.3
		2 Less than 10 minutes	4,239	47.3
		3 10 to 20 minutes	1,373	15.7
		4 21 to 29 minutes	288	3.1
		5 30 or more minutes	382	4.6
		Missing	2,470	
147-147	Q116	During the past 12 months, how often have you ridden a bicycle in one of the five boroughs of New York City?		
		1 Several times a month	1,583	17.5
		2 At least once a month	757	8.5
		3 A few times a year	2,298	23.8
		4 Never	5,015	50.2
		Missing	1,917	
148-148	Q117	On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?		
		1 0 days	2,553	26.3
		2 1 day	1,114	10.9
		3 2 days	1,269	13.1
		4 3 days	1,225	12.7
		5 4 days	832	8.7
		6 5 days	1,055	12.2
		7 6 days	314	3.4
		8 7 days	1,151	12.8
		Missing	2,057	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
149-149	Q118	During an average physical education (PE) class, how many minutes do you spend actually exercising in a way that makes you sweat or breathe hard, or playing sports that make you sweat or breathe hard?		
		1 I do not take PE	1,984	21.0
		2 Less than 10 minutes	1,296	12.9
		3 10 to 20 minutes	1,656	17.4
		4 21 to 30 minutes	1,469	16.5
		5 31 to 40 minutes	1,220	13.8
		6 41 to 50 minutes	1,122	12.6
		7 51 to 60 minutes	313	3.0
		8 More than 60 minutes	292	2.9
		Missing	2,218	
150-150	Q119	Outside of school, on an average day do you walk up at least 3 floors of stairs?		
		1 I am not physically able to walk up the stairs	560	6.3
		2 Yes	6,696	75.3
		3 No	1,662	18.4
		Missing	2,652	
151-151	Q120	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	1,884	19.6
		2 No	6,279	69.5
		3 Not sure	936	10.9
		Missing	2,471	
152-152	Q121	During the past 12 months, have you had an episode of asthma or an asthma attack?		
		1 I have never had asthma	3,662	41.2
		2 Yes	1,359	14.2
		3 No	3,743	41.7
		4 Not sure	276	3.0
		Missing	2,530	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
153-153	Q122	During the past 30 days, on how many days have you seen any cockroaches inside your home?		
		1 0 days	5,785	63.6
		2 1 day	1,386	15.5
		3 2 to 5 days	1,041	11.3
		4 6 to 10 days	223	2.3
		5 11 to 15 days	149	1.7
		6 16 to 29 days	123	1.2
		7 All 30 days	402	4.4
		Missing	2,461	
154-154	Q123	During the past 30 days, on how many days have you seen any mice inside your home?		
		1 0 days	7,001	77.5
		2 1 day	1,110	12.3
		3 2 to 5 days	584	6.0
		4 6 to 10 days	159	1.7
		5 11 to 15 days	73	0.6
		6 16 to 29 days	51	0.6
		7 All 30 days	121	1.2
		Missing	2,471	
155-155	Q124	During the past 30 days, in how many rooms in your home have you seen damp spots or mold on the walls or ceilings?		
		1 0 rooms	7,443	83.0
		2 1 room	1,045	11.7
		3 2 or more rooms	465	5.3
		Missing	2,617	
156-156	Q125	Have you ever used the school-based health center (school clinic) at your school?		
		1 My school does not have a school-based health center	1,816	18.3
		2 Yes	2,715	29.1
		3 No	4,392	52.6
		Missing	2,647	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
157-157	Q126	In an average week, how many times do you go to bodegas, delis, or drugstores?		
		1 0 times	2,844	34.3
		2 1 time per week	1,205	14.1
		3 2 times per week	1,015	11.4
		4 3 times per week	1,016	10.5
		5 4 times per week	678	7.6
		6 5 times per week	715	6.9
		7 6 times per week	309	3.3
		8 7 or more times per week	1,270	12.0
		Missing	2,518	
185-185	QN8	Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet		
		1 Yes	6,228	87.6
		2 No	805	12.4
		Missing	4,537	
188-188	QN11	Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol		
		1 Yes	301	2.9
		2 No	10,861	97.1
		Missing	408	
189-189	QN12	Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days		
		1 Yes	1,059	9.1
		2 No	10,262	90.9
		Missing	249	
190-190	QN13	Percentage of students who carried a gun on one or more of the past 30 days		
		1 Yes	291	2.3
		2 No	11,081	97.7
		Missing	198	
191-191	QN14	Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days		
		1 Yes	426	3.6
		2 No	10,890	96.4
		Missing	254	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school		
		1 Yes	1,073	8.4
		2 No	10,436	91.6
		Missing	61	
193-193	QN16	Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months		
		1 Yes	782	6.7
		2 No	10,732	93.3
		Missing	56	
194-194	QN17	Percentage of students who were in a physical fight one or more times during the past 12 months		
		1 Yes	3,244	28.6
		2 No	8,199	71.4
		Missing	127	
197-197	QN20	Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months		
		1 Yes	1,166	10.4
		2 No	10,209	89.6
		Missing	195	
198-198	QN21	Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to		
		1 Yes	772	6.5
		2 No	10,621	93.5
		Missing	177	
199-199	QN22	Percentage of students who had ever been bullied on school property during the past 12 months		
		1 Yes	1,308	11.7
		2 No	10,039	88.3
		Missing	223	
200-200	QN23	Percentage of students who had ever been electronically bullied during the past 12 months		
		1 Yes	1,249	11.0
		2 No	10,212	89.0
		Missing	109	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
201-201	QN24	Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months		
		1 Yes	3,178	26.9
		2 No	8,176	73.1
		Missing	216	
202-202	QN25	Percentage of students who seriously considered attempting suicide during the past 12 months		
		1 Yes	1,368	11.6
		2 No	10,063	88.4
		Missing	139	
204-204	QN27	Percentage of students who actually attempted suicide one or more times during the past 12 months		
		1 Yes	807	8.4
		2 No	8,568	91.6
		Missing	2,195	
205-205	QN28	Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse		
		1 Yes	216	2.5
		2 No	8,958	97.5
		Missing	2,396	
206-206	QN29	Percentage of students who ever tried cigarette smoking, even one or two puffs		
		1 Yes	3,192	28.9
		2 No	8,005	71.1
		Missing	373	
208-208	QN31	Percentage of students who smoked cigarettes on one or more of the past 30 days		
		1 Yes	921	8.5
		2 No	10,111	91.5
		Missing	538	
209-209	QN32	Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days		
		1 Yes	77	8.4
		2 No	836	91.6
		Missing	10,657	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
213-213	QN36	Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months		
		1 Yes	482	53.9
		2 No	402	46.1
		Missing	10,686	
214-214	QN37	Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days		
		1 Yes	384	3.3
		2 No	10,935	96.7
		Missing	251	
218-218	QN41	Percentage of students who had their first drink of alcohol other than a few sips before age 13 years		
		1 Yes	2,516	22.8
		2 No	8,512	77.2
		Missing	542	
219-219	QN42	Percentage of students who had at least one drink of alcohol on one or more of the past 30 days		
		1 Yes	3,298	30.6
		2 No	7,019	69.4
		Missing	1,253	
220-220	QN43	Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days		
		1 Yes	1,511	12.7
		2 No	9,446	87.3
		Missing	613	
221-221	QN44	Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days		
		1 Yes	991	32.0
		2 No	2,229	68.0
		Missing	8,350	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	820	7.1
		2 No	10,278	92.9
		Missing	472	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48	Percentage of students who used marijuana one or more times during the past 30 days		
		1 Yes	2,033	17.7
		2 No	8,966	82.3
		Missing	571	
227-227	QN50	Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life		
		1 Yes	455	4.1
		2 No	10,705	95.9
		Missing	410	
229-229	QN52	Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life		
		1 Yes	1,086	10.0
		2 No	10,037	90.0
		Missing	447	
230-230	QN53	Percentage of students who used heroin one or more times during their life		
		1 Yes	296	2.7
		2 No	10,798	97.3
		Missing	476	
231-231	QN54	Percentage of students who used methamphetamines one or more times during their life		
		1 Yes	302	2.8
		2 No	10,812	97.2
		Missing	456	
232-232	QN55	Percentage of students who used ecstasy one or more times during their life		
		1 Yes	549	4.7
		2 No	10,509	95.3
		Missing	512	
235-235	QN58	Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life		
		1 Yes	275	2.5
		2 No	10,719	97.5
		Missing	576	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
237-237	QN60	Percentage of students who ever had sexual intercourse		
		1 Yes	3,865	37.8
		2 No	5,715	62.2
		Missing	1,990	
238-238	QN61	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	728	7.0
		2 No	8,866	93.0
		Missing	1,976	
239-239	QN62	Percentage of students who had sexual intercourse with four or more people during their life		
		1 Yes	1,263	12.3
		2 No	8,253	87.7
		Missing	2,054	
240-240	QN63	Percentage of students who had sexual intercourse with one or more people during the past three months		
		1 Yes	2,531	25.1
		2 No	6,939	74.9
		Missing	2,100	
241-241	QN64	Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse		
		1 Yes	453	19.2
		2 No	2,025	80.8
		Missing	9,092	
242-242	QN65	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse		
		1 Yes	1,535	65.4
		2 No	817	34.6
		Missing	9,218	
243-243	QN66	Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	205	9.3
		2 No	2,139	90.7
		Missing	9,226	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
244-244	QN67	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	3,062	28.1
		2 No	7,408	71.9
		Missing	1,100	
245-245	QN68	Percentage of students who were trying to lose weight		
		1 Yes	4,880	45.0
		2 No	5,551	55.0
		Missing	1,139	
248-248	QN71	Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days		
		1 Yes	567	5.0
		2 No	9,618	95.0
		Missing	1,385	
249-249	QN72	Percentage of students who drank 100% fruit juices one or more times during the past seven days		
		1 Yes	8,077	78.4
		2 No	2,172	21.6
		Missing	1,321	
250-250	QN73	Percentage of students who ate fruit one or more times during the past seven days		
		1 Yes	8,351	81.9
		2 No	1,987	18.1
		Missing	1,232	
255-255	QN78	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days		
		1 Yes	2,233	20.9
		2 No	7,812	79.1
		Missing	1,525	
256-256	QN79	Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days		
		1 Yes	3,624	39.0
		2 No	5,948	61.0
		Missing	1,998	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
257-257	QN80	Percentage of students who watched three or more hours per day of TV on an average school day		
		1 Yes	3,838	38.0
		2 No	5,677	62.0
		Missing	2,055	
258-258	QN81	Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day		
		1 Yes	4,173	43.9
		2 No	5,261	56.1
		Missing	2,136	
259-259	QN82	Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school		
		1 Yes	7,342	79.5
		2 No	1,883	20.5
		Missing	2,345	
260-260	QN83	Percentage of students who played on one or more sports teams during the past 12 months		
		1 Yes	3,985	42.8
		2 No	5,264	57.2
		Missing	2,321	
262-262	QN85	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	2,262	23.0
		2 No	6,813	77.0
		Missing	2,495	
264-264	QN87	Percentage of students who live outside of Manhattan borough of New York		
		1 Yes	10,102	89.5
		2 No	1,418	10.5
		Missing	50	
265-265	QN88	Percentage of students who have attended their school less than one year		
		1 Yes	3,027	29.9
		2 No	8,470	70.1
		Missing	73	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
266-266	QN89	Percentage of students who have lived in the United States less than one year		
		1 Yes	161	1.3
		2 No	11,299	98.7
		Missing	110	
267-267	QN90	Percentage of students in whose home the people most of the time or always speak a language other than English		
		1 Yes	5,293	46.5
		2 No	6,216	53.5
		Missing	61	
268-268	QN91	Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months		
		1 Yes	2,057	17.7
		2 No	9,422	82.3
		Missing	91	
269-269	QN92	Percentage of students who tried to get help from a professional counselor, social worker, or therapist for an emotional or personal issue that they could not face alone during the past 12 months		
		1 Yes	1,923	15.8
		2 No	9,488	84.2
		Missing	159	
270-270	QN93	Percentage of students who tried cigarette smoking for the first time during the past year		
		1 Yes	1,378	12.3
		2 No	9,929	87.7
		Missing	263	
271-271	QN94	Percentage of students who usually got their own cigarettes by buying them in a store such as a convenience store, supermarket, or gas station during the past 30 days		
		1 Yes	351	3.0
		2 No	10,762	97.0
		Missing	457	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who live with someone who smokes cigarettes		
		1 Yes	3,670	32.5
		2 No	7,489	67.5
		Missing	411	
273-273	QN96	Percentage of students who think two or more out of every 10 students in the same grade at school smoke cigarettes		
		1 Yes	7,488	66.9
		2 No	3,786	33.1
		Missing	296	
274-274	QN97	Percentage of students who say their friends disapprove or strongly disapprove of smoking		
		1 Yes	5,263	47.8
		2 No	5,799	52.2
		Missing	508	
275-275	QN98	Among students who drank alcohol during the past 30 days and who have a usual type of alcohol that they drink, the percentage who reported liquor, such as vodka, rum, scotch, bourbon, or whiskey, as their type of alcohol they usually drank during the past 30 days		
		1 Yes	1,705	49.8
		2 No	1,584	50.2
		Missing	8,281	
276-276	QN99	Percentage of students who have taken a prescription pain medication without a doctor's prescription one or more times during the past 12 months		
		1 Yes	794	7.3
		2 No	10,201	92.7
		Missing	575	
277-277	QN100	Percentage of students who have taken other prescription drugs without a doctor's prescription one or more times during the past 12 months		
		1 Yes	514	4.8
		2 No	10,545	95.2
		Missing	511	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
278-278	QN101	Percentage of students who have had sexual intercourse one or more times during the past 30 days		
		1 Yes	2,287	20.0
		2 No	8,372	80.0
		Missing	911	
279-279	QN102	Among students who have had sexual intercourse and who have had sexual intercourse during the past three months, the percentage who always used a condom when they had sexual intercourse during the past three months		
		1 Yes	1,557	49.8
		2 No	1,529	50.2
		Missing	8,484	
280-280	QN103	Percentage of students who used the IUD (intrauterine device) or Implanon as birth control method to prevent pregnancy the last time they had sexual intercourse		
		1 Yes	52	0.4
		2 No	10,185	99.6
		Missing	1,333	
281-281	QN104	Percentage of students who responded that the last time they used birth control, they or their partner got it from school-based health center (school clinic or somewhere else at school)		
		1 Yes	323	2.7
		2 No	10,017	97.3
		Missing	1,230	
282-282	QN105	Percentage of students who have ever been taught a class by a teacher about birth control methods		
		1 Yes	6,493	60.1
		2 No	4,041	39.9
		Missing	1,036	
283-283	QN106	Percentage of students who have been pregnant or gotten someone pregnant one or more times		
		1 Yes	660	5.9
		2 No	9,679	94.1
		Missing	1,231	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

**New York City High School Survey
Codebook**

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
284-284	QN107	Percentage of students who have had sexual contact with males and females during their life		
		1 Yes	539	5.0
		2 No	9,755	95.0
		Missing	1,276	
285-285	QN108	Percentage of students who describe themselves as gay or lesbian or bisexual		
		1 Yes	1,090	10.0
		2 No	9,367	90.0
		Missing	1,113	
286-286	QN109	Percentage of students who ate vegetables such as green salad, carrots, green beans, or other vegetables one or more times per day during the past seven days		
		1 Yes	3,027	32.1
		2 No	7,245	67.9
		Missing	1,298	
287-287	QN110	Percentage of students who drank other sweetened drinks such as sports drinks, fruit punch, other fruit-flavored drinks, or chocolate or other flavored milk one or more times per day during the past seven days		
		1 Yes	2,651	24.5
		2 No	7,444	75.5
		Missing	1,475	
288-288	QN111	Percentage of students who usually drink 1% or skim milk when they drink milk		
		1 Yes	1,811	18.5
		2 No	8,209	81.5
		Missing	1,550	
289-289	QN112	Percentage of students who usually walk or bike all the way to school		
		1 Yes	2,007	20.0
		2 No	7,541	80.0
		Missing	2,022	
290-290	QN113	Percentage of students who walk or bike more than 20 minutes to school		
		1 Yes	1,192	13.1
		2 No	8,235	86.9
		Missing	2,143	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
291-291	QN114	Percentage of students who walk or bike to the bus stop or subway station to get to school		
		1 Yes	5,876	66.7
		2 No	3,194	33.3
		Missing	2,500	
292-292	QN115	Percentage of students who walk or bike 10 or more minutes to the bus stop or subway station to get to school		
		1 Yes	2,043	23.4
		2 No	7,057	76.6
		Missing	2,470	
293-293	QN116	Percentage of students who have ridden a bicycle in one of the five boroughs of New York City one or more times during the past 12 months		
		1 Yes	4,638	49.8
		2 No	5,015	50.2
		Missing	1,917	
294-294	QN117	Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days		
		1 Yes	4,577	49.7
		2 No	4,936	50.3
		Missing	2,057	
295-295	QN118	Percentage of students who spend more than 20 minutes actually exercising in a way that makes them sweat or breathe hard, or playing sports that make them sweat or breathe hard during an average physical education (PE) class		
		1 Yes	4,416	48.7
		2 No	4,936	51.3
		Missing	2,218	
296-296	QN119	Percentage of students who walk up at least three floors of stairs outside of school on an average day		
		1 Yes	6,696	75.3
		2 No	2,222	24.7
		Missing	2,652	
297-297	QN120	Percentage of students who had ever been tested for HIV, the virus that causes AIDS		
		1 Yes	1,884	19.6
		2 No	7,215	80.4
		Missing	2,471	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
298-298	QN121	Percentage of students who have had an episode of asthma or an asthma attack during the past 12 months		
		1 Yes	1,359	14.2
		2 No	7,681	85.8
		Missing	2,530	
299-299	QN122	Percentage of students who ever saw cockroaches inside their home during the past 30 days		
		1 Yes	3,324	36.4
		2 No	5,785	63.6
		Missing	2,461	
300-300	QN123	Percentage of students who ever saw mice inside their home during the past 30 days		
		1 Yes	2,098	22.5
		2 No	7,001	77.5
		Missing	2,471	
301-301	QN124	Percentage of students who ever saw damp spots or mold on the walls or ceilings in one or more rooms during the past 30 days		
		1 Yes	1,510	17.0
		2 No	7,443	83.0
		Missing	2,617	
302-302	QN125	Percentage of students who have ever used the school-based health center (school clinic) at their school		
		1 Yes	2,715	29.1
		2 No	6,208	70.9
		Missing	2,647	
303-303	QN126	Percentage of students who go to bodegas, delis, or drugstores two or more times per week		
		1 Yes	5,003	51.6
		2 No	4,049	48.4
		Missing	2,518	
350-350	QNFRCIG	Percentage of students who smoked cigarettes on 20 or more of the past 30 days		
		1 Yes	262	2.5
		2 No	10,770	97.5
		Missing	538	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
352-352	QNDEPO	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) to prevent pregnancy before last sexual intercourse		
		1 Yes	111	3.5
		2 No	2,233	96.5
		Missing	9,226	
353-353	QNDEPOPL	Among students who had sexual intercourse during the past three months, the percentage who used Depo-Provera (injectable birth control) or birth control pills to prevent pregnancy before last sexual intercourse		
		1 Yes	316	12.9
		2 No	2,028	87.1
		Missing	9,226	
354-354	QNDUAL	Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse and used birth control pills or Depo-Provera before last sexual intercourse to prevent pregnancy		
		1 Yes	106	4.8
		2 No	2,200	95.2
		Missing	9,264	
357-357	QNFRUIT	Percentage of students who ate fruits two or more times per day during the past seven days		
		1 Yes	3,402	33.9
		2 No	6,782	66.1
		Missing	1,386	
359-359	QNDLYPE	Percentage of students who attended physical education (PE) classes daily in an average week when they were in school		
		1 Yes	3,561	41.3
		2 No	5,664	58.7
		Missing	2,345	
360-360	QNPA0DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days		
		1 Yes	1,762	18.4
		2 No	7,810	81.6
		Missing	1,998	

2011 YOUTH RISK BEHAVIOR SURVEY RESULTS

New York City High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
361-361	QNPA7DAY	Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days		
		1 Yes	1,881	20.3
		2 No	7,691	79.7
		Missing	1,998	
362-362	QNOWT	Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)		
		1 Yes	1,710	15.5
		2 No	8,789	84.5
		Missing	1,071	
363-363	QNOBESE	Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)		
		1 Yes	1,311	11.6
		2 No	9,188	88.4
		Missing	1,071	
364-373	WEIGHT			
374-376	STRATUM			
377-382	PSU			
383-387	BMIPCT			
388-389	RACEETH			
		1 Am Indian/Alaska Native	135	0.2
		2 Asian	1,020	15.0
		3 Black or African American	3,031	34.6
		4 Native Hawaiian/other PI	127	0.2
		5 White	1,283	14.1
		6 Hispanic/Latino	2,914	20.4
		7 Multiple - Hispanic	2,164	15.0
		8 Multiple - non-Hispanic	370	0.5
		Missing	526	