

# Table of Contents

Table of Contents	1
Gitbook Sunlight Highlighter Test	3
Chapter 1 Markdown - Fenced code blocks	4
Default highlight (use settings on book.json)	4
Highlight with options	4
gitbook theme, no line numbers	4
light theme, no line numbers	5
dark theme, no line numbers	5
gitbook theme, has line numbers	5
light theme, has line numbers	6
dark theme, has line numbers	6
Default theme, line numbers starts from 100	6
Source code for this file	7
Chapter 2 AsciiDoc - Fenced code blocks	10
Default highlight (use settings on book.json)	10
Highlight with options	10
gitbook theme, no line numbers	10
light theme, no line numbers	11
dark theme, no line numbers	11
gitbook theme, has line numbers	11
light theme, has line numbers	12
dark theme, has line numbers	12
Default theme, line numbers starts from 100	12
Source code for this file	13
Chapter 3 AsciiDoc - AsciiDoc syntax	16
Default highlight (use settings on book.json)	16
Highlight with options	16
gitbook theme, no line numbers	16
light theme, no line numbers	16
dark theme, no line numbers	17
gitbook theme, has line numbers	17
light theme, has line numbers	17
dark theme, has line numbers	18
Default theme, line numbers starts from 100	18
Source code for this file	19
Chapter 4 Markdown - include-codeblock	23
Default highlight (use settings on book.json)	23
Highlight with options	23
gitbook theme, no line numbers	23
light theme, no line numbers	24
dark theme, no line numbers	24
gitbook theme, has line numbers	24
light theme, has line numbers	25
dark theme, has line numbers	25
Default theme, line numbers starts from 100	25
Source code for this file	26
Chapter 5 AsciiDoc - include-codeblock	28
Default highlight (use settings on book.json)	28
Highlight with options	28
gitbook theme, no line numbers	28
light theme, no line numbers	28
dark theme, no line numbers	29

gitbook theme, has line numbers	29
light theme, has line numbers	29
dark theme, has line numbers	30
Default theme, line numbers starts from 100	30
<b>Source code for this file</b>	<b>31</b>

# Gitbook Sunlight Highlighter Test

This is the test pages of GitBook plugin sunlight-highlighter. Fenced code blocks and the GitBook plugin include-codeblock are tested. Browse the following pages to see the results.

Note: due to the ways Calibre filters the CSS, line numbering are not compatible with PDF/e-book output. Sadly I cannot find relevant documentation about how Calibre process CSS, so this cannot be solved in the near future. You can see those outputs and how is the output malformed.

Source code of test pages are dumped at the bottom of each page with include-codeblock. Since the default templates of include-codeblock cannot handle fenced code block, the following template is used instead:

```
{% if file.type=="asciidoc" %}
[source,{{lang}}]
.....
{{{content}}}
.....
{% else %}
..... {{lang}}
{{{content}}}
.....
{% endif %}
```

# Chapter 1 Markdown - Fenced code blocks

This is a part of the “Gitbook Sunlight Highlighter Test”.

## Default highlight (use settings on book.json)

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

---

## Highlight with options

### gitbook theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## light theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## dark theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## gitbook theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## light theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## dark theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## Default theme, line numbers starts from 100

```
100 const express = require('express')
101 const app = express()
102
103 app.get('/', function (req, res) {
104   res.send('Hello World!')
105 })
106
107 app.listen(3000, function () {
108   console.log('Example app listening on port 3000!')
109 })
```

# Source code for this file

```
1 # Chapter 1  Markdown - Fenced code blocks
2
3 This is a part of the “Gitbook Sunlight Highlighter Test”.
4
5 ## Default highlight (use settings on book.json)
6
7 ```javascript
8 const express = require('express')
9 const app = express()
10
11 app.get('/', function (req, res) {
12   res.send('Hello World!')
13 })
14
15 app.listen(3000, function () {
16   console.log('Example app listening on port 3000!')
17 })
18 ```
19
20 ---
21
22 ## Highlight with options
23
24 ### gitbook theme, no line numbers
25
26 ```javascript+theme:gitbook+lineNumbers:false
27 const express = require('express')
28 const app = express()
29
30 app.get('/', function (req, res) {
31   res.send('Hello World!')
32 })
33
34 app.listen(3000, function () {
35   console.log('Example app listening on port 3000!')
36 })
37 ```
38
39 ### light theme, no line numbers
40
41 ```javascript+theme:light+lineNumbers:false
42 const express = require('express')
```

```
43 const app = express()
44
45 app.get('/', function (req, res) {
46   res.send('Hello World!')
47 })
48
49 app.listen(3000, function () {
50   console.log('Example app listening on port 3000!')
51 })
52 ```
53
54 ### dark theme, no line numbers
55
56 ```javascript+theme:dark+lineNumbers:false
57 const express = require('express')
58 const app = express()
59
60 app.get('/', function (req, res) {
61   res.send('Hello World!')
62 })
63
64 app.listen(3000, function () {
65   console.log('Example app listening on port 3000!')
66 })
67 ```
68
69
70 ### gitbook theme, has line numbers
71
72 ```javascript+theme:gitbook+lineNumbers:true
73 const express = require('express')
74 const app = express()
75
76 app.get('/', function (req, res) {
77   res.send('Hello World!')
78 })
79
80 app.listen(3000, function () {
81   console.log('Example app listening on port 3000!')
82 })
83 ```
84
85 ### light theme, has line numbers
86
87 ```javascript+theme:light+lineNumbers:true
88 const express = require('express')
89 const app = express()
```



```
90
91 app.get('/', function (req, res) {
92   res.send('Hello World!')
93 })
94
95 app.listen(3000, function () {
96   console.log('Example app listening on port 3000!')
97 })
98 ```
99
100 ### dark theme, has line numbers
101
102 ```javascript+theme:dark+lineNumbers:true
103 const express = require('express')
104 const app = express()
105
106 app.get('/', function (req, res) {
107   res.send('Hello World!')
108 })
109
110 app.listen(3000, function () {
111   console.log('Example app listening on port 3000!')
112 })
113 ```
114
115 ### Default theme, line numbers starts from 100
116
117 ```javascript+lineNumbers:true+lineNumberStart:100
118 const express = require('express')
119 const app = express()
120
121 app.get('/', function (req, res) {
122   res.send('Hello World!')
123 })
124
125 app.listen(3000, function () {
126   console.log('Example app listening on port 3000!')
127 })
128 ```
129
130 ---
131
132 # Source code for this file
133 [include](markdown-fenced.md)
```

# Chapter 2 AsciiDoc - Fenced code blocks

This is a part of the “Gitbook Sunlight Highlighter Test”.

## Default highlight (use settings on book.json)

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

---

## Highlight with options

### gitbook theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## light theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## dark theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## gitbook theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## light theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## dark theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## Default theme, line numbers starts from 100

```
100 const express = require('express')
101 const app = express()
102
103 app.get('/', function (req, res) {
104   res.send('Hello World!')
105 })
106
107 app.listen(3000, function () {
108   console.log('Example app listening on port 3000!')
109 })
```

## Source code for this file

```
1 # Chapter 2 AsciiDoc - Fenced code blocks
2
3 This is a part of the "Gitbook Sunlight Highlighter Test".
4
5 ## Default highlight (use settings on book.json)
6
7 ```javascript
8 const express = require('express')
9 const app = express()
10
11 app.get('/', function (req, res) {
12   res.send('Hello World!')
13 })
14
15 app.listen(3000, function () {
16   console.log('Example app listening on port 3000!')
17 })
18 ```
19
20 ---
21
22 ## Highlight with options
23
24 ### gitbook theme, no line numbers
25
26 ```javascript+theme:gitbook+lineNumbers:false
27 const express = require('express')
28 const app = express()
29
30 app.get('/', function (req, res) {
31   res.send('Hello World!')
32 })
33
34 app.listen(3000, function () {
35   console.log('Example app listening on port 3000!')
36 })
37 ```
38
39 ### light theme, no line numbers
40
41 ```javascript+theme:light+lineNumbers:false
42 const express = require('express')
43 const app = express()
```

```
44
45 app.get('/', function (req, res) {
46   res.send('Hello World!')
47 })
48
49 app.listen(3000, function () {
50   console.log('Example app listening on port 3000!')
51 })
52 ```
53
54 ### dark theme, no line numbers
55
56 ```javascript+theme:dark+lineNumbers:false
57 const express = require('express')
58 const app = express()
59
60 app.get('/', function (req, res) {
61   res.send('Hello World!')
62 })
63
64 app.listen(3000, function () {
65   console.log('Example app listening on port 3000!')
66 })
67 ```
68
69
70 ### gitbook theme, has line numbers
71
72 ```javascript+theme:gitbook+lineNumbers:true
73 const express = require('express')
74 const app = express()
75
76 app.get('/', function (req, res) {
77   res.send('Hello World!')
78 })
79
80 app.listen(3000, function () {
81   console.log('Example app listening on port 3000!')
82 })
83 ```
84
85 ### light theme, has line numbers
86
87 ```javascript+theme:light+lineNumbers:true
88 const express = require('express')
89 const app = express()
```

```
90
91 app.get('/', function (req, res) {
92   res.send('Hello World!')
93 })
94
95 app.listen(3000, function () {
96   console.log('Example app listening on port 3000!')
97 })
98 ```
99
100 ### dark theme, has line numbers
101
102 ```javascript+theme:dark+lineNumbers:true
103 const express = require('express')
104 const app = express()
105
106 app.get('/', function (req, res) {
107   res.send('Hello World!')
108 })
109
110 app.listen(3000, function () {
111   console.log('Example app listening on port 3000!')
112 })
113 ```
114
115 ### Default theme, line numbers starts from 100
116
117 ```javascript+lineNumbers:true+lineNumberStart:100
118 const express = require('express')
119 const app = express()
120
121 app.get('/', function (req, res) {
122   res.send('Hello World!')
123 })
124
125 app.listen(3000, function () {
126   console.log('Example app listening on port 3000!')
127 })
128 ```
129
130 ---
131
132 ## Source code for this file
133 [include](asciidoc-fenced.adoc)
```

# Chapter 3 AsciiDoc - AsciiDoc syntax

This is a part of the “Gitbook Sunlight Highlighter Test”.

## Default highlight (use settings on book.json)

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

---

## Highlight with options

### gitbook theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

### light theme, no line numbers



```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## dark theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## gitbook theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## light theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## dark theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## Default theme, line numbers starts from 100

```
100 const express = require('express')
101 const app = express()
102
103 app.get('/', function (req, res) {
104   res.send('Hello World!')
105 })
106
107 app.listen(3000, function () {
108   console.log('Example app listening on port 3000!')
109 })
```

## Source code for this file

```
1 # Chapter 3  AsciiDoc - AsciiDoc syntax
2
3 This is a part of the “Gitbook Sunlight Highlighter Test”.
4
5 ## Default highlight (use settings on book.json)
6
7 [source,javascript]
8 ----
9 const express = require('express')
10 const app = express()
11
12 app.get('/', function (req, res) {
13   res.send('Hello World!')
14 })
15
16 app.listen(3000, function () {
17   console.log('Example app listening on port 3000!')
18 })
19 ----
20
21 ---
22
23 ## Highlight with options
24
25 ### gitbook theme, no line numbers
26
27 [source,javascript+theme:gitbook+lineNumbers:false]
28 ----
29 const express = require('express')
30 const app = express()
31
32 app.get('/', function (req, res) {
33   res.send('Hello World!')
34 })
35
36 app.listen(3000, function () {
37   console.log('Example app listening on port 3000!')
38 })
39 ----
40
41 ### light theme, no line numbers
42
```

```
43 [source,javascript+theme:light+lineNumbers:false]
44 ----
45 const express = require('express')
46 const app = express()
47
48 app.get('/', function (req, res) {
49   res.send('Hello World!')
50 })
51
52 app.listen(3000, function () {
53   console.log('Example app listening on port 3000!')
54 })
55 ----
56
57 ### dark theme, no line numbers
58
59 [source,javascript+theme:dark+lineNumbers:false]
60 ----
61 const express = require('express')
62 const app = express()
63
64 app.get('/', function (req, res) {
65   res.send('Hello World!')
66 })
67
68 app.listen(3000, function () {
69   console.log('Example app listening on port 3000!')
70 })
71 ----
72
73
74 ### gitbook theme, has line numbers
75
76 [source,javascript+theme:gitbook+lineNumbers:true]
77 ----
78 const express = require('express')
79 const app = express()
80
81 app.get('/', function (req, res) {
82   res.send('Hello World!')
83 })
84
85 app.listen(3000, function () {
86   console.log('Example app listening on port 3000!')
87 })
88 ----
89
```

```
90  ### light theme, has line numbers
91
92  [source,javascript+theme:light+lineNumbers:true]
93  ----
94  const express = require('express')
95  const app = express()
96
97  app.get('/', function (req, res) {
98    res.send('Hello World!')
99  })
100
101  app.listen(3000, function () {
102    console.log('Example app listening on port 3000!')
103  })
104  ----
105
106  ### dark theme, has line numbers
107
108  [source,javascript+theme:dark+lineNumbers:true]
109  ----
110  const express = require('express')
111  const app = express()
112
113  app.get('/', function (req, res) {
114    res.send('Hello World!')
115  })
116
117  app.listen(3000, function () {
118    console.log('Example app listening on port 3000!')
119  })
120  ----
121
122  ### Default theme, line numbers starts from 100
123
124  [source,javascript+lineNumbers:true+lineNumberStart:100]
125  ----
126  const express = require('express')
127  const app = express()
128
129  app.get('/', function (req, res) {
130    res.send('Hello World!')
131  })
132
133  app.listen(3000, function () {
134    console.log('Example app listening on port 3000!')
135  })
```

```
136 ----
137
138 ---
139
140 ## Source code for this file
141 [include](asciidoc-internal.adoc)
```

# Chapter 4 Markdown - include-codeblock

This is a part of the “Gitbook Sunlight Highlighter Test”.

## Default highlight (use settings on book.json)

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

---

## Highlight with options

### gitbook theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## light theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## dark theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## gitbook theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```



## light theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## dark theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## Default theme, line numbers starts from 100

```
100 const express = require('express')
101 const app = express()
102
103 app.get('/', function (req, res) {
104   res.send('Hello World!')
105 })
106
107 app.listen(3000, function () {
108   console.log('Example app listening on port 3000!')
109 })
```

## Source code for this file

```
1 # Chapter 4  Markdown - include-codeblock
2
3 This is a part of the "Gitbook Sunlight Highlighter Test".
4
5 ## Default highlight (use settings on book.json)
6
7 [include](snippet.js)
8
9 ---
10
11 ## Highlight with options
12
13 ### gitbook theme, no line numbers
14
15 [include, lang:"javascript+theme:gitbook+lineNumbers:false"](snippet.js)
16
17 ### light theme, no line numbers
18
19 [include, lang:"javascript+theme:light+lineNumbers:false"](snippet.js)
20
21 ### dark theme, no line numbers
22
23 [include, lang:"javascript+theme:dark+lineNumbers:false"](snippet.js)
24
25
26 ### gitbook theme, has line numbers
27
28 [include, lang:"javascript+theme:gitbook+lineNumbers:true"](snippet.js)
29
30 ### light theme, has line numbers
31
32 [include, lang:"javascript+theme:light+lineNumbers:true"](snippet.js)
33
34 ### dark theme, has line numbers
35
36 [include, lang:"javascript+theme:dark+lineNumbers:true"](snippet.js)
37
38
39 ### Default theme, line numbers starts from 100
40
41 [include, lang:"javascript+lineNumbers:true+lineNumberStart:100"](snippet.js)
42 s)
43
```

```
44 ---
45
46 ## Source code for this file
[include](markdown-include-codeblock.md)
```

# Chapter 5 AsciiDoc - include-codeblock

This is a part of the “Gitbook Sunlight Highlighter Test”.

## Default highlight (use settings on book.json)

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

---

## Highlight with options

### gitbook theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

### light theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## dark theme, no line numbers

```
const express = require('express')
const app = express()

app.get('/', function (req, res) {
  res.send('Hello World!')
})

app.listen(3000, function () {
  console.log('Example app listening on port 3000!')
})
```

## gitbook theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## light theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## dark theme, has line numbers

```
1  const express = require('express')
2  const app = express()
3
4  app.get('/', function (req, res) {
5    res.send('Hello World!')
6  })
7
8  app.listen(3000, function () {
9    console.log('Example app listening on port 3000!')
10 })
```

## Default theme, line numbers starts from 100

```
100 const express = require('express')
101 const app = express()
102
103 app.get('/', function (req, res) {
104   res.send('Hello World!')
105 })
106
107 app.listen(3000, function () {
108   console.log('Example app listening on port 3000!')
109 })
```

## Source code for this file

```
1 # Chapter 5  AsciiDoc - include-codeblock
2
3 This is a part of the "Gitbook Sunlight Highlighter Test".
4
5 ## Default highlight (use settings on book.json)
6
7 [include](snippet.js)
8
9 ---
10
11 ## Highlight with options
12
13 ### gitbook theme, no line numbers
14
15 [include, lang:"javascript+theme:gitbook+lineNumbers:false"](snippet.js)
16
17 ### light theme, no line numbers
18
19 [include, lang:"javascript+theme:light+lineNumbers:false"](snippet.js)
20
21 ### dark theme, no line numbers
22
23 [include, lang:"javascript+theme:dark+lineNumbers:false"](snippet.js)
24
25
26 ### gitbook theme, has line numbers
27
28 [include, lang:"javascript+theme:gitbook+lineNumbers:true"](snippet.js)
29
30 ### light theme, has line numbers
31
32 [include, lang:"javascript+theme:light+lineNumbers:true"](snippet.js)
33
34 ### dark theme, has line numbers
35
36 [include, lang:"javascript+theme:dark+lineNumbers:true"](snippet.js)
37
38
39 ### Default theme, line numbers starts from 100
40
41 [include, lang:"javascript+lineNumbers:true+lineNumberStart:100"](snippet.js)
42 s)
```

```
43
44 ---
45
46 ## Source code for this file
   [include](asciidoc-include-codeblock.adoc)
```