

Process Flowchart


The platform runs the KYC Tool, enforces the result, and syncs Salesforce



FLOW




LEGEND



End-to-end process

The platform is the hub: it invokes the KYC Tool, enforces the returned decision, and syncs Salesforce. Evidence on p.3, decision & loop on p.4.




A “Manual Review — Risk Flag” outcome is intentionally omitted in v1 (broker rejection is exact-match only). See page 4 for when and why to add it.

Evidence & scoring

When the platform invokes the KYC Tool, eight adapters gather evidence; deterministic validation turns it into points. 100 points and every hard gate auto-approve.

ADAPTERS · what each source provides



SCORING RUBRIC · points by evidence item

Verified company email	control proof	+25
Official registry match	legal proof	+25
ORG-ID match (RIR/RDAP)	control proof	+25
POC verified (token to RIR email)	control proof	+25
Business registration document	legal proof	+25
LinkedIn tied to company	supporting	+20
Working company website	manual check	+10
Verified email (any inbox)	account access	+10

HARD GATES — all required, override points

Score ≥ 100

Legal proof = true

Control proof = true


Broker: Clear / Allowed

Hard conflict = false

Decision & dynamic loop

What the KYC Tool returns for the platform to enforce, and how a pending case re-decides when the user adds evidence through the platform.

DECISION · the platform enforces what the KYC Tool returns



Manual approve — on the platform

A reviewer approves directly on the platform, which enforces Approve and bypasses the score and gates. Salesforce only receives the synced result. Every other path runs through the KYC Tool.

Risk-flag review — not in v1

Broker rejection is exact-match only, so a case either rejects or passes scoring. Add a “Manual Review — Risk Flag” path once the tool computes fuzzy / infrastructure signals: a renamed entity sharing a blocked broker’s ASN, ORG-ID, POC, or domain; broker-like language; or a known broker already on the platform. Those are non-deterministic, so they need a human, not an auto-reject.

DYNAMIC UPDATE LOOP · all driven through the platform

