索　引

索引中的页码为英文原书页码，与书中页边标注的页码一致。

!

! · 105
!= · 103

&

& · 111
&& · 105
&= · 111

.

.NET · 57
.new syntax · 350
.this syntax · 350

@

@ symbol, for annotations · 1059
@author · 86
@Deprecated, annotation · 1060
@deprecated, Javadoc tag · 87
@docRoot · 85
@inheritDoc · 85
@interface, and extends keyword · 1070
@link · 85
@Override · 1059
@param · 86
@Retention · 1061
@return · 86
@see · 85
@since · 86
@SuppressWarnings · 1060
@Target · 1061
@Test · 1060
@Test, for @Unit · 1084
@TestObjectCleanup, @Unit tag · 1092
@TestObjectCreate, for @Unit · 1089
@throws · 87
@Unit · 1084; using · 1084
@version · 85

[

[ ], indexing operator · 193

^

^ · 111
^= · 111

|

| · 111
|| · 105
|= · 111

+

+ · 101; String conversion with operator + · 95, 118, 504

<

< · 103
<< · 112
<<= · 112
<= · 103

=

== · 103

>

> · 103
>= · 103
>> · 112
>>= · 112

A

abstract: class · 311; inheriting from abstract classes · 312; keyword · 312; vs. interface · 328
Abstract Window Toolkit (AWT) · 1303
AbstractButton · 1333
abstraction · 24
AbstractSequentialList · 859
AbstractSet · 793
access: class · 229; control · 210, 234; control, violating with reflection · 607; inner classes & access rights · 348; package access and friendly · 221; specifiers · 31, 210, 221; within a directory, via the default package · 223
action command · 1358
ActionEvent · 1358, 1406
ActionListener · 1316
ActionScript, for Macromedia Flex · 1417
active objects, in concurrency · 1295
Adapter design pattern · 325, 334, 434, 630, 733, 737, 795
Adapter Method idiom · 434
adapters, listener · 1328
add( ), ArrayList · 390
addActionListener( ) · 1403, 1410
addChangeListener · 1363
addition · 98
addListener · 1321
Adler32 · 975
agent-based programming · 1299
aggregate array initialization · 193
aggregation · 32
aliasing · 97; and String · 504; arrays · 194
Allison, Chuck · 4, 18, 1449, 1460
allocate( ) · 948
allocateDirect( ) · 948
alphabetic sorting · 418
alphabetic vs. lexicographic sorting · 783
AND: bitwise · 120; logical (&&) · 105
annotation · 1059; apt processing tool · 1074; default element values · 1062, 1063, 1065; default value · 1069; elements · 1061; elements, allowed types for · 1065; marker annotation · 1061; processor · 1064; processor based on reflection · 1071
anonymous inner class · 356, 904, 1314; and table-driven code · 859; generic · 645
application: builder · 1394; framework · 375
applying a method to a sequence · 728
apt, annotation processing tool · 1074
argument: constructor · 156; covariant argument types · 706; final · 266, 904; generic type argument inference · 632; variable argument lists (unknown quantity and type of arguments) · 198
Arnold, Ken · 1306
array: array of generic objects · 850; associative array · 394; bounds checking · 194; comparing arrays · 777; comparison with container · 748; copying an array · 775; covariance · 677; dynamic aggregate initialization syntax · 752; element comparisons · 778; first-class objects · 749; initialization · 193; length · 194, 749; multidimensional · 754; not Iterable · 433; of objects · 749; of primitives · 749; ragged · 755; returning an array · 753
ArrayBlockingQueue · 1215
ArrayList · 401, 817; add( ) · 390; get( ) · 390; size( ) · 390
Arrays: asList( ) · 396, 436, 816; binarySearch( ) · 784; class, container utility · 775
asCharBuffer( ) · 950
aspect-oriented programming (AOP) · 714
assert, and @Unit · 1087
assigning objects · 96
assignment · 95
associative array · 390, 394; another name for map · 831
atomic operation · 1160
AtomicInteger · 1167
atomicity, in concurrent programming · 1151
AtomicLong · 1167
AtomicReference · 1167
autoboxing · 419, 630; and generics · 632, 694
auto-decrement operator · 101
auto-increment operator · 101
automatic type conversion · 239
available( ) · 930

B

backwards compatibility · 655
bag · 394
bank teller simulation · 1253
base 16 · 109
base 8 · 109
base class · 226, 241, 281; abstract base class · 311; base-class interface · 286; constructor · 294; initialization · 244
base types · 34
basic concepts of object-oriented programming (OOP) · 23
BASIC, Microsoft Visual BASIC · 1394
BasicArrowButton · 1334
BeanInfo, custom · 1414

Beans: and Borland's Delphi · 1394; and Microsoft's Visual BASIC · 1394; application builder · 1394; bound properties · 1414; component · 1395; constrained properties · 1414; custom BeanInfo · 1414; custom property editor · 1414; custom property sheet · 1414; events · 1394; EventSetDescriptors · 1401; FeatureDescriptor · 1414; getBeanInfo( ) · 1398; getEventSetDescriptors( ) · 1401; getMethodDescriptors( ) · 1401; getName( ) · 1400; getPropertyDescriptors( ) · 1400; getPropertyType( ) · 1400; getReadMethod( ) · 1400; getWriteMethod( ) · 1400; indexed property · 1414; Introspector · 1398; JAR files for packaging · 1412; manifest file · 1412; Method · 1401; MethodDescriptors · 1401; naming convention · 1395; properties · 1394; PropertyChangeEvent · 1414; PropertyDescriptors · 1400; PropertyVetoException · 1414; reflection · 1394, 1398; Serializable · 1405; visual programming · 1394
Beck, Kent · 1457
benchmarking · 1272
binary: numbers · 109; numbers, printing · 116; operators · 111
binarySearch( ) · 784, 885
binding: dynamic binding · 282; dynamic, late, or runtime binding · 277; early · 40; late · 40; late binding · 281; method call binding · 281; runtime binding · 282
BitSet · 897
bitwise: AND · 120; AND operator (&) · 111; EXCLUSIVE OR XOR (^) · 111; NOT ~ · 111; operators · 111; OR · 120; OR operator (|) · 111
blank final · 265
Bloch, Joshua · 175, 1011, 1146, 1164
blocking: and available( ) · 930; in concurrent programs · 1112
BlockingQueue · 1215, 1235
Booch, Grady · 1457
book errors, reporting · 21
Boolean · 132; algebra · 111; and casting · 121; operators that won't work with boolean · 103; vs. C and C++ · 106
Borland Delphi · 1394
bound properties · 1414
bounds: and Class references · 566; in generics · 653, 673; self-bounded generic types · 701; superclass and Class references · 568
bounds checking, array · 194
boxing · 419, 630; and generics · 632, 694
BoxLayout · 1320
branching, unconditional · 143
break keyword · 144
Brian's Rule of Synchronization · 1156
browser, class · 229
Budd, Timothy · 25
buffer, nio · 946
BufferedInputStream · 920
BufferedOutputStream · 921
BufferedReader · 483, 924, 927
BufferedWriter · 924, 930
busy wait, concurrency · 1198
button: creating your own · 1329; radio button · 1344; Swing · 1311, 1333
ButtonGroup · 1334, 1344
ByteArrayInputStream · 916
ByteArrayOutputStream · 917
ByteBuffer · 946
bytecode engineering · 1101; Javassist · 1104

C

C#: programming language · 57
C++ · 103; exception handling · 492; Standard Template Library (STL) · 900; templates · 618, 652
CachedThreadPool · 1121
Callable, concurrency · 1124
callback · 903, 1312; and inner classes · 372
camel-casing · 88
capacity, of a HashMap or HashSet · 878
capitalization of package names · 75
Cascading Style Sheets (CSS), and Macromedia Flex · 1423
case statement · 151
CASE_INSENSITIVE_ORDER String Comparator · 884, 902
cast · 42; and generic types · 697; and primitive types · 133; asSubclass( ) · 569; operators · 120; via a generic class · 699
cast( ) · 568
catch: catching an exception · 447; catching any exception · 458; keyword · 448
Chain of Responsibility design pattern · 1036
chained exceptions · 464, 498
change, vector of · 377
channel, nio · 946
CharArrayReader · 923
CharArrayWriter · 923
CharBuffer · 950
CharSequence · 530
Charset · 952
check box · 1342

checked exceptions · 457, 491; converting to unchecked exceptions · 497
checkedCollection( ) · 710
CheckedInputStream · 973
checkedList( ) · 710
checkedMap( ) · 710
CheckedOutputStream · 973
checkedSet( ) · 710
checkedSortedMap( ) · 710
checkedSortedSet( ) · 710
Checksum class · 975
Chiba, Shigeru, Dr. · 1104, 1106
class · 27; abstract class · 311; access · 229; anonymous inner class · 356, 904, 1314; base class · 226, 241, 281; browser · 229; class hierarchies and exception handling · 489; class literal · 562, 576; creators · 30; data · 76; derived class · 281; equivalence, and instanceof/isInstance( ) · 586; final classes · 270; inheritance diagrams · 261; inheriting from abstract classes · 312; inheriting from inner classes · 382; initialization · 563; initialization & class loading · 272; initialization of fields · 182; initializing the base class · 244; initializing the derived class · 244; inner class · 345; inner class, and access rights · 348; inner class, and overriding · 383; inner class, and super · 383; inner class, and Swing · 1322; inner class, and upcasting · 352; inner class, identifiers and .class files · 387; inner class, in methods and scopes · 354; inner class, nesting within any arbitrary scope · 355; instance of · 25; keyword · 33; linking · 563; loading · 273, 563; member initialization · 239; methods · 76; multiply nested · 368; nested class (static inner class) · 364; nesting inside an interface · 366; order of initialization · 185; private inner classes · 377; public class, and compilation units · 211; referring to the outer-class object in an inner class · 350; static inner classes · 364; style of creating classes · 228; subobject · 244
Class · 1335; Class object · 556, 998, 1156; forName( ) · 558, 1326; getCanonicalName( ) · 560; getClass( ) · 459; getConstructors( ) · 592; getInterfaces( ) · 560; getMethods( ) · 592; getSimpleName( ) · 560; getSuperclass( ) · 561; isAssignableFrom( ) · 580; isInstance( ) · 578; isInterface( ) · 560; newInstance( ) · 561; object creation process · 189; references, and bounds · 566; references, and generics · 565; references, and wildcards · 566; RTTI using the Class object · 556
class files, analyzing · 1101
class loader · 556
class name, discovering from class file · 1101
ClassCastException · 309, 570
ClassNotFoundException · 574
classpath · 214
cleanup: and garbage collector · 251; performing · 175; verifying the termination condition with finalize( ) · 176; with finally · 473
clear( ), nio · 949
client programmer · 30; vs. library creator · 209
close( ) · 928
closure, and inner classes · 372
code: coding standards · 21; coding style · 88; organization · 221; reuse · 237; source code · 18
collecting parameter · 713, 742
collection · 44, 394, 427, 884; classes · 389; filling with a Generator · 636; list of methods for · 809; utilities · 879
Collections: addAll( ) · 396; enumeration( ) · 894; fill( ) · 793; unmodifiableList( ) · 815
collision: during hashing · 848; name · 217
combo box · 1345
comma operator · 140
Command design pattern · 381, 603, 1031, 1121
comments, and embedded documentation · 81
Commitment, Theory of Escalating · 1146
common interface · 311
Communicating Sequential Processes (CSP) · 1299
Comparable · 779, 822, 828
Comparator · 780, 822
compareTo( ), in java.lang.Comparable · 778, 824
comparing arrays · 777
compatibility: backwards · 655; migration · 655
compilation unit · 211
compile-time constant · 262
compiling a Java program · 80
component, and JavaBeans · 1395
composition · 32, 237; and design · 304; and dynamic behavior change · 306; combining composition & inheritance · 249; vs. inheritance · 256, 262, 830, 895
compression, library · 973
concurrency: active objects · 1295; and containers · 887; and exceptions · 1158; and Swing · 1382; ArrayBlockingQueue · 1215; atomicity · 1151; BlockingQueue ·

1215, 1235; Brian's Rule of Synchronization · 1156; Callable · 1124; Condition class · 1212; constructors · 1137; contention, lock · 1272; CountDownLatch · 1230; CyclicBarrier · 1232; daemon threads · 1130; DelayQueue · 1235; Exchanger · 1250; Executor · 1120; I/O between tasks using pipes · 1221; LinkedBlockingQueue · 1215; lock, explicit · 1157; lock-free code · 1161; long and double non-atomicity · 1161; missed signals · 1203; performance tuning · 1270; priority · 1127; PriorityBlockingQueue · 1239; producer-consumer · 1208; race condition · 1152; ReadWriteLock · 1292; ScheduledExecutor · 1242; semaphore · 1246; sleep( ) · 1126; SynchronousQueue · 1259; task interference · 1150; terminating tasks · 1179; the Goetz Test for avoiding synchronization · 1160; thread local storage · 1177; thread vs. task, terminology · 1142; UncaughtExceptionHandler · 1148; word tearing · 1161
ConcurrentHashMap · 834, 1282, 1287
ConcurrentLinkedQueue · 1282
ConcurrentModificationException · 888; using CopyOnWriteArrayList to eliminate · 1281, 1298
Condition class, concurrency · 1212
conditional compilation · 220
conditional operator · 116
conference, Software Development Conference · 14
console: sending exceptions to · 497; Swing display framework in net.mindview.util.SwingConsole · 1310
constant: compile-time constant · 262; constant folding · 262; groups of constant values · 335; implicit constants, and String · 504
constrained properties · 1414
constructor · 155; and anonymous inner classes · 356; and concurrency · 1137; and exception handling · 481, 483; and finally · 483; and overloading · 158; and polymorphism · 293; arguments · 156; base-class constructor · 294; behavior of polymorphic methods inside constructors · 301; calling base-class constructors with arguments · 245; calling from other constructors · 170; Constructor class for reflection · 589; default · 166; initialization during inheritance and composition · 249; instance initialization · 359; name · 156; no-arg · 156, 166; order of constructor calls with inheritance · 293; return value · 157; static construction clause · 190; static method · 189; synthesized default constructor access · 592
consulting & training provided by MindView, Inc. · 1450
container · 44; class · 389; *classes* · 389; comparison with array · 748; performance test · 859
containers: basic behavior · 398; lock-free · 1281; type-safe and generics · 390
contention, lock, in concurrency · 1272
context switch · 1112
continue keyword · 144
contravariance, and generics · 682
control framework, and inner classes · 375
control, access · 31, 234
conversion: automatic · 239; narrowing conversion · 120; widening conversion · 121
Coplien, Jim: curiously recurring template pattern · 702
copying an array · 775
CopyOnWriteArrayList · 1252, 1281
CopyOnWriteArraySet · 1282
copyright notice, source code · 19
CountDownLatch, for concurrency · 1230
covariant · 565; argument types · 706; arrays · 677; return types · 303, 583, 706
CRC32 · 975
critical section, and synchronized block · 1169
CSS (Cascading Style Sheets), and Macromedia Flex · 1423
curiously recurring: generics · 702; template pattern in C++ · 702
CyclicBarrier, for concurrency · 1232

D

daemon threads · 1130
data: final · 262; primitive data types and use with operators · 123; static initialization · 186
Data Transfer Object · 621, 797
Data Transfer Object (Messenger idiom) · 860
data type, equivalence to class · 27
database table, SQL generated via annotations · 1066
DatagramChannel · 971
DataInput · 926
DataInputStream · 920, 924, 929
DataOutput · 926
DataOutputStream · 921, 925
deadlock, in concurrency · 1223
decode( ), character set · 953

decompiler, javap · 505, 610, 660
Decorator design pattern · 717
decoupling, via polymorphism · 41, 277
decrement operator · 101
default constructor · 166; access the same as the class · 592; synthesizing a default constructor · 245
default keyword, in a switch statement · 151
default package · 211, 223
defaultReadObject( ) · 995
defaultWriteObject( ) · 994
DeflaterOutputStream · 973
Delayed · 1238
DelayQueue, for concurrency · 1235
delegation · 246, 716
Delphi, from Borland · 1394
DeMarco, Tom · 1459
deque, double-ended queue · 410, 829
derived: derived class · 281; derived class, initializing · 244; types · 34
design · 307; adding more methods to a design · 235; and composition · 304; and inheritance · 304; and mistakes · 234; library design · 210
design pattern: Adapter · 325, 334, 630, 733, 737, 795; Adapter method · 434; Chain of Responsibility · 1036; Command · 381, 603, 1031, 1121; Data Transfer Object (Messenger idiom) · 621, 797, 860; Decorator · 717; Façade · 577; Factory Method · 339, 582, 627, 928; Factory Method, and anonymous classes · 361; Flyweight · 800, 1301; Iterator · 349, 406; Null Iterator · 598; Null Object · 598; Proxy · 593; Singleton · 232; State · 306; Strategy · 322, 332, 737, 764, 778, 780, 903, 910, 1036, 1238; Template Method · 375, 573, 666, 859, 969, 1173, 1279, 1284; Visitor · 1079
destructor · 173, 175, 473; Java doesn't have one · 251
diagram: class inheritance diagrams · 261; inheritance · 42
dialog: box · 1364; file · 1368; tabbed · 1349
dictionary · 394
Dijkstra, Edsger · 1224
dining philosophers, example of deadlock in concurrency · 1224
directory: and packages · 220; creating directories and paths · 912; lister · 902
dispatching: double dispatching · 1048; multiple, and enum · 1047
display framework, for Swing · 1310
dispose( ) · 1365
division · 98
documentation · 17; comments & embedded documentation · 81
double: and threading · 1161; literal value marker (d or D) · 109
double dispatching · 1048; with EnumMap · 1055
double-ended queue (deque) · 410
do-while · 138
downcast · 261, 308; type-safe downcast · 569
drawing lines in Swing · 1360
drop-down list · 1345
duck typing · 721, 733
dynamic: aggregate initialization syntax for arrays · 752; behavior change with composition · 306; binding · 277, 282; proxy · 594; type checking in Java · 814; type safety and containers · 710

E

early binding · 40, 281
East, BorderLayout · 1317
editor, creating one using the Swing JTextPane · 1341
efficiency: and arrays · 747; and final · 271
else keyword · 135
encapsulation · 228; using reflection to break · 607
encode( ), character set · 953
end sentinel · 626
endian: big endian · 958; little endian · 958
entrySet( ), in Map · 845
enum: adding methods · 1014; and Chain of Responsibility design pattern · 1036; and inheritance · 1020; and interface · 1023; and multiple dispatching · 1047; and random selection · 1021; and state machines · 1041; and static imports · 1013; and switch · 1016; constant-specific methods · 1032, 1053; groups of constant values in C & C++ · 335; keyword · 204, 1011; values( ) · 1011, 1017
enumerated types · 204
Enumeration · 894
EnumMap · 1030
EnumSet · 642, 899; instead of flags · 1028
equals( ) · 104; and hashCode( ) · 822, 853; and hashed data structures · 843; conditions for defining properly · 842; overriding for HashMap · 842
equivalence: == · 103; object equivalence · 103
erasure · 696; in generics · 650
Erlang language · 1113
error: handling with exceptions · 443;

recovery · 443; reporting · 492; reporting errors in book · 21; standard error stream · 450
Escalating Commitment, Theory of · 1146
event: event-driven programming · 1312; event-driven system · 375; events and listeners · 1322; JavaBeans · 1394; listener · 1321; model, Swing · 1321; multicast, and JavaBeans · 1407; responding to a Swing event · 1312
EventSetDescriptors · 1401
exception: and concurrency · 1158; and constructors · 481; and inheritance · 479, 489; and the console · 497; catching an exception · 447; catching any exception · 458; chained exceptions · 498; chaining · 464; changing the point of origin of the exception · 463; checked · 457, 491; class hierarchies · 489; constructors · 483; converting checked to unchecked · 497; creating your own · 449; design issues · 485; Error class · 468; Exception class · 468; exception handler · 448; exception handling · 443; exception matching · 489; exceptional condition · 445; FileNotFoundException · 485; fillInStackTrace( ) · 461; finally · 471; generics · 711; guarded region · 447; handler · 445; handling · 49; logging · 452; losing an exception, pitfall · 477; NullPointerException · 469; printStackTrace( ) · 461; reporting exceptions via a logger · 454; restrictions · 479; re-throwing an exception · 461; RuntimeException · 469; specification · 457, 493; termination vs. resumption · 449; Throwable · 458; throwing an exception · 445, 446; try · 473; try block · 447; typical uses of exceptions · 500; unchecked · 469
Exchanger, concurrency class · 1250
executing operating system programs from within Java · 944
Executor, concurrency · 1120
ExecutorService · 1121
explicit type argument specification for generic methods · 398, 635
exponential notation · 109
extending a class during inheritance · 35
extends · 226, 243, 307; and @interface · 1070; and interface · 330; keyword · 241
extensible program · 286
extension: sign · 112; zero · 112
extension, vs. pure inheritance · 306
Externalizable · 986; alternative approach to using · 992
Extreme Programming (XP) · 1457

F

Façade · 577
Factory Method design pattern · 339, 582, 627, 928; and anonymous classes · 361
factory object · 285, 664
fail fast containers · 888
false · 105
FeatureDescriptor · 1414
Fibonacci · 629
Field, for reflection · 589
fields, initializing fields in interfaces · 335
FIFO (first-in, first out) · 423
file: characteristics of files · 912; dialogs · 1368; File class · 901, 916, 925; File.list( ) · 901; incomplete output files, errors and flushing · 931; JAR file · 212; locking · 970; memory-mapped files · 966
FileChannel · 947
FileDescriptor · 916
FileInputReader · 927
FileInputStream · 916
FileLock · 971
FilenameFilter · 901
FileNotFoundException · 485
FileOutputStream · 917
FileReader · 483, 923
FileWriter · 923, 930
fillInStackTrace( ) · 461
FilterInputStream · 916
FilterOutputStream · 917
FilterReader · 924
FilterWriter · 924
final · 316, 622; and efficiency · 271; and private · 268; and static · 263; argument · 266, 904; blank finals · 265; classes · 270; data · 262; keyword · 262; method · 282; methods · 267, 303; static primitives · 264; with object references · 263
finalize( ) · 173, 254, 485; and inheritance · 295; calling directly · 175
finally · 251, 254; and constructors · 483; and return · 476; keyword · 471; not run with daemon threads · 1135; pitfall · 477
finding .class files during loading · 214
FixedThreadPool · 1122
flag, using EnumSet instead of · 1028
Flex: OpenLaszlo alternative to Flex · 1416; tool from Macromedia · 1416
flip( ), nio · 948
float: floating point true and false · 106; literal value marker (F) · 109
FlowLayout · 1318
flushing output files · 931
Flyweight design pattern · 800, 1301
focus traversal · 1305

folding, constant · 262
for keyword · 138
foreach · 141, 145, 199, 200, 219, 376, 393, 422, 429, 545, 629, 631, 694, 1011, 1036; and Adapter Method · 434; and Iterable · 431
format: precision · 517; specifiers · 516; string · 514; width · 516
format( ) · 514
Formatter · 515
forName( ) · 558, 1326
FORTRAN programming language · 110
forward referencing · 184
Fowler, Martin · 209, 495, 1457
framework, control framework and inner classes · 375
function: member function · 29; overriding · 36
function object · 737
functional languages · 1113
Future · 1125

G

garbage collection · 173, 175; and cleanup · 251; how the collector works · 178; order of object reclamation · 254; reachable objects · 889
Generator · 285, 627, 636, 645, 695, 732, 763, 780, 794, 1021, 1042; filling a Collection · 636; general purpose · 637
generics: @Unit testing · 1094; and type-safe containers · 390; anonymous inner classes · 645; array of generic objects · 850; basic introduction · 390; bounds · 653, 673; cast via a generic class · 699; casting · 697; Class references · 565; contravariance · 682; curiously recurring · 702; erasure · 650, 696; example of a framework · 1282; exceptions · 711; explicit type argument specification for generic methods · 398, 635; inner classes · 645; instanceof · 663, 697; isInstance( ) · 663; methods · 631, 795; overloading · 699; reification · 655; self-bounded types · 701; simplest class definition · 413; supertype wildcards · 682; type tag · 663; unbounded wildcard · 686; varargs and generic methods · 635; wildcards · 677
get( ): ArrayList · 390; HashMap · 420; no get( ) for Collection · 811
getBeanInfo( ) · 1398
getBytes( ) · 929
getCanonicalName( ) · 560
getChannel( ) · 948
getClass( ) · 459, 558
getConstructor( ) · 1335
getConstructors( ) · 592
getenv( ) · 433
getEventSetDescriptors( ) · 1401
getInterfaces( ) · 560
getMethodDescriptors( ) · 1401
getMethods( ) · 592
getName( ) · 1400
getPropertyDescriptors( ) · 1400
getPropertyType( ) · 1400
getReadMethod( ) · 1400
getSelectedValues( ) · 1347
getSimpleName( ) · 560
getState( ) · 1357
getSuperclass( ) · 561
getWriteMethod( ) · 1400
Glass, Robert · 1458
glue, in BoxLayout · 1321
Goetz Test, for avoiding synchronization · 1160
Goetz, Brian · 1156, 1160, 1272, 1302
goto, lack of in Java · 146
graphical user interface (GUI) · 375, 1303
graphics · 1368; Graphics class · 1361
greater than (>) · 103
greater than or equal to (>=) · 103
greedy quantifiers · 529
GridBagLayout · 1320
GridLayout · 1319, 1392
Grindstaff, Chris · 1430
group, thread · 1146
groups, regular expression · 534
guarded region, in exception handling · 447
GUI: graphical user interface · 375, 1303; GUI builders · 1304
GZIPInputStream · 973
GZIPOutputStream · 973

H

handler, exception · 448
Harold, Elliotte Rusty · 1415, 1456; XOM XML library · 1003
has-a · 32; relationship, composition · 258
hash function · 847
hashCode( ) · 833, 839, 847; and hashed data structures · 843; equals( ) · 822; issues when writing · 851; recipe for generating decent · 853
hashing · 844, 847; and hash codes · 839; external chaining · 848; perfect hashing function · 848
HashMap · 834, 877, 1287, 1331
HashSet · 415, 821, 872
Hashtable · 877, 895
hasNext( ), Iterator · 407

Hexadecimal · 109
hiding, implementation · 228
Holub, Allen · 1295
HTML on Swing components · 1370

I

I/O: available( ) · 930; basic usage, examples · 927; between tasks using pipes · 1221; blocking, and available( ) · 930; BufferedInputStream · 920; BufferedOutputStream · 921; BufferedReader · 483, 924, 927; BufferedWriter · 924, 930; ByteArrayInputStream · 916; ByteArrayOutputStream · 917; characteristics of files · 912; CharArrayReader · 923; CharArrayWriter · 923; CheckedInputStream · 973; CheckedOutputStream · 973; close( ) · 928; compression library · 973; controlling the process of serialization · 986; DataInput · 926; DataInputStream · 920, 924, 929; DataOutput · 926; DataOutputStream · 921, 925; DeflaterOutputStream · 973; directory lister · 902; directory, creating directories and paths · 912; Externalizable · 986; File · 916, 925; File class · 901; File.list( ) · 901; FileDescriptor · 916; FileInputReader · 927; FileInputStream · 916; FilenameFilter · 901; FileOutputStream · 917; FileReader · 483, 923; FileWriter · 923, 930; FilterInputStream · 916; FilterOutputStream · 917; FilterReader · 924; FilterWriter · 924; from standard input · 941; GZIPInputStream · 973; GZIPOutputStream · 973; InflaterInputStream · 973; input · 914; InputStream · 914; InputStreamReader · 922, 923; internationalization · 923; interruptible · 1189; library · 901; lightweight persistence · 980; LineNumberInputStream · 920; LineNumberReader · 924; mark( ) · 926; mkdirs( ) · 914; network I/O · 946; new nio · 946; ObjectOutputStream · 981; output · 914; OutputStream · 914, 917; OutputStreamWriter · 922, 923; pipe · 915; piped streams · 936; PipedInputStream · 916; PipedOutputStream · 916, 917; PipedReader · 923; PipedWriter · 923; PrintStream · 921; PrintWriter · 924, 930, 932; PushbackInputStream · 920; PushbackReader · 924; RandomAccessFile · 925, 926, 934; read( ) · 914; readDouble( ) · 934; Reader · 914, 922, 923; readExternal( ) · 986; readLine( ) · 485, 924, 931, 942; readObject( ) · 981; redirecting standard I/O · 942; renameTo( ) · 914; reset( ) · 926; seek( ) · 926, 934; SequenceInputStream · 916, 925; Serializable · 986; setErr(PrintStream) · 943; setIn(InputStream) · 943; setOut(PrintStream) · 943; StreamTokenizer · 924; StringBuffer · 916; StringBufferInputStream · 916; StringReader · 923, 928; StringWriter · 923; System.err · 941; System.in · 941; System.out · 941; transient · 991; typical I/O configurations · 927; Unicode · 923; write( ) · 914; writeBytes( ) · 933; writeChars( ) · 933; writeDouble( ) · 934; writeExternal( ) · 986; writeObject( ) · 981; Writer · 914, 922, 923; ZipEntry · 977; ZipInputStream · 973; ZipOutputStream · 973
Icon · 1335
IdentityHashMap · 834, 877
if-else statement · 116, 135
IllegalAccessException · 573
IllegalMonitorStateException · 1199
ImageIcon · 1336
immutable · 600
implementation · 28; and interface · 257, 316; and interface, separating · 31; and interface, separation · 228; hiding · 209, 228, 352; separation of interface and implementation · 1321
implements keyword · 316
import keyword · 211
increment operator · 101; and concurrency · 1153
indexed property · 1414
indexing operator [ ] · 193
indexOf( ), String · 592
inference, generic type argument inference · 632
InflaterInputStream · 973
inheritance · 33, 226, 237, 241, 277; and enum · 1020; and final · 270; and finalize( ) · 295; and generic code · 617; and synchronized · 1411; class inheritance diagrams · 261; combining composition & inheritance · 249; designing with inheritance · 304; diagram · 42; extending a class during · 35; extending interfaces with inheritance · 329; from abstract classes · 312; from inner classes · 382; initialization with inheritance · 272; method overloading vs. overriding · 255; multiple inheritance in C++ and Java ·

326; pure inheritance vs. extension · 306; specialization · 258; vs. composition · 256, 262, 830, 895
initial capacity, of a HashMap or HashSet · 878
initialization: and class loading · 272; array initialization · 193; base class · 244; class · 563; class member · 239; constructor initialization during inheritance and composition · 249; initializing with the constructor · 155; instance initialization · 191, 359; lazy · 239; member initializers · 294; non-static instance initialization · 191; of class fields · 182; of method variables · 181; order of initialization · 185, 302; static · 274; with inheritance · 272
inline method calls · 267
inner class · 345; access rights · 348; and overriding · 383; and control frameworks · 375; and super · 383; and Swing · 1322; and threads · 1137; and upcasting · 352; anonymous inner class · 904, 1314; and table-driven code · 859; callback · 372; closure · 372; generic · 645; hidden reference to the object of the enclosing class · 349; identifiers and .class files · 387; in methods & scopes · 354; inheriting from inner classes · 382; local · 355; motivation · 369; nesting within any arbitrary scope · 355; private inner classes · 377; referring to the outer-class object · 350; static inner classes · 364
InputStream · 914
InputStreamReader · 922, 923
instance: instance initialization · 359; non-static instance initialization · 191; of a class · 25
instanceof · 576; and generic types · 697; dynamic instanceof with isInstance( ) · 578; keyword · 569
Integer: parseInt( ) · 1368; wrapper class · 196
interface: and enum · 1023; and generic code · 617; and implementation, separation of · 31, 228, 1321; and inheritance · 329; base-class interface · 286; classes nested inside · 366; common interface · 311; for an object · 26; initializing fields in interfaces · 335; keyword · 316; name collisions when combining interfaces · 330; nesting interfaces within classes and other interfaces · 336; private, as nested interfaces · 339; upcasting to an interface · 319; vs. abstract · 328; vs. implementation · 257
internationalization, in I/O library · 923
interrupt( ): concurrency · 1185; threading · 1143
interruptible io · 1189
Introspector · 1398
invocation handler, for dynamic proxy · 595
is-a · 306; relationship, inheritance · 258; and upcasting · 260; vs. is-like-a relationships · 37
isAssignableFrom( ), Class method · 580
isDaemon( ) · 1133
isInstance( ) · 578; and generics · 663
isInterface( ) · 560
is-like-a · 307
Iterable · 629, 797; and array · 433; and foreach · 431
Iterator · 406, 409, 427; hasNext( ) · 407; next( ) · 407
Iterator design pattern · 349

J

Jacobsen, Ivar · 1457
JApplet · 1317; menus · 1352
JAR · 1412; file · 212; jar files and classpath · 216; utility · 978
Java: and set-top boxes · 111; AWT · 1303; bytecodes · 506; compiling and running a program · 80; Java Foundation Classes (JFC/Swing) · 1303; Java Virtual Machine (JVM) · 556; Java Web Start · 1376; public Java seminars · 15
Java standard library, and thread-safety · 1232
JavaBeans, see Beans · 1393
javac · 81
javadoc · 82
javap decompiler · 505, 610, 660
Javassist · 1104
JButton · 1335; Swing · 1311
JCheckBox · 1335, 1342
JCheckBoxMenuItem · 1353, 1357
JComboBox · 1345
JComponent · 1337, 1360
JDialog · 1364; menus · 1352
JDK 1.1 I/O streams · 922
JDK, downloading and installing · 80
JFC, Java Foundation Classes (Swing) · 1303
JFileChooser · 1368
JFrame · 1317; menus · 1352
JIT, just-in-time compilers · 181
JLabel · 1340
JList · 1347
JMenu · 1352, 1357
JMenuBar · 1352, 1358
JMenuItem · 1336, 1352, 1357, 1358, 1360

JNLP, Java Network Launch Protocol · 1376
join( ), threading · 1143
JOptionPane · 1350
Joy, Bill · 103
JPanel · 1334, 1360, 1392
JPopupMenu · 1359
JProgressBar · 1373
JRadioButton · 1335, 1344
JScrollPane · 1316, 1349
JSlider · 1373
JTabbedPane · 1349
JTextArea · 1315
JTextField · 1312, 1338
JTextPane · 1341
JToggleButton · 1334
JUnit, problems with · 1083
JVM (Java Virtual Machine) · 556

K

keyboard: navigation, and Swing · 1305; shortcuts · 1358
keySet( ) · 877

L

label · 146
labeled: break · 147; continue · 147
late binding · 40, 277, 281
latent typing · 721, 733
layout, controlling layout with layout managers · 1317
lazy initialization · 239
least-recently-used (LRU) · 838
left-shift operator (<<) · 112
length: array member · 194; for arrays · 749
less than (<) · 103
less than or equal to (<=) · 103
lexicographic: sorting · 418; vs. alphabetic sorting · 783
library: creator, vs. client programmer · 209; design · 210; use · 210
LIFO (last-in, first-out) · 412
lightweight: object · 406; persistence · 980
LineNumberInputStream · 920
LineNumberReader · 924
LinkedBlockingQueue · 1215
LinkedHashMap · 834, 838, 877
LinkedHashSet · 416, 821, 872, 874
LinkedList · 401, 410, 423, 817
linking, class · 563
list: boxes · 1347; drop-down list · 1345
List · 389, 394, 401, 817, 1347; performance comparison · 863; sorting and searching · 884
listener: adapters · 1328; and events · 1322; interfaces · 1326
Lister, Timothy · 1459
ListIterator · 817
literal: class literal · 562, 576; double · 109; float · 109; long · 109; values · 108
little endian · 958
livelock · 1301
load factor, of a HashMap or HashSet · 878
loader, class · 556
loading: .class files · 214; class · 273, 563; initialization & class loading · 272
local: inner class · 355; variable · 71
lock: contention, in concurrency · 1272; explicit, in concurrency · 1157; in concurrency · 1155; optimistic locking · 1290
lock-free code, in concurrent programming · 1161
locking, file · 970, 971
logarithms, natural · 110
logging, building logging into exceptions · 452
logical: AND · 120; operator and short-circuiting · 106; operators · 105; OR · 120
long: and threading · 1161; literal value marker (L) · 109
look & feel, pluggable · 1373
LRU, least-recently-used · 838
lvalue · 95

M

machines, state, and enum · 1041
Macromedia Flex · 1416
main( ) · 242
manifest file, for JAR files · 978, 1412
Map · 389, 394, 419; EnumMap · 1030; in-depth exploration of · 831; performance comparison · 875
Map.Entry · 845
MappedByteBuffer · 966
mark( ) · 926
marker annotation · 1061
matcher, regular expression · 531
matches( ), String · 525
Math.random( ) · 419; range of results · 871
mathematical operators · 98, 971
member: initializers · 294; member function · 29; object · 32
memory exhaustion, solution via References · 890
memory-mapped files · 966
menu: JDialog, JApplet, JFrame · 1352;

JPopupMenu · 1359
message box, in Swing · 1350
message, sending · 27
Messenger idiom · 621, 797, 860
meta-annotations · 1063
Metadata · 1059
method: adding more methods to a design · 235; aliasing during method calls · 97; applying a method to a sequence · 728; behavior of polymorphic methods inside constructors · 301; distinguishing overloaded methods · 160; final · 267, 282, 303; generic · 631; initialization of method variables · 181; inline method calls · 267; inner classes in methods & scopes · 354; lookup tool · 1324; method call binding · 281; overloading · 158; overriding private · 290; polymorphic method call · 277; private · 303; protected methods · 259; recursive · 510; static · 172, 282
Method · 1401; for reflection · 589
MethodDescriptors · 1401
Meyer, Jeremy · 1059, 1100, 1376
Meyers, Scott · 30
microbenchmarks · 871
Microsoft Visual BASIC · 1394
migration compatibility · 655
missed signals, concurrency · 1203
mistakes, and design · 234
mixin · 713
mkdirs( ) · 914
mnemonics (keyboard shortcuts) · 1358
Mock Object · 606
modulus · 98
monitor, for concurrency · 1155
Mono · 58
multicast · 1406; event, and JavaBeans · 1407
multidimensional arrays · 754
multiparadigm programming · 25
multiple dispatching: and enum · 1047; with EnumMap · 1055
multiple implementation inheritance · 371
multiple inheritance, in C++ and Java · 326
multiplication · 98
multiply nested class · 368
multitasking · 1112
mutual exclusion (mutex), concurrency · 1154
MXML, Macromedia Flex input format · 1416
mxmlc, Macromedia Flex compiler · 1418

N

name: clash · 211; collisions · 217; collisions when combining interfaces · 330; creating unique package names · 214; qualified · 560
namespaces · 211
narrowing conversion · 120
natural logarithms · 110
nested class (static inner class) · 364
nesting interfaces · 336
net.mindview.util.SwingConsole · 1310
network I/O · 946
Neville, Sean · 1416
new I/O · 946
new operator · 173; and primitives, array · 195
newInstance( ) · 1335; reflection · 561
next( ), Iterator · 407
nio · 946; and interruption · 1189; buffer · 946; channel · 946; performance · 967
no-arg constructor · 156, 166
North, BorderLayout · 1317
not equivalent (!=) · 103
NOT, logical (!) · 105
notifyAll( ) · 1198
notifyListeners( ) · 1411
null · 67
Null Iterator design pattern · 598
Null Object design pattern · 598
NullPointerException · 469
numbers, binary · 109

O

object · 25; aliasing · 97; arrays are first-class objects · 749; assigning objects by copying references · 96; Class object · 556, 998, 1156; creation · 156; equals( ) · 104; equivalence · 103; equivalence vs. reference equivalence · 104; final · 263; getClass( ) · 558; hashCode( ) · 833; interface to · 26; lock, for concurrency · 1155; member · 32; object-oriented programming · 553; process of creation · 189; serialization · 980; standard root class, default inheritance from · 241; wait( ) and notifyAll( ) · 1199; web of objects · 981
object pool · 1246
object-oriented, basic concepts of object-oriented programming (OOP) · 23
ObjectOutputStream · 981
Octal · 109
ones complement operator · 111
OOP: basic characteristics · 25; basic concepts of object-oriented programming · 23; protocol · 316; Simula-67 programming language · 26; substitutability · 25
OpenLaszlo, alternative to Flex · 1416

operating system, executing programs from within Java · 944
operation, atomic · 1160
operator · 94; + and += overloading for String · 242; +, for String · 504; binary · 111; bitwise · 111; casting · 120; comma operator · 140; common pitfalls · 119; indexing operator [ ] · 193; logical · 105; logical operators and short-circuiting · 106; ones-complement · 111; operator overloading for String · 504; overloading · 118; precedence · 95; relational · 103; shift · 112; String conversion with operator + · 95, 118; ternary · 116; unary · 101, 111
optional methods, in the Java containers · 813
OR · 120; (||) · 105
order: of constructor calls with inheritance · 293; of initialization · 185, 272, 302
ordinal( ), for enum · 1012
organization, code · 221
OSExecute · 944
OutputStream · 914, 917
OutputStreamWriter · 922, 923
overflow, and primitive types · 133
overloading: and constructors · 158; distinguishing overloaded methods · 160; generics · 699; lack of name hiding during inheritance · 255; method overloading · 158; on return values · 165; operator + and += overloading for String · 242, 504; operator overloading · 118; vs. overriding · 255
overriding: and inner classes · 383; function · 36; private methods · 290; vs. overloading · 255

P

package · 210; access, and friendly · 221; and directory structure · 220; creating unique package names · 214; default · 211, 223; names, capitalization · 75; package access, and protected · 258
paintComponent( ) · 1360, 1368
painting on a JPanel in Swing · 1360
parameter, collecting · 713, 742
parameterized types · 617
parseInt( ) · 1368
pattern, regular expression · 527
perfect hashing function · 848
performance: and final · 271; nio · 967; test, containers · 859; tuning, for concurrency · 1270
persistence · 996; lightweight persistence · 980
PhantomReference · 889
philosophers, dining, example of deadlock in concurrency · 1224
pipe · 915
piped streams · 936
PipedInputStream · 916
PipedOutputStream · 916, 917
PipedReader · 923, 1221
PipedWriter · 923, 1221
pipes, and I/O · 1221
Plauger, P.J. · 1458
pluggable look & feel · 1373
pointer, Java exclusion of pointers · 372
polymorphism · 38, 277, 310, 554, 613; and constructors · 293; and multiple dispatching · 1048; behavior of polymorphic methods inside constructors · 301
pool, object · 1246
portability in C, C++ and Java · 123
position, absolute, when laying out Swing components · 1320
possessive quantifiers · 529
post-decrement · 102
postfix · 102
post-increment · 102
pre-decrement · 102
preferences API · 1006
prefix · 102
pre-increment · 102
prerequisites, for this book · 23
primitive: comparison · 104; data types, and use with operators · 123; final · 263; final static primitives · 264; initialization of class fields · 182; types · 65
primordial class loader · 556
printf( ) · 514
printStackTrace( ) · 458, 461
PrintStream · 921
PrintWriter · 924, 930, 932; convenience constructor in Java SE5 · 937
priority, concurrency · 1127
PriorityBlockingQueue, for concurrency · 1239
PriorityQueue · 425, 827
private · 31, 210, 221, 224, 258, 1155; illusion of overriding private methods · 268; inner classes · 377; interfaces, when nested · 339; method overriding · 290; methods · 303
problem space · 24
process control · 944
process, concurrent · 1112
ProcessBuilder · 944
ProcessFiles · 1100 ·
producer-consumer, concurrency · 1208
programmer, client · 30
programming: basic concepts of object-oriented programming (OOP) · 23;

event-driven programming · 1312; Extreme Programming (XP) · 1457; multiparadigm · 25; object-oriented · 553
progress bar · 1371
promotion, to int · 122, 132
property · 1394; bound properties · 1414; constrained properties · 1414; custom property editor · 1414; custom property sheet · 1414; indexed property · 1414
PropertyChangeEvent · 1414
PropertyDescriptors · 1400
PropertyVetoException · 1414
protected · 31, 210, 221, 225, 258; and package access · 258; is also package access · 227
protocol · 316
proxy: and java.lang.ref.Reference · 890; for unmodifiable methods in the Collections class · 817
Proxy design pattern · 593
public · 31, 210, 221, 222; and interface · 316; class, and compilation units · 211
pure substitution · 37, 307
PushbackInputStream · 920
PushbackReader · 924
pushdown stack · 412; generic · 625
Python · 1, 5, 9, 53, 60, 722, 787, 1113, 1460

Q

qualified name · 560
quantifier: greedy · 529; possessive · 529; regular expression · 529; reluctant · 529
queue · 389, 410, 423, 827; performance · 863; synchronized, concurrency · 1215
queuing discipline · 425

R

race condition, in concurrency · 1152
RAD (Rapid Application Development) · 588
radio button · 1344
ragged array · 755
random selection, and enum · 1021
random( ) · 419
RandomAccess, tagging interface for containers · 441
RandomAccessFile · 925, 926, 934, 948
raw type · 651
reachable objects and garbage collection · 889
read( ) · 914; nio · 948
readDouble( ) · 934
Reader · 914, 922, 923
readExternal( ) · 986
reading from standard input · 941
readLine( ) · 485, 924, 931, 942
readObject( ) · 981; with Serializable · 992
ReadWriteLock · 1292
recursion, unintended via toString( ) · 509
redirecting standard I/O · 942
ReentrantLock · 1160, 1192
refactoring · 209
reference: assigning objects by copying references · 96; final · 263; finding exact type of a base reference · 555; null · 67; reference equivalence vs. object equivalence · 104
reference counting, garbage collection · 178
Reference, from java.lang.ref · 889
referencing, forward · 184
reflection · 588, 1324, 1398; and Beans · 1394; and weak typing · 496; annotation processor · 1064, 1071; breaking encapsulation with · 607; difference between RTTI and reflection · 589; example · 1334; latent typing and generics · 726
regex · 527
Registered Factories, variation of Factory Method design pattern · 582
regular expressions · 523
rehashing · 878
reification, and generics · 655
relational operators · 103
reluctant quantifiers · 529
removeActionListener( ) · 1403, 1410
removeXXXListener( ) · 1322
renameTo( ) · 914
reporting errors in book · 21
request, in OOP · 27
reset( ) · 926
responsive user interfaces · 1145
resume( ), and deadlocks · 1184
resumption, termination vs. resumption, exception handling · 449
re-throwing an exception · 461
return: an array · 753; and finally · 476; constructor return value · 157; covariant return types · 303, 706; overloading on return value · 165; returning multiple objects · 621
reusability · 32
reuse: code reuse · 237; reusable code · 1393
rewind( ) · 953
right-shift operator (>>) · 112
rollover · 1337
RoShamBo · 1048
Rumbaugh, James · 1457
running a Java program · 80

runtime binding · 282; polymorphism · 277
runtime type information (RTTI) · 308; Class object · 556, 1335; ClassCastException · 570; Constructor class for reflection · 589; Field · 589; getConstructor( ) · 1335; instanceof keyword · 569; isInstance( ) · 578; Method · 589; misuse · 613; newInstance( ) · 1335; reflection · 588; reflection, difference between · 589; shape example · 553; type-safe downcast · 569
RuntimeException · 469, 498
rvalue · 95

S

ScheduledExecutor, for concurrency · 1242
scheduler, thread · 1117
scope: inner class nesting within any arbitrary scope · 355; inner classes in methods & scopes · 354
scrolling in Swing · 1316
searching: an array · 784; sorting and searching Lists · 884
section, critical section and synchronized block · 1169
seek( ) · 926, 934
self-bounded types, in generics · 701
semaphore, counting · 1246
seminars: public Java seminars · 15; training, provided by MindView, Inc. · 1450
sending a message · 27
sentinel, end · 626
separation of interface and implementation · 31, 228, 1321
sequence, applying a method to a sequence · 728
SequenceInputStream · 916, 925
Serializable · 980, 986, 991, 1001, 1405; readObject( ) · 992; writeObject( ) · 992
serialization: and object storage · 996; and transient · 991; controlling the process of serialization · 986; defaultReadObject( ) · 995; defaultWriteObject( ) · 994; Versioning · 995
Set · 389, 394, 415, 821; mathematical relationships · 641; performance comparison · 872
setActionCommand( ) · 1358
setBorder( ) · 1340
setErr(PrintStream) · 943
setIcon( ) · 1337
setIn(InputStream) · 943
setLayout( ) · 1317
setMnemonic( ) · 1358
setOut(PrintStream) · 943
setToolTipText( ) · 1337
shape: example · 34, 282; example, and runtime type information · 553
shift operators · 112
short-circuit, and logical operators · 106
shortcut, keyboard · 1358
shuffle( ) · 885
side effect · 94, 103, 166
sign extension · 112
signals, missed, in concurrency · 1203
signature, method · 72
signed twos complement · 116
Simula-67 programming language · 26
simulation · 1253
sine wave · 1360
single dispatching · 1047
SingleThreadExecutor · 1123
Singleton design pattern · 232
size( ), ArrayList · 390
size, of a HashMap or HashSet · 878
sizeof( ), lack of in Java · 122
sleep( ), in concurrency · 1126
slider · 1371
Smalltalk · 25
SocketChannel · 971
SoftReference · 889
Software Development Conference · 14
solution space · 24
SortedMap · 837
SortedSet · 825
sorting · 778; alphabetic · 418; and searching Lists · 884; lexicographic · 418
source code · 18; copyright notice · 19
South, BorderLayout · 1317
space: namespaces · 211; problem space · 24; solution space · 24
specialization · 258
specification, exception specification · 457, 493
specifier, access · 31, 210, 221
split( ), String · 322, 525
sprintf( ) · 521
SQL generated via annotations · 1066
stack · 410, 412, 895; generic pushdown · 625
standard input, reading from · 941
standards, coding · 21
State design pattern · 306
state machines, and enum · 1041
stateChanged( ) · 1363
static · 316; and final · 263; block · 190; construction clause · 190; data initialization · 186; final static primitives · 264; import, and enum · 1013; initialization · 274, 558; initializer · 582;

inner classes · 364; keyword · 76, 172; method · 172, 282; strong type checking · 492; synchronized static · 1156; type checking · 615; vs. dynamic type checking · 814
STL, C++ · 900
stop( ), and deadlocks · 1184
Strategy design pattern · 322, 332, 737, 764, 778, 780, 903, 910, 1036, 1238
stream, I/O · 914
StreamTokenizer · 924
String: CASE_INSENSITIVE_ORDER Comparator · 884; class methods · 503; concatenation with operator += · 118; conversion with operator + · 95, 118; format( ) · 521; immutability · 503; indexOf( ) · 592; lexicographic vs. alphabetic sorting · 783; methods · 511; operator + and += overloading · 242; regular expression support in · 524; sorting, CASE_INSENSITIVE_ORDER · 902; split( ) method · 322; toString( ) · 238
StringBuffer · 916
StringBufferInputStream · 916
StringBuilder, vs. String, and toString( ) · 506
StringReader · 923, 928
StringWriter · 923
strong static type checking · 492
Stroustrup, Bjarne · 207
structural typing · 721, 733
struts, in BoxLayout · 1321
Stub · 606
style: coding style · 88; of creating classes · 228
subobject · 244, 256
substitutability, in OOP · 25
substitution: inheritance vs. extension · 306; principle · 37
subtraction · 98
suites, @Unit vs. JUnit · 1095
super · 245; and inner classes · 383; keyword · 243
superclass · 243; bounds · 568
supertype wildcards · 682
suspend( ), and deadlocks · 1184
SWF, Flash bytecode format · 1416
Swing · 1303; and concurrency · 1382; component examples · 1332; components, using HTML with · 1370; event model · 1321
switch: and enum · 1016; keyword · 151
switch, context switching in concurrency · 1112
synchronized · 1155; and inheritance · 1411; and wait( ) & notifyAll( ) · 1198; block, and critical section · 1169; Brian's Rule of Synchronization · 1156; containers · 887; deciding what methods to synchronize · 1411; queue · 1215; static · 1156
SynchronousQueue, for concurrency · 1259
System.arraycopy( ) · 775
System.err · 450, 941
System.in · 941
System.out · 941
System.out, changing to a PrintWriter · 942
systemNodeForPackage( ), preferences API · 1007

T

tabbed dialog · 1349
table-driven code · 1033; and anonymous inner classes · 859
task vs. thread, terminology · 1142
tearing, word tearing · 1161
Template Method design pattern · 375, 573, 666, 859, 969, 1173, 1279, 1284
templates, C++ · 618, 652
termination condition, and finalize( ) · 176
termination vs. resumption, exception handling · 449
ternary operator · 116
testing: annotation-based unit testing with @Unit · 1083; techniques · 367; unit testing · 242
Theory of Escalating Commitment · 1146
this keyword · 167
thread: group · 1146; interrupt( ) · 1185; isDaemon( ) · 1133; notifyAll( ) · 1198; priority · 1127; resume( ), and deadlocks · 1184; safety, Java standard library · 1232; scheduler · 1117; states · 1183; stop( ), and deadlocks · 1184; suspend( ), and deadlocks · 1184; thread local storage · 1177; vs. task, terminology · 1142; wait( ) · 1198
ThreadFactory, custom · 1131
throw keyword · 447
Throwable base class for Exception · 458
throwing an exception · 446
time conversion · 1238
Timer, repeating · 1207
TimeUnit · 1127, 1238
toArray( ) · 877
tool tips · 1337
TooManyListenersException · 1406
toString( ) · 238; guidelines for using StringBuilder · 508
training seminars provided by MindView, Inc. · 1450
transferFrom( ) · 949
transferTo( ) · 949

transient keyword · 991
translation unit · 211
TreeMap · 834, 837, 877
TreeSet · 416, 821, 825, 872
true · 105
try · 254, 473; try block in exceptions · 447
tryLock( ), file locking · 971
tuple · 621, 639, 647
twos complement, signed · 116
type: argument inference, generic · 632; base · 34; checking, static · 492, 615; data type equivalence to class · 27; derived · 34; duck typing · 721, 733; dynamic type safety and containers · 710; finding exact type of a base reference · 555; generics and type-safe containers · 390; latent typing · 721, 733; parameterized · 617; primitive · 65; primitive data types and use with operators · 123; structural typing · 721, 733; tag, in generics · 663; type checking and arrays · 747; type safety in Java · 119; type-safe downcast · 569
TYPE field, for primitive class literals · 562

U

UML: indicating composition · 32; Unified Modeling Language · 29, 1457
unary: minus (-) · 101; operator · 111; operators · 101; plus (+) · 101
unbounded wildcard in generics · 686
UncaughtExceptionHandler, Thread class · 1148
unchecked exception · 469; converting from checked · 497
unconditional branching · 143
unicast · 1406
Unicode · 923
Unified Modeling Language (UML) · 29, 1457
unit testing · 242; annotation-based with @Unit · 1083
unmodifiable, making a Collection or Map unmodifiable · 885
unmodifiableList( ), Collections · 815
unsupported methods, in the Java containers · 813
UnsupportedOperationException · 815
upcasting · 42, 260, 278; and interface · 319; and runtime type information · 555; inner classes and upcasting · 352
user interface: graphical user interface (GUI) · 375, 1303; responsive, with threading · 1145
userNodeForPackage( ), preferences API · 1007
Utilities, java.util.Collections · 879

V

value, preventing change at run time · 262
values( ), for enum · 1011, 1017
varargs · 198, 728; and generic methods · 635
Varga, Ervin · 7, 1191
variable: defining a variable · 139; initialization of method variables · 181; local · 71; variable argument lists (unknown quantity and type of arguments) · 198
Vector · 870, 894
vector of change · 377
Venners, Bill · 176
versioning, serialization · 995
Visitor design pattern, and annotations, mirror API · 1079
Visual BASIC, Microsoft · 1394
visual programming · 1394; environments · 1304
volatile · 1151, 1160, 1165

W

wait( ) · 1198
waiting, busy · 1198
Waldrop, M. Mitchell · 1459
WeakHashMap · 834, 892
WeakReference · 889
web of objects · 981
Web Start, Java · 1376
West, BorderLayout · 1317
while · 137
widening conversion · 121
wildcards: and Class references · 566; in generics · 677; supertype · 682; unbounded · 686
windowClosing( ) · 1365
word tearing, in concurrent programming · 1161
write( ) · 914; nio · 949
writeBytes( ) · 933
writeChars( ) · 933
writeDouble( ) · 934
writeExternal( ) · 986
writeObject( ) · 981; with Serializable · 992
Writer · 914, 922, 923

X

XDoclet · 1060

XML · 1003
XOM XML library · 1003
XOR (Exclusive-OR) · 111

Y

You Aren't Going to Need It (YAGNI) · 601

Z

zero extension · 112
ZipEntry · 977
ZipInputStream · 973
ZipOutputStream · 973