

Documentation

How to use?	1
public class CardsAssetPackDeck : MonoBehaviour	2
public void ResetDeck()	2
public void DestroyCards()	2
public void InitDeck()	2
public CardAssetPackCard DrawCard()	2
public CardInstance DrawAndCreateCard()	3
public void CreateCard()	3
public void Shuffle()	3
public static void Shuffle<T>(List<T> list)	3
public static void swap<T>(int a, int b, List<T> list)	3
public class CardInstance : MonoBehaviour	4
public void SetCardValues(CardAssetPackCard card, Texture texture)	
set the card data and back texture of the card	4
public CardAssetPackCard getCardValues()	4
returns the card data of the card	4
public void updateGraphics()	4
public class CardAssetPackCard	4
public int getValue()	5
public CardAssetPackCard(int value, Suit suit)	5
public Suit getSuit()	5
public int suitToInt()	5

How to use/ Summary?

1. Drag and drop the folder into your unity project.
2. Drag and drop Deck prefab to the scene
3. Call the `DrawAndCreateCard()` function and assign its value to a variable. Now you can move like any other object by using its transform.
you can access its suit by calling get card values and then get value and get suit function on the card that's returned.

Decks can be shuffled by using the `public void Shuffle()` function.
and reset with `ResetDeck()` function and emptied with `DestroyCards()`
These should be all you will need for most purposes but just in case below is a list of every function and a short description of what it does. If you need any additional support do not hesitate to ask in the comments of the pack. 😊

public class CardsAssetPackDeck : MonoBehaviour

```
public void ResetDeck()
```

Destroys cards in deck and generates new ones.

```
public void DestroyCards()
```

Destroys all the cards in deck

```
public void InitDeck()
```

creates a new 52 card deck and adds it to the deck list

```
public CardAssetPackCard DrawCard()
```

returns the data of the top card in the deck but does not render it. Use this if you want to handle object creation yourself

```
public CardInstance DrawAndCreateCard()
```

Creates a new card instance object and returns it. Use this if you want the script to generate the card for you. The card cardInstance is attached to the card gameobject so you can access its transform using the reference,

```
public void CreateCard()
```

creates a new card gameobject but does not return a reference for it

```
public void Shuffle()
```

shuffles deck

```
public static void Shuffle<T>(List<T> list)
```

Generic method that shuffles a list

```
public static void swap<T>(int a, int b, List<T>  
list)
```

generic method that swaps two items in a list

```
public class CardInstance :  
MonoBehaviour
```

```
public void SetCardValues(CardAssetPackCard  
card, Texture texture)
```

set the card data and back texture of the card

```
public CardAssetPackCard getCardValues()
```

returns the card data of the card

```
public void updateGraphics()
```

recalculates the textures based on the suit and value fields of the card data

```
public class CardAssetPackCard
```

data container class for the cards holds the suit and the value of the card

```
public int getValue()
```

gets the value of the card

```
public CardAssetPackCard(int value, Suit suit)
```

constructor

```
public Suit getSuit()
```

gets the suit of the card

```
public int suitToInt()
```

Converts the suit order to texture atlas suit order