

```
MySQL 8.0 Command Line Cli X + v
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.36 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use sys;
Database changed
mysql> show databases;
+-----+
| Database |
+-----+
| information_schema |
| mysql |
| performance_schema |
| sys |
+-----+
4 rows in set (0.02 sec)

mysql> create table student(regno int(6),name char(16),address char(20));
Query OK, 0 rows affected, 1 warning (0.05 sec)

mysql> desc student;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| regno | int | YES | | NULL | |
| name | char(16) | YES | | NULL | |
| address | char(20) | YES | | NULL | |
+-----+-----+-----+-----+-----+-----+
3 rows in set (0.01 sec)

mysql> alter table student add(phoneno int(10));
Query OK, 0 rows affected, 1 warning (0.04 sec)
```

```
MySQL 8.0 Command Line Cli x + v
-----+-----+-----+-----+
3 rows in set (0.01 sec)

mysql> alter table student add(phoneno int(10));
Query OK, 0 rows affected, 1 warning (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 1

mysql> select*from student;
Empty set (0.00 sec)

mysql> insert into student (regno,name,address)values(154,'likhitha','kandukur'),(155,'bagya','tirupati');
Query OK, 2 rows affected (0.01 sec)
Records: 2 Duplicates: 0 Warnings: 0

mysql> select*from student;
-----+-----+-----+-----+
| regno | name   | address | phoneno |
-----+-----+-----+-----+
| 154 | likhitha | kandukur | NULL |
| 155 | bagya   | tirupati | NULL |
-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> alter table student add(city char((11)));
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MySQL server version for the right syntax to use near '(11))' at line 1

mysql> alter table student add(city char(11));
Query OK, 0 rows affected (0.02 sec)
Records: 0 Duplicates: 0 Warnings: 0

mysql> select*from student;
-----+-----+-----+-----+-----+
| regno | name   | address | phoneno | city |
-----+-----+-----+-----+-----+
| 154 | likhitha | kandukur | NULL | NULL |
| 155 | bagya   | tirupati | NULL | NULL |
-----+-----+-----+-----+-----+
2 rows in set (0.00 sec)

mysql> |
```