

DALITE Q2 - Boxplots, Standard Deviation and Normal Curves. Due September 19, 2018.

EPIB607 - Inferential Statistics^a

^aFall 2018, McGill University

This version was compiled on September 12, 2018

This DALITE quiz will cover more descriptives such as boxplots, standard deviation and normal density curves.

Boxplots | Standard deviation | Normal curves

Marking

Completion of this DALITE exercise will be available to us automatically through the DALITE website. Therefore **you do not need to hand anything in**. Marks will be based on the number of correct answers. For each question you will receive 0.5 marks for getting the correct answer on the first attempt and an additional 0.5 marks if you stick with the right answer or switch to the correct answer after seeing someone else's rationale.

1. Sign up for DALITE

This step only needs to be completed once for the whole semester:

1. You can join the EPIB607 group by accessing the unique link: <https://mydalite.org/en/live/signup/form/NTc4>
2. Upon accessing the link, you will be prompted to enter an e-mail address. I recommend using the same e-mail address as your DataCamp account.
3. You never need to remember a username or password to access the DALITE platform; access to your assignments is managed through tokens sent to your e-mail address. You will be sent a new link everytime a new assignment has been posted.

2. Boxplots

2.1. Learning Objectives.

1. Recognize that a basic numerical description of a distribution requires both a measure of center and a measure of spread.
2. Use the quartiles and the extremes to provide information about the unequal spread in the two sides of a skewed distribution.
3. Be able to calculate the quartiles and give the five-number summary of a data set of using a computer.
4. Understand that boxplots provide less detail than stemplots or histograms but are especially useful for comparing several distributions.

2.2. Videos.

1. [Against All Odds Unit 5](#)

2.3. Required Readings.

1. [Against All Odds Unit 5, pages 1-5](#)

3. Standard Deviation

3.1. Learning Objectives.

1. Know that the sample standard deviation, s , is the measure of spread most commonly used when the mean, \bar{x} , is used as the measure of center.
2. Know the formula for the standard deviation s
3. Know the basic properties of the standard deviation:
 - a) $s \geq 0$, and only when all data values are identical can $s = 0$
 - b) s increases as the spread about \bar{x} increases.
 - c) s , like \bar{x} , is strongly influenced by outliers.
4. Know that the standard deviation is most useful for symmetric distributions and, in particular, for normal distributions.
5. Know that adding the same constant a to all the observations increases the value of \bar{x} by a . However, adding the same constant a to all the observations does not change the value of s . That's because adding a constant a to all data values shifts the location of the data but does not affect its spread.
6. Know that multiplying all data values by a constant amount k changes \bar{x} and s by a factor of k .

3.2. Videos.

1. [Against All Odds Unit 6](#)

3.3. Required Readings.

1. [Against All Odds Unit 6, pages 1-8](#)