



## Query 1



## Query 2



### Query 3

Query Tools Query3 - Access

File Home Create External Data Database Tools Add-ins Help **Design** Tell me what you

View Run Select Make Table Append Update Crosstab Delete Union Pass-Through Data Definition Show Table Builder Insert Rows Delete Rows Insert Columns Delete Columns Return:

Results Query Type Query Setup

All Access Objects

- Order Details Extended
- Order Subtotals
- Product Sales for 1995
- Products Above Average P...
- Quarterly Orders
- Query1
- Query2
- Query3**
- Query4

```
SELECT P.PRODUCTID, P.PRODUCTNAME, OD.QUANTITY, C.CITY
FROM ORDERS AS O, PRODUCTS AS P, [ORDER DETAILS] AS OD, CUSTOMERS AS C
WHERE P.PRODUCTID = OD.PRODUCTID
AND OD.ORDERID=O.ORDERID
AND O.CUSTOMERID = C.CUSTOMERID
AND C.CITY='Berlin'
ORDER BY P.PRODUCTID;
```

### Query 4

Query Tools Query4 - Access

File Home Create External Data Database Tools Add-ins Help **Design** Tell me what

View Run Select Make Table Append Update Crosstab Delete Union Pass-Through Data Definition Show Table Builder Insert Rows Delete Rows Insert Columns Delete Columns Return:


Results Query Type Query Setup

All Access Objects

- Order Details Extended
- Order Subtotals
- Product Sales for 1995
- Products Above Average P...
- Quarterly Orders
- Query1
- Query2
- Query3
- Query4**

```
SELECT O.ORDERID, O.CUSTOMERID, O.SHIPCITY, S.COMPANYNAME
FROM ORDERS AS O, SHIPPERS AS S
WHERE O.SHIPVIA= S.SHIPPERID
AND S.COMPANYNAME='United Package';
```

## Query 5



## Query 6

