Homework 11

PB17000297 罗晏宸

November 18 2019

Exercise 1

针对第十二讲代码优化(2)P55上流图,计算活跃变量数据流方程。




图 1: 第十二讲代码优化(2) P55 上流图

解 首先给出每个基本块的 use 和 def 集合

基本块	use	def
B_1	$use_1 = \{\}$	$\mathit{def}_1 = \{\mathtt{D}, \mathtt{G}\}$
B_2	$use_2 = \{D\}$	$\mathit{def}_2 = \{\mathtt{A},\mathtt{B},\mathtt{C}\}$
B_3	$use_3 = \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{G}\}$	$\mathit{def}_3 = \{\mathtt{F}\}$
B_4	$use_4 = \{\mathtt{A},\mathtt{B},\mathtt{C}\}$	$\mathit{def}_4 = \{\mathtt{F}\}$
B_5	$use_5 = \{\mathtt{B},\mathtt{C},\mathtt{D}\}$	$\mathit{def}_5 = \{\mathtt{G}\}$

初始值

$$IN[B_1] = IN[B_2] = IN[B_3] = IN[B_4] = IN[B_5] = \emptyset$$

 $OUT[B_5] = \emptyset$

第一次迭代

$$\begin{array}{lll} \mathrm{OUT}[B_5] &= \mathrm{OUT}[B_5] \cup \mathrm{IN}[B_2] &= \{\} \cup \{\} \\ \mathrm{IN}[B_5] &= use_5 \cup (\mathrm{OUT}[B_5] - def_5) &= \{\mathrm{B}, \mathrm{C}, \mathrm{D}\} \cup (\{\} - \{\mathrm{G}\}) &= \{\mathrm{B}, \mathrm{C}, \mathrm{D}\} \\ \mathrm{OUT}[B_4] &= \mathrm{OUT}[B_4] \cup \mathrm{IN}[B_5] &= \{\} \cup \{\mathrm{B}, \mathrm{C}, \mathrm{D}\} &= \{\mathrm{B}, \mathrm{C}, \mathrm{D}\} \\ \mathrm{IN}[B_4] &= use_4 \cup (\mathrm{OUT}[B_4] - def_4) &= \{\mathrm{A}, \mathrm{B}, \mathrm{C}\} \cup (\{\mathrm{B}, \mathrm{C}, \mathrm{D}\} - \{\mathrm{F}\}) &= \{\mathrm{A}, \mathrm{B}, \mathrm{C}, \mathrm{D}\} \\ \mathrm{OUT}[B_3] &= \mathrm{OUT}[B_3] \cup \mathrm{IN}[B_5] &= \{\} \cup \{\mathrm{B}, \mathrm{C}, \mathrm{D}\} &= \{\mathrm{B}, \mathrm{C}, \mathrm{D}\} \\ \mathrm{IN}[B_3] &= use_3 \cup (\mathrm{OUT}[B_3] - def_3) &= \{\mathrm{A}, \mathrm{B}, \mathrm{C}, \mathrm{G}\} \cup (\{\mathrm{B}, \mathrm{C}, \mathrm{D}\} - \{\mathrm{F}\}) &= \{\mathrm{A}, \mathrm{B}, \mathrm{C}, \mathrm{D}, \mathrm{G}\} \\ \mathrm{OUT}[B_2] &= \mathrm{OUT}[B_2] \cup \mathrm{IN}[B_3] \cup \mathrm{IN}[B_4] &= \{\} \cup \{\mathrm{A}, \mathrm{B}, \mathrm{C}, \mathrm{D}, \mathrm{G}\} - \{\mathrm{A}, \mathrm{B}, \mathrm{C}, \mathrm{D}, \mathrm{G}\} \\ \mathrm{IN}[B_2] &= use_2 \cup (\mathrm{OUT}[B_2] - def_2) &= \{\mathrm{D}\} \cup (\{\mathrm{A}, \mathrm{B}, \mathrm{C}, \mathrm{D}, \mathrm{G}\} - \{\mathrm{A}, \mathrm{B}, \mathrm{C}\}) &= \{\mathrm{D}, \mathrm{G}\} \\ \mathrm{OUT}[B_1] &= \mathrm{OUT}[B_1] \cup \mathrm{IN}[B_2] &= \{\} \cup \{\mathrm{A}, \mathrm{D}, \mathrm{G}\} &= \{\mathrm{D}, \mathrm{G}\} \\ \mathrm{IN}[B_1] &= use_1 \cup (\mathrm{OUT}[B_1] - def_1) &= \{\} \cup (\{\mathrm{D}, \mathrm{G}\} - \{\mathrm{D}, \mathrm{G}\}) &= \{\} \end{array}$$

第二次迭代

$$\begin{array}{lll} \operatorname{OUT}[B_5] &= \operatorname{OUT}[B_5] \cup \operatorname{IN}[B_2] &= \{\} \cup \{\mathtt{D},\mathtt{G}\} &= \{\mathtt{D},\mathtt{G}\} \\ \operatorname{IN}[B_5] &= use_5 \cup (\operatorname{OUT}[B_5] - def_5) &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \cup (\{\mathtt{D},\mathtt{G}\} - \{\mathtt{G}\}) &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{OUT}[B_4] &= \operatorname{OUT}[B_4] \cup \operatorname{IN}[B_5] &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \cup \{\mathtt{B},\mathtt{C},\mathtt{D}\} &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{IN}[B_4] &= use_4 \cup (\operatorname{OUT}[B_4] - def_4) &= \{\mathtt{A},\mathtt{B},\mathtt{C}\} \cup (\{\mathtt{B},\mathtt{C},\mathtt{D}\} - \{\mathtt{F}\}) &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{OUT}[B_3] &= \operatorname{OUT}[B_3] \cup \operatorname{IN}[B_5] &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \cup \{\mathtt{B},\mathtt{C},\mathtt{D}\} &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{IN}[B_3] &= use_3 \cup (\operatorname{OUT}[B_3] - def_3) &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{G}\} \cup (\{\mathtt{B},\mathtt{C},\mathtt{D}\} - \{\mathtt{F}\}) &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \\ \operatorname{OUT}[B_2] &= \operatorname{OUT}[B_2] \cup \operatorname{IN}[B_3] \cup \operatorname{IN}[B_4] &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \cup \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \cup \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \\ \operatorname{IN}[B_2] &= use_2 \cup (\operatorname{OUT}[B_2] - def_2) &= \{\mathtt{D}\} \cup (\{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} - \{\mathtt{A},\mathtt{B},\mathtt{C}\}) &= \{\mathtt{D},\mathtt{G}\} \\ \operatorname{OUT}[B_1] &= \operatorname{OUT}[B_1] \cup \operatorname{IN}[B_2] &= \{\mathtt{D},\mathtt{G}\} \cup \{\mathtt{D},\mathtt{G}\} \\ \operatorname{IN}[B_1] &= use_1 \cup (\operatorname{OUT}[B_1] - def_1) &= \{\} \cup (\{\mathtt{D},\mathtt{G}\} - \{\mathtt{D},\mathtt{G}\}) &= \{\} \\ \end{array}$$

第三次迭代

$$\begin{array}{lll} \operatorname{OUT}[B_5] &= \operatorname{OUT}[B_5] \cup \operatorname{IN}[B_2] &= \{\mathtt{D},\mathtt{G}\} \cup \{\mathtt{D},\mathtt{G}\} &= \{\mathtt{D},\mathtt{G}\} \\ \operatorname{IN}[B_5] &= use_5 \cup (\operatorname{OUT}[B_5] - def_5) &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \cup (\{\mathtt{D},\mathtt{G}\} - \{\mathtt{G}\}) &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{OUT}[B_4] &= \operatorname{OUT}[B_4] \cup \operatorname{IN}[B_5] &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \cup \{\mathtt{B},\mathtt{C},\mathtt{D}\} &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{IN}[B_4] &= use_4 \cup (\operatorname{OUT}[B_4] - def_4) &= \{\mathtt{A},\mathtt{B},\mathtt{C}\} \cup (\{\mathtt{B},\mathtt{C},\mathtt{D}\} - \{\mathtt{F}\}) &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{OUT}[B_3] &= \operatorname{OUT}[B_3] \cup \operatorname{IN}[B_5] &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \cup \{\mathtt{B},\mathtt{C},\mathtt{D}\} &= \{\mathtt{B},\mathtt{C},\mathtt{D}\} \\ \operatorname{IN}[B_3] &= use_3 \cup (\operatorname{OUT}[B_3] - def_3) &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{G}\} \cup (\{\mathtt{B},\mathtt{C},\mathtt{D}\} - \{\mathtt{F}\}) &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \\ \operatorname{OUT}[B_2] &= \operatorname{OUT}[B_2] \cup \operatorname{IN}[B_3] \cup \operatorname{IN}[B_4] &= \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \cup \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \cup \{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} \\ \operatorname{IN}[B_2] &= use_2 \cup (\operatorname{OUT}[B_2] - def_2) &= \{\mathtt{D}\} \cup (\{\mathtt{A},\mathtt{B},\mathtt{C},\mathtt{D},\mathtt{G}\} - \{\mathtt{A},\mathtt{B},\mathtt{C}\}) &= \{\mathtt{D},\mathtt{G}\} \\ \operatorname{OUT}[B_1] &= \operatorname{OUT}[B_1] \cup \operatorname{IN}[B_2] &= \{\mathtt{D},\mathtt{G}\} \cup \{\mathtt{D},\mathtt{G}\} \\ \operatorname{IN}[B_1] &= use_1 \cup (\operatorname{OUT}[B_1] - def_1) &= \{\} \cup (\{\mathtt{D},\mathtt{G}\} - \{\mathtt{D},\mathtt{G}\}) &= \{\} \\ \end{array}$$

不再有 IN 值发生改变, 迭代终止。