


Layout principle



Make change with clarity.

Clear composition and a minimal set of layout elements emphasize our messaging. Avoid clutter.

Make change with purpose.

Our layout principle only uses the elements we need to get our point across.

Make change with impact.

Bold colors, shapes and a distinct image style help emphasize our message.


Our easy-to-use layout system is flexible enough to meet every challenge, whether big or small. With our defined brand design elements, you can configure all kinds of media and campaigns in our signature Siemens style.

- Logo and text components can be placed either in alignment with or opposite to each other, as well as close to or at a maximum distance from each other.
- The dark appearance is the standard impression, fostering recognition and impact.
- Strong, large headlines combine with our visual elements to determine our appearance.
- SiemensSans Pro Bold and optionally the colors Siemens Petrol (light background) or Light Petrol (dark background) can be used to highlight text as needed.
- Images or color backgrounds can either be full bleed or arranged in combination with each other.

Follow this topic (<https://newsletter-yp.siemens.com/Subscribe/54jqaaey534ch6lpgbgzz7h3dlv35zr5xrak5gvahvzvs54dgswe5njinm>)

Overview

The Siemens layout principle defines our overarching visual identity. We combine our basic elements – our logo, colors, font, imagery and shapes – to create fluid, versatile and consistent designs across different media.




Layout elements



Siemens logo

> [Logo](/en/design-elements/logo) (/en/design-elements/logo)




Primary colors

> [Color \(/en/design-elements/color\)](/en/design-elements/color)



Typography and headline look

> [Typography \(/en/design-elements/typography\)](/en/design-elements/typography)



Shapes

> [Key visuals: shapes](/en/design-elements/key-visuals/key-visuals-shapes) (/en/design-elements/key-visuals/key-visuals-shapes)



Imagery

> [Imagery](/en/design-elements/imagery) (/en/design-elements/imagery)


How-to section

The following section provides detailed instructions and/or technical information.
Please read on if you work with the elements presented on this page.

Using the logo

Margins


The logo size defines the layout area of each format. The standard margins equal the default logo buffer zone: two times the logo height.




1. The minimum and preferred buffer zone surrounding the logo
2. The margins of the layout are derived from the preferred buffer zone: two times the height of the "S" in the logo.

Logo position

The logo can be placed within the defined margins of the format for a balanced overall look.



Typical logo positions are in the corners of the format.



The logo can be positioned along the format margins and further into the format if it is left-aligned with the text content.

Logo size

Preferred logo sizes are defined for most common DIN formats. Please use these as a reference and starting point. The table below lists the logo sizes and their corresponding formats.

Logo sizes

Format	Logo height
DIN A5	6 mm
DIN A4	7 mm
DIN A4 double page	9 mm
DIN A3	9 mm
DIN A2	14 mm
DIN A1	20 mm

Format	Logo height
DIN A0	28 mm
Citylight and similar formats	approx. 75 mm
18/1 and similar formats	approx. 105 mm

For more details and logo files for downloading, please see:


> [Logo](/en/design-elements/logo) (/en/design-elements/logo)

Layout

Full-bleed or split layout

There are two options for your layout: full-bleed layouts (image or solid color) and split layouts that combine both elements.

- When deciding for a split layout, the layout/cover should be divided 40/60 as a rule of thumb. Either the color background or photo takes up 60 % of the layout.
- It is possible to divide both vertically or horizontally if available in the individual applications.
- Series of publications with split layouts in the same format need to use the same area height – or a clearly lower or higher height. Slight differences in height would look off.



Overview of square format layouts


Using colors

Primary color impression

The dark appearance is the new preferred impression of our brand. Bold Green and Bold Blue are the main colors for our shapes. Siemens Petrol and Light Petrol are available to highlight type. Deep Blue is the main color for backgrounds.

For more details on Siemens colors, please see:


> [Color \(/en/design-elements/color\)](/en/design-elements/color)



Deep Blue, Bold Green, Bold Blue and Siemens Petrol are the go-to colors for the Siemens brand experience.

Visual appearance

We want a cohesive look with enough contrast to let our strong colors shine and stand out. The preferred impression of the brand is dark in online communication. The light appearance may still be applied to serve e.g. deeper level communication, text-heavy content pages or eBusiness services.




Examples of different applications using Deep Blue as a solid background color

Background colors

Deep Blue is the main option for backgrounds in combination with our shapes and cut-out images. Light Sand or white can be used alternatively if required.



Deep Blue as main background color



Light Sand



White



Siemens Petrol



Gradient Deep Blue – Petrol
Don't use it with shapes.



Bold Green
Don't use it with shapes.



Bold Blue
Don't use it with shapes.

Background options for placing shapes

We can place shapes on our solid background colors – not gradients. Siemens Petrol can be used for applications like social media, events and special campaigns, for example.



Deep Blue as main background color



Light Sand




White



Siemens Petrol for applications like social media or campaigns

Don'ts




Don't

Never place shapes on Gradient Deep Blue – Petrol.



Don't

Never place shapes on Bold Dynamic Petrol. This background is limited to use with employer branding.



Don't

Never use tints or transparencies of the provided background color. Only use the exact values.

Using typography

Hierarchy levels

We use our SiemensSans Pro Roman for headlines. Three hierarchy levels are available to structure our key messages to make them clear and concise: the headline, topline and copy text. It's possible to use all three levels together depending on the application.

The topline is providing more context to the headline, highlighting a product category, a key topic or a service. The topline is the only text element written in all uppercase letters. To support legibility, we don't write headlines or copy text in uppercase letters.

Mentioning „Siemens“ in the topline should be avoided.

Exception: Siemens can be used in the topline, when it is a legally required part of a service or product name (e.g. Siemens Xcelerator). In that case, it is written in uppercase letters only.

A dark blue square containing the text "SiemensSans Pro Roman" in a white, sans-serif font. The text is arranged in two lines: "SiemensSans Pro" on the top line and "Roman" on the bottom line.

SiemensSans Pro
Roman

Top-level headline: no additional elements

A dark blue square containing the text "SIEMENSSANS PRO BOLD" in a small, white, uppercase sans-serif font. Below this, the text "SiemensSans Pro Roman" is displayed in a larger, white, sans-serif font, arranged in two lines.

SIEMENSSANS PRO BOLD

SiemensSans Pro
Roman

Top-level headline with two hierarchy levels: topline and headline

A dark blue square containing the text "SIEMENSSANS PRO BOLD" in a small, white, uppercase sans-serif font. Below this, the text "SiemensSans Pro Roman" is displayed in a larger, white, sans-serif font, arranged in two lines. At the bottom, there is a paragraph of Lorem Ipsum text in a smaller, white, sans-serif font.

SIEMENSSANS PRO BOLD

SiemensSans Pro
Roman

Lorem ipsum dolor sit amet, consectetur
adipiscing elit. Nunc vulputate libero et velit
interdum, ac aliquet odio mattis.

Top-level headline with three hierarchy levels: topline, headline and copy text

Hierarchy structure



The distances between the headline, topline, and copy text depend on the headline type size:

1. The headline type size is x (e.g. 60pt)
2. The distance between the topline and headline is x/2 (e.g. 30pt)
3. The distance between the headline and copy is x/2 (e.g. 30pt)

Headline

The type size of the headline can be adjusted to the length of the text. Always aim for the best possible composition and clear legibility.

For a balanced look, the headline should be the same size of the logo – usually larger.

Recommended headline sizes and line spacing

Format	Type sizes / line spacing
DIN A5	22–38 pt / 120%
DIN A4	30–46 pt / 120%, 54 pt / 110%
DIN A3	54–70 pt / 110%
DIN A2	78–102 pt / 110%
DIN A1	122–148 pt / 110%
DIN A0	160–200 pt / 110%

Topline, copy and mentioning URLs

The topline and copy text are always the same size. If you need to mention a URL like [siemens.com](https://www.siemens.com), include this as the last single line of the copy text in SiemensSans Pro Bold.

Recommended topline and copy text sizes

Format	Type sizes
DIN A4	9–13 pt
DIN A3	13–15 pt
DIN A2	≥20 pt
DIN A1	≥26 pt

Highlighting type (optional)

If the most important word or term needs to stand out in a headline, you can highlight it in SiemensSans Pro Bold. Add Siemens Petrol or Light Petrol if an extra hint of Siemens color is needed (e.g. if the layout doesn't include any brand colors).

The background of the layout also determines whether or not Siemens Petrol or Light Petrol is appropriate for use:

- The Siemens Petrol color highlight is only allowed for type sizes of 17pt or larger to provide enough contrast on light backgrounds (WCAG 2.1).
- For dark backgrounds please use the Light Petrol color highlight.
- Only use the "Bold" type style to emphasize type to ensure enough contrast with the background image and avoid any clashing colors.

Highlighting type with SiemensSans Pro Bold

- Dark backgrounds: text color is white
- Light backgrounds: text color is Deep Blue or black



Highlights in type style "Bold" on a Deep Blue background

Your gateway
to automation
in the **Digital
Enterprise**

Highlights in type style "Bold" on a Light Sand background

Your **gateway**
to automation
in the Digital
Enterprise

Highlights in type style "Bold" on a dark photo

Your gateway
to automation
in the **Digital
Enterprise**



Highlights in type style "Bold" on a light photo

Highlighting type with SiemensSans Pro Bold and color

- Dark backgrounds: text color is Light Petrol
- Light backgrounds: text color is Siemens Petrol

**Your gateway
to automation**
in the Digital
Enterprise

Highlights in type style "Bold" and Light Petrol color on a Deep Blue background

Your gateway
to automation
in the **Digital
Enterprise**

Highlights in type style "Bold" and Siemens Petrol color on a Light Sand

Your **gateway
to automation**
in the Digital
Enterprise

Highlights in type style "Bold" and Light Petrol color on a dark photo



Highlights in type style "Bold" and Siemens Petrol color on a light photo

Dos and don'ts



Do

The headings should always be set in the sentence case; the topline always in uppercase letters.

SMART INFRASTRUCTURE

Smart cities assisted by big data

Do

Emphasis with color is not limited to headlines, it can also appear in the topline or in other text elements. To ensure contrast and legibility, the highlight colors should not be used for text smaller than 17 pt.

SMART INFRASTRUCTURE

Smart cities assisted by big data

Don't

Don't highlight more than one word or term.

SMART INFRASTRUCTURE

Smart cities assisted by big data

Don't

Don't highlight the entire text with SiemensSans Pro Bold.

SMART INFRASTRUCTURE

Smart cities assisted by big data

Don't

Don't use more than one color for highlighted text.

SMART INFRASTRUCTURE

SMART CITIES ASSISTED BY BIG DATA

Don't

Headlines may not be in all uppercase letters.

Smart Infrastructure

Smart cities assisted by big data

Don't

The topline may not be in title case.

SMART INFRASTRUCTURE

Smart cities assisted by big data

Don't

Type highlights may not be in SiemensSans Pro Roman or in any other color than Light Petrol or Siemens Petrol.

SMART INFRASTRUCTURE

SMART CITIES assisted by big data

Don't

Headlines may not include all uppercase letters, except for product names.



Don't

Don't use Siemens Petrol in addition to the type style "Bold" on photo backgrounds if there isn't enough contrast or the colors clash.



Don't

Don't use Siemens Petrol, but Light Petrol for type on dark backgrounds.

SMART INFRASTRUCTURE

Smart cities

assisted
by big data

Don't

Don't use Light Petrol for type on light backgrounds.

SMART INFRASTRUCTURE

Smart cities

assisted
by big data

Don't

Don't use Light Petrol for type on Siemens Petrol.

TOPLINE

Lorem ipsum
Siemens dolor
sit amet

Don't

Don't highlight the word "Siemens" with color and with SBold/Bold typeface or all caps. This gives the word the impression that the text resembles the Siemens logo and acts like a logo, it may not do so.

Type and logo colors

We defined color options for the type and logo to ensure that they are clearly legible on all backgrounds. The type and logo are white on dark backgrounds to provide sufficient readability. Deep Blue is the standard type color on light backgrounds. Text can be black depending on technical requirements. The logo is Siemens Petrol or black as shown in the examples below. The logo is never Deep Blue.

For more details, please see our guidelines on colors and the logo:

- > [Color](/en/design-elements/color) (/en/design-elements/color)
- > [Logo](/en/design-elements/logo) (/en/design-elements/logo)

SiemensSans Pro Roman and
**SiemensSans Pro Bold in
White**

SIEMENS

Deep Blue background: white type and logo

SiemensSans Pro in **Deep Blue**
SiemensSans Pro in **Bold**

SIEMENS

Light Sand background: Deep Blue (or black) type and logo in Siemens Petrol

SiemensSans Pro in **Deep Blue**
SiemensSans Pro in **Bold**

SIEMENS

White background: Deep Blue (or black) type and logo in Siemens Petrol

SiemensSans Pro
Roman **and Bold**
in White

SIEMENS

Dark photo background: white type and logo

SiemensSans Pro in **Deep Blue**
SiemensSans Pro in **Bold**

SIEMENS

Light photo background: Deep Blue (or black) type and logo in Siemens Petrol

SiemensSans Pro
Roman **and Bold**
in White

SIEMENS

Siemens Petrol background: white type and logo

SiemensSans Pro Roman
and **SiemensSans Pro
Bold in White**

SIEMENS


Gradient Deep Blue – Petrol background: white type and logo

Shapes and key visuals

Our shapes are an important brand-building element for our layouts. Please consider using them at the highest levels of the customer journey when appropriate to your topic. Simple yet versatile, our graphics unify the variety of topics within Siemens – driving a consistent look and feel across all communication channels. Our new visual language does two powerful things: It is instantly recognizable and provides meaning for the audience. It also consistently delivers on our promises – purpose, impact, and clarity. We can create interesting, versatile designs by using shapes in different ways.

For more details on our shapes, please see:

- > [Key visuals: shapes \(/en/design-elements/key-visuals/key-visuals-shapes\)](/en/design-elements/key-visuals/key-visuals-shapes)
- > [Key visuals \(/en/design-elements/key-visuals\)](/en/design-elements/key-visuals)



Related topics

Logo

Typography

Imagery

Color

1



> [\(/en/design-elements/logo\)](/en/design-elements/logo)

> [\(/en/design-elements/typography\)](/en/design-elements/typography)



> [\(/en/design-elements/imagery\)](/en/design-elements/imagery)



> [\(/en/design-elements/color\)](/en/design-elements/color)



> [\(/en/design-elements/1\)](/en/design-elements/1)

Any further questions? Contact Design Support.

Don't hesitate to contact our Design Support Team via the GBS Service Portal. We're happy to assist you.

[I am an employee](https://siemensgbs.service-now.com/esc?id=sc_cat_item&sys_id=01e453bd1be9011076c55245604bcb9d) (https://siemensgbs.service-now.com/esc?id=sc_cat_item&sys_id=01e453bd1be9011076c55245604bcb9d)

[I am a business partner](mailto:design-support.communications@siemens.com) (mailto:design-support.communications@siemens.com)

Please note: This service can only receive unencrypted emails. You may only send documents and information up to and including the "restricted" protection class.