





```
type Msq
    = MorePlease
    | NewGif (Result Http.Error String)
update : Msg -> Model -> (Model, Cmd Msg)
update msg model =
 case msq of
   MorePlease ->
      (model, getRandomGif model.topic)
   NewGif (Ok newUrl) ->
      ( { model | gifUrl = newUrl }, Cmd.none)
   NewGif (Err ) ->
      (model, Cmd.none)
```

```
getRandomGif : String -> Cmd Msg
getRandomGif topic =
  let
    url =
      "https://api.giphy.com/v1/gifs/random?"
      ++ "api_key=dc6zaT0xFJmzC&tag=" ++ topic
    request =
      Http.get url decodeGifUrl
  in
    Http.send NewGif request
decodeGifUrl: Decode Decoder String
decodeGifUrl =
  Decode.at ["data", "image_url"] Decode.string
```

```
type Msg
    = MorePlease
    | NewGif (Result Http.Error String)
update: Msg -> Model -> (Model, Cmd Msg)
update msg model =
  case msg of
    MorePlease ->
      (model, getRandomGif model.topic)
    NewGif (Ok newUrl) ->
      ( { model | gifUrl = newUrl }, Cmd.none)
    NewGif (Err ) ->
      (model, Cmd.none)
```