

Date: 8.6.19

Location: WHI

quadratID	speciesID	cover	notes	flowering
8-1	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	medlu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
9-1	zizau	<1 1-5 5-25 25-50 50-75 75-95 >95		
	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ennyu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dalpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirdi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	amare	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	liapy	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-2	apocy	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	medlu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, fig fam?	
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-3	soln	<1 1-5 5-25 25-50 50-75 75-95 >95		

Date:

8/6

Location:

WH1

quadratID	speciesID	cover	notes	flowering
3-4	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	bare ground	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-3	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	soln	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	clauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	boucu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	hibtr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	enyuv	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	echpa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
3-2	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cenla	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	soln	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rosar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8/6/19

WHI

quadratID	speciesID	cover	notes	flowering
5-3	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	houcu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	phaar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	symno	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	asc tu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	erhyu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	settu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	polpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
6-1	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ascvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	eupco	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
6-2	melof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	zizau	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	erhyu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helpa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8-10

WH1

quadratID	speciesID	cover	notes	flowering
6-2	solpe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trire	<1 1-5 (5-25) 25-50 50-75 75-95 >95	trire	
	solca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	amare	<1 1-5 5-25 25-50 50-75 75-95 >95		
7-1	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	setfa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	soln	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	amatu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	boucu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ndhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unknown2	<1 (1-5) 5-25 25-50 50-75 75-95 >95	photo, white areas?	
5-1	sorny	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symer	<1 1-5 5-25 (25-50) 50-75 75-95 >95	symer	
	artlu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	larog	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ndhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dauca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ambar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	emyu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	echpa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	boucu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8/6/19

WH1

quadratID	speciesID	cover	notes	flowering
5-1	Spohe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	erivi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	psapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4-2	soln	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ehyu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	echpa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	larog	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	trine	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	liapy	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	bouco	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	spohi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broja	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4-1	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	clauca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	larce	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarog	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	polpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ascsy	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	brain	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/16

Location:

NHI

quadratID	speciesID	cover	notes	flowering
4-1	sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	amatu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tripr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-5	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	bapal	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	erivi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	carvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	hibtr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	Zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	bare ground	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
3-4	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	conca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	liaas	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	hibtr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	erivi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/16

Location:

WTH1

quadratID	speciesID	cover	notes	flowering
3-2	daueq	<1 1-5 5-25 25-50 50-75 75-95 >95		
	enri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cheal	<1 1-5 5-25 25-50 50-75 75-95 >95		
	enryu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	daupu	<1 1-5 5-25 25-50 50-75 75-95 >95	dalpu	
	enryu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarog	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bauca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dauca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lage	<1 1-5 5-25 25-50 50-75 75-95 >95		
	canu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	grvu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	clayca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	erian	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknom3	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, rosette	

Scanned:

Entered:

Date:

8/6

Location:

WHI

quadratID	speciesID	cover	notes	flowering
2-2	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	erivi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solh	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	medlu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
2-1	dauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	melal	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	lacse	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	erivi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broja	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	medlu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-1	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	medlu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dauca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unknown4	<1 (1-5) 5-25 25-50 50-75 75-95 >95	photo, elm?	

Scanned:

Entered:



Date:

8/6

Location:

WHL

quadratID	speciesID	cover	notes	flowering
1-1	Setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	clavca	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	boucu	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 (25-50) 50-75 75-95 >95		
	symm	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	Schsc	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	tnre	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	muhfr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	eryyu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	cirar	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	clavca	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	tripr	<1 (1-5) 5-25 (25-50) 50-75 75-95 >95		
	eryyu	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	andelg	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spathe	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Schsc	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	tnre	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
10-1	phdar	<1 (1-5) 5-25 25-50 50-75 (75-95) >95		
	<del>monarda</del>	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	crown vetch	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	urtdi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
11-1	soln	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8/16

W.H.I

quadratID	speciesID	cover	notes	flowering
11-1	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	virfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symno	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	emyu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarog	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cartr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	echpa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symla	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
12-1	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarog	<1 1-5 5-25 25-50 50-75 75-95 >95		
	passa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dauca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	medlu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: