

Date: 8/7/18

Location: MUG

quadratID	speciesID	cover	notes	flowering
I-1	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	DALCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	TRIPPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	THLAR	<1 1-5 5-25 25-50 50-75 75-95 >95	penny grass	
I-1	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	SECVA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-1	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	PLAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	TRIPPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	MEDLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	ERIVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
I-2	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/18

Location: MUG

quadratID	speciesID	cover	notes	flowering
1-2	MEDSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-3	LOTCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERIVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-1	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown 1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo - primrose-type	
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/19

Location: MUG

quadratID	speciesID	cover	notes	flowering
2-2	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLPT	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-4	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/17

Location: MUG

quadratID	speciesID	cover	notes	flowering
2-4	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXNST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wild buckwheat	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95	wild buckwheat	
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-2	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/7/19

Location:

MUG

quadratID	speciesID	cover	notes	flowering
3-2	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-3	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MELAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESIL	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-4	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-5	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/18

Location:

MUG

quadratID	speciesID	cover	notes	flowering
3-5	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERIVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOVCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-6	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95	Mowed	
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown #1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo	
	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERIVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-1	ASCSY	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMATA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/18

Location: MUG

quadratID	speciesID	cover	notes	flowering
4-1	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-3	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DOENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-4	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Unknown 2	<1 1-5 5-25 25-50 50-75 75-95 >95	photo - rosette, thick leaves leathery	
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-4	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DALCI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPRA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/18

Location: MUG

quadratID	speciesID	cover	notes	flowering
4-4	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-5	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-6	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ICHPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DALCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHBC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/7/18

Location: MUG

quadratID	speciesID	cover	notes	flowering
4-6	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	BOULU	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-7	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PLAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOULU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-8	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
1	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-9	HELHI	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/18

Location: MUG

quadratID	speciesID	cover	notes	flowering
4-9	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-10	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-11	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLCO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/7/18

Location: MUG

Scanned:

Entered: