Location: SM |

quadratID	speciesID	cover	notes	flowering
2-1	DESCA	<1 1-5 5-29 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYGA	<1 1-5 5-25 25-30 50-75 75-95 >95		
	PANVI	<1 (1.5) 5-25 25-50 50-75 75-95 >95		
g ago, pape para lana lana and main dan dan dan dan dan dan dan dan dan da	SILIN	<1 1-5 9 25-50 50-75 75-95 >95		
	PARINX	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 6-2 5 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMATA	(1) 1-5 5-25 25-50 50-75 75-95 >95		
2-2-	EUG	<1 1-5 • 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95) ! !
	Sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESIA	<1 1-5 (-29) 25-50 50-75 75-95 >95		i 1 1 1
	PATPI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 6-25 25-50 50-75 75-95 >95		
	HELHE	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	! ! !
V-3	DESCA	<1 1-5 \$-25 25-50 50-75 75-95 >95		! ! ! !
	SILLA	<1 1-5 5-25 25-50 50-75 75-95 >95	1 1 1 1 1	
	217AU	<1 1-5 §-2 5 25-50 50-75 75-95 >95		i ! !
	CIRAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	
	SYMNO	<1 (1-5) 5-25 25-50 50-75 75-95 >95	! ! ! !	
	HELHE	<1 (-5) 5-25 25-50 50-75 75-95 >95	; ; ; ; ; ;	
	SILIN	<1 (-9 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 6-25 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 6-23 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 8-29 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 25-50 50-75 75-95 >95		
	Unkn. Seedling H	<1 (1-5) 5-25 25-50 50-75 75-95 >95	Pic	

to elh, pretty sure ...

Location: SM (

quadratID	speciesID	cover	notes	flowering
2-4	CIPAR	<1 1-5 6-25 25-50 50-75 75-95 >95	 	i ! !
	DESCA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 6-25 25-50 50-75 75-95 >95		! ! !
	PATPI	<1 1-5 5 25 25-50 50-75 75-95 >95	! !	; ! !
	PANVI	<1 1-5 6-23 25-50 50-75 75-95 >95		
	EYCA	<1 1-5 6-25 25-50 50-75 75-95 >95		
	SORNY	<1 1-5 \$-2 5 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 \$\frac{1}{2}5 25-50 50-75 75-95 >95		
	RUDHI	(1) 1-5 5-25 25-50 50-75 75-95 >95		i
	MONFI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-5	SILIN	<1 1-5 5-29 25-50 50-75 75-95 >95		
	DALPU	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	ERYYU	<1 1-5 5-2 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DES CA	<1 1-5 25-50 50-75 75-95 >95		
	HELHI	<1 1-5 (5-29 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-29 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 6-2 3 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 5-2 25-50 50-75 75-95 >95		
	SHSC	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	BOULU	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	RUDHI	11-5 5-25 25-50 50-75 75-95 >95	 	
2-6	CAAFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		! ! ! !
	RUDHI	<1 1-5 8-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1
	SILLA	<1 1-5 5-23 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DALPIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Location: SM |

quadratID	speciesID	cover	notes	flowering
2-6 (cont.)	HELHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5.23 25-50 50-75 75-95 >95		
	ELYGA	<1 (-5) 5-25 25-50 50-75 75-95 >95	 	
	ANDGA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 6-2 25-50 50-75 75-95 >95	i 	
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-7	PATPI	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	PANVI	<1 1-5 \$-26 25-50 50-75 75-95 >95	 	
	ELYCA	<1 (1-9) 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETLY	1-5 5-25 25-50 50-75 75-95 >95		
	RNDHI	1-5 5-25 25-50 50-75 75-95 >95		i
1-1	DALPU	<1 (1-9) 5-25 25-50 50-75 75-95 >95	 	
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95	 	! ! !
	RATPI	<1 1-5 (5-2) 25-50 50-75 75-95 >95		
	DESIA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PARIN*	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PANVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5-25 25-80 50-75 75-95 >95		
	SETU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOHUN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 (-5) 5-25 25-50 50-75 75-95 >95		
1-2	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 6-29 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 6-29 25-50 50-75 75-95 >95		

to ehh ... pretty sure

Location: SM (

quadratID	speciesID	cover	notes	flowering
1.2(sixt.)	MONFI	<1 15 5-25 25-50 50-75 75-95 >95		i ! ! !
	DESCA	<1 1-5 • 25 25-50 50-75 75-95 >95		
	DALPH	(1) 1-5 5-25 25-50 50-75 75-95 >95		
	BNPAI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i ! ! !
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1
	PANVI	<1 1-5 5-23 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 6-25 25-50 50-75 75-95 >95		
1-3	SILLA	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	HELHE	<1 1-5 (5-2) 25-50 50-75 75-95 >95		i i
	EIRAR	<1 1-5 (5-2) 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5-25 26-50 50-75 75-95 >95		
	SCHEC	<1 (1-5) 5-25 25-50 50-75 75-95 >95]
	ANDGE	<1 1-5 5 -25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PUDHI	(1) 1-5 5-25 25-50 50-75 75-95 >95		
1-4	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 (25-50 50-75 75-95 >95		} ; ;
	HELHI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		<u> </u>
	SYMNO	<1 (-9 5-25 25-50 50-75 75-95 >95		<u> </u>
	PANVI	<1 1-5 (5-25 25-50 50-75 75-95 >95	<u> </u>	<u> </u>
	ANDGE	<1 1-5 6-25 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 (-25) 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 (-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 5 5-25 25-50 50-75 75-95 >95]]]]
	///RAKMXN///	////// /// ////////////////////////////		
1-5	SILIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ERYYU	<1 1-5 5-29 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-2 9 25-50 50-75 75-95 >95		
	HEL-HI	<1 1-5 5-25 25-50 50-75 75-95 >95		

Location: SM(

quadratID	speciesID	cover	notes	flowering
1-5(conf.)	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95	i 	i i i
	SOLNU	<1 1-5 6-29 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	EYLA	<1 1-5 6-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-6	PARIN	<1 1-5 \$-25 25-50 50-75 75-95 >95		
	CIPAR	<1 1-5 25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95] } !
	RUDH)	<1 1-5 5-29 25-50 50-75 75-95 >95		
	HELHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 (5-2 3 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 (5-2) 5 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5~25 25-50 50-75 75-95 >95	j 	
	PANVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-1	DALPU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 (5-25) 25-50 50-75 75-95 >95	·	
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESCA	<1 (1-5)5-25 25-50 50-75 75-95 >95	·	
	RUDHI	<1 1-5 6-2 5 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-2 25-50 50-75 75-95 >95	 	
~~~~~	SOPNU	<1 <b>1-5</b> (5-2) <b>25-50</b> 50-75 <b>75-95</b> >95		
	unkn. Weed#1	<b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	Morning glory?	
	PANVI	<1 <b>(-5</b> )5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	10	
	ANDGE	<1 <b>1-5</b> (5-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 <b>1-5</b> 6-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SETFA	(1) <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		

Location: SM(

quadratID	speciesID	cover	notes	flowering
)	DESCA	<1 <b>1-5</b> (5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	RATPI	<1 <b>1-5</b> \$-2\$ <b>25-50</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 <b>1-5</b> 6-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	HELHE	<1 <b>[-5</b> ] 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	PARIN	(1) <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORMA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75- <b>75-95</b> >95		
	Bouch	<1 <b>1-5</b> 6-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANGE	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	RUDHI	<1 <b>1.5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
F9	CIPAR	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SILIN	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SILLA	<1 <b>1-5</b> 6-23 <b>25-50</b> 50-75 <b>75-95</b> >95		
	HELHE	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		]   
	DESLA	<1 <b>1-5</b> (5-2) <b>25-50</b> 50-75 <b>75-95</b> >95		
	RATPI	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNU	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 <b>1-5</b> 5-25 <b>25-66</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 <b>1-5</b> (5-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		
	MONFI	(1) <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
1-10	CILAR	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	DESCA	<1 <b>1-5</b> (5-29 <b>25-50</b> 50-75 <b>75-95</b> >95		
	RATPI	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	MONFI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		 
	HELHI	<1 <b>1-5</b> (5-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		
	DALPH	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SOPNU	<1 <b>1-5 5-</b> 25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE.	<1 <b>1-5 5</b> -2 <b>9 25-50</b> 50-75 <b>75-95</b> >95		
	SILIN	1) <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	,	]   
	ВОЧСИ	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1

Date: 723

Location: SMI

quadratID	speciesID	cover	notes	flowering
1-10 (cont.)	EUCA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		i 
	EUDHI	<1 (-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	CHAFA	<1 <b>(-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		I I I I
	PATPI	<1 <b>1-5</b> (5-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		 
	DES 4	<1 (-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	CIPAR	<1 <b>1-5</b> 6-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNU	<1 <b>1-5</b> 5 25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	RUDHI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SETFA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
PR 40 40 40 40 40 40 40 40 40 40 40 40 40	ELYCA	<1 (-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 <b>1-5</b> 6-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		
1-12	SILLA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	PARIN	<1 <b>1-5</b> 6-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	MONEI	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	DESCA	<1 <b>1-5</b> 6-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	HELHI	<1 <b>25 25-50</b> 50-75 <b>75-95</b> >95		
	RATPI	<1 <b>1-5</b> (6-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	RUDHI	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNU	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	Bouch	<1 <b>2-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	·	
	SCASC	(1) <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	PANVI	<1 <b>(-9</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 <b>1-5</b> 5-25 <b>26-50</b> 50-75 <b>75-95</b> >95		
	EUGA	<1 <b>1-5 5-25 25-50</b> 50-75 <b>75-95</b> >95		
1-13	MONFI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-7 <b>5 75-95</b> >95		
		<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
مد الحد الحد الحد (من امم امم الحد الحد الحد بعم بعم بعم بعم بعم بعم بعم بعم الحد الحد الحد الحد الحد الحد الحد	CIRAR	<1 <b>1-5</b> (-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
**************************************	PANVI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	111/14/1/14/1/1/	[X4]/Y= 3-45 /2548V/5046/14-68/49/	X/	

Location: 5M(

quadratiD	speciesID	cover	notes	flowering
1-13 (cont.)	RATPI	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	HELHI	<1 <b>1-5</b> \$-2\$ <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ERYYY	<1 (1-5)5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	AMATA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
1-14	unto weed to	<1 <b>1-5</b> (5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	morning glory?	
	LACSE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	V	
	ATAMA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	RATPI	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	ASCIN	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	swamp milkned	
	DESUA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	HELHI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	fuoH1	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SETFA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		
	BROIM	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNIN	<1(1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		 
	ELYCA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		1 1 1 1
1-15	SOLPT	<1 <b>1-5</b> (5-2 <b>5</b> ) <b>25-50</b> 50-75 <b>75-95</b> >95	E.B. Nightshade	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	SILIN	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		1 1 1
	ERYYU	<1 <b>1-5 3-</b> 25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	unkn. astac tel	<1 <b>1-5</b> (5-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		
	HELHI	<1(1-3) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	CIRAR	<1 <b>1-5</b> \$-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	BONCN	<1 <b>1-5</b> (5-2 <b>5 25-50</b> 50-75 <b>75-95</b> >95		
	RUDHI	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	PARIN	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	AMATA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		

Date: 7 2 3

Location: SM(

quadratID	speciesID	cover	notes	flowering
1-15 (cont.	) CHEAL	(1) <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		L
	POAPR	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNY	<1 <b>(-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		 
	ANDGE	<1 <b>1-5 5</b> -25 <b>25-50</b> 50-75 <b>75-95</b> >95	<u> </u>	
1-16	PARIN	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SILIN	<1 (-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	<u> </u>	
	RATFI	<1 <b>1-5 5-29 25-50</b> 50-75 <b>75-95</b> >95		
	HELHI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ELYCA	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNU	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ANDGE	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	       	
	ASCIN	1-5 5-25 25-50 50-75 75-95 >95		 
	SETFA	<1 <b>(1-5)</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		 
1-17	PATPI	<1 <b>1-5</b> (25-50 50-75 <b>75-95</b> >95		<u> </u>
	DESCA	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95		i   
	HELHE	<1 <b>1-5</b> \$-25 <b>25-50</b> 50-75 <b>75-95</b> >95		1 1 1 1
	PUDHI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		; ; ; ; ;
	ELYCA	<1 <b>1-5</b> \$-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SETFA	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	SORNU	<1 <b>1-5</b> \$-25 <b>25-50</b> 50-75 <b>75-95</b> >95	 	
	ANDGE MONFI	<1 (1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	MONFI	<1(1-5) 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	   	
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		ļ
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	<u> </u>	i 
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		