Location: RHO

quadratID	speciesID	cover	notes	flowering
4-1	RATPI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unk #1	<1 (1-5) 5-25 25-50 50-75 75-95 >95	yellow flowers;	
	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		. 1
	CIRAP	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-2	POLPE	<1 1-5 5 -25 25-50 50-75 75-95 >95		
0	AMBTR	<1 1 5 5-25 25-50 50-75 75-95 >95		
	HORUTH	<1 1.5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUMCR	<1 1-5 525 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5 -25 25-50 50-75 75-95 >95		
	SETPW	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5 -25 25-50 50-75 75-95 >95		
4-3	EMCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ZEAMA .	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5- 25 25-50 50-75 75-95 >95		İ
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBTR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PDARR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CHEAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		3
	ABUTH	11-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	

Scanned:

Entered:

Location: RHO

quadratID	speciesID	cover	notes	flowering
4-3 (contd)	CIRDI	<1 1-5 (5-25 25-50 50-75 75-95 >95		
1-1	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95]
	ZIZAN	<1 1-5 5-25 25-50 50-75 75-95 >95]
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-2	XANST	<1 1-5 525 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
e e	SETPA	<1(1-5) 5-25 25-50 50-75 75-95 >95		
Ÿ	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUPHI (<1 1-5 5-25 25-50 50-75 75-95 >95	 	
1-3	EQUAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ZIZAN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDH)	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
1	PESCA	<1 1-5 5-25 25-50 50-75 75-95 >95	died	,
	POLAV	<1 2-5 5-25 25-50 50-75 75-95 >95		×
1~4	PHYSN	<1 1-5 5-25 25-50 50-75 75-95 >95		. j. '
	EQUAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	CHAPA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	HIBTR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PATPI	<1 1-5 5-25 25-50 50-75 75-95 >95	i 	
1-5	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	EQUAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	COUMIC	1 2 3 2 3 2 3 3 3 3 3 7 3 7 3 7 3 7 3 7 3	I I.	<u> </u>

Location: RHo

quadratID	speciesID	cover	notes	flowering
1-5 (contd.)	RATPI	<1 1-8 5-25 25-50 50-75 75-95 >95	i ! !	<u> </u>
	CHAFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	IONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETPU	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-6	PESCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
\hat{\psi}	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
,	UNK#2	<1 1-5 5-25 25-50 50-75 75-95 >95	sample	
	CARVU	<1 1-5 5-25 25-50 50-75 75-95 >95		Λ.
2-1	AMBTR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 6-25 25-50 50-75 75-95 >95		
	DAUCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
:	MELAL	<1 1-5 6-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDH	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	DIGSA	<1 1-5 6 -25 25-50 50-75 75-95 >95		
	Settn	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	RATPI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	AMATA	<1 1-5 5-25 25-50 50-75 75-95 >95	ī	
	ZGAMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-2	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 95		
	CHAFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
3	SOLEA	<1 1-5 5-25 25-50 50-75 75-95 >95		

Location: Pto

quadratID	speciesID	cover	notes	flowering
2-2 (conta)	POLAY CHEN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5 -25 25-50 50-75 75-95 >95		
	TRIRE	<1.1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-3	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95	, .	
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
CHEAL	POLAV	<1 1-5 5-25 25-50 50-75 75-95 >95		[. .
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRPI	<1 (1-5) 5-25 25-50 50-75 75-95 >95	, and	
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-4	CIRVN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUPHI	<1 1-5 5-25 25-50 0-75 75-95 >95		
	AMBAR	<1 1-5 (5-25 25-50 50-75) 75-95 >95		
	POLAV	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ABUTH	<1 (-5 5-25 25-50 50-75 75-95 >95		
	CHEAL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-5	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-8 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLAV	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRUN	<1 1-5 5-25 25-50 50-75 75-95 >95		

Location:

RHO

quadratID	speciesID	cover	notes	flowering
2-5((01/4)	RNDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
/	DENB(<1 1-5 5-25 25-50 50-75 75-95 >95	,	
	SETPA	<1 1-5 5- 25 25-50 50-75 75-95 >95		
,	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHEAU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-6	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-6 5-25 25-50 50-75 75-95 >95		
	CIRDI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETPL	<1 1-5 6-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95	•	
	SETFA	<1 1.5 5-25 25-50 50-75 75-95 >95		
2-7	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ABUTH	<1 1-5 6 -25 25-50 50-75 75-95 >95		
***************************************	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		! ! ! ! !
	LACSE	<1 1-5 25 25-50 50-75 75-95 >95		I I I I
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-8	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		i
	XANST	<1 1-5 5-25 25-50 50-75 75-95 >95		i ! !
	RUMCR	<1 1-5 5-29 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95	 	! ! ! ! ! !
	ELYCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ABUTH	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETTA	<1 1-5 -25 25-50 50-75 75-95 >95		
	roapr	<1 1-5 5-29 25-50 50-75 75-95 >95		
	SETPN	<1 1-5 5-25 25-50 50-75 75-95 >95		

Location: PHO

quadratID	speciesID	cover	notes	flowering
2-8(conta)	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95	11	
2-9	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HORJV	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
-	ABUTH	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	
3-1	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ABUTH	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMATIA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	seton	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-2	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAFA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i ! !
*	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
-	ECHLR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 5-25 25-50 50-75 75-95 >95]
	CIRDI	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-3	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LotCb	<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: 7,22,19

Location: PHO

quadratID	speciesID	cover	notes	flowering
3_3 (conta)	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95	र प्रकार के अपने अपने स्टेस स्टेस स्टेस स्टेस स्टेस स्टेस स्ट	
	DTAMA	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
	CONCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETPIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
,	OENBI	<1 1-5 5-25 25-50 50-75 75-95 >95		
*	CIRVN	<1 1-5 5-25 25-50 50-75 75-95 >95		f
3~4	ASCVE	<1 1-5 5-25 25-50 50-75 75-95 >95	tiny monarch!	
	SOLCA	<1 1-5 5 -25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 50-75 75-95 >95		[
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 6-25 25-50 50-75 75-95 >95		
3-3	BARE GROWND	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-5	TAPOF	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	Bare groved	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUEHN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMATU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETPN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
3_6	AMATH	<1 1-5 25-25 25-50 50-75 75-95 >95	1	
	RUETIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 5-25 25-50 5 0-75 75-95 >95		
	SETPW	<1 1-5 5-25 25-50 50-75 75-95 >95	4	
8	TAROF	<1 1-5 6-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		·	j	