Date: DMW

Location: §.2

quadratID	speciesID	cover	notes	flowering
1-16	glyma	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	landa e.	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	setvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Inknown)	<1 1-5 (5-25) 25-50 50-75 75-95 >95	Woody, Photos, opported teaves, ash? Alm	;
1_15	Sornu	<1 1-5 6-25 25-50 50-75 75-95 >95		i
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 (50-75') 75-95 >95	 	
	maple"	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	"honey locust	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		! ! ! ! !
	unknown 1	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	plama	<1 (1-5) 5-25 25-50 50-75 75-95 >95		; ; ; ; ;
	ash unknow	<pre><1 1-5 (5-25) 25-50 50-75 75-95 >95</pre>	photo	
1-14	rudhi	<1 (1-5) 3-25 25-50 50-75 75-95 >95		! ! ! ! ! !
	amaty	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	unthown 3	<1 (1-5) 5-25 25-50 50-75 75-95 >95	brassica? sample	i ! !
	<u>unknown I</u>	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i i i i
	MKYOWN 2	<1 1-5 (5-25) 25-50 50-75 75-95 >95	ash?	i ! ! !
	andge	<1 1-5 5-25 25-50 (50-75) 75-95 >95		1 1 1 1 1 1 1
1_13	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	"maple"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unknown 1	<1(1-5)5-25 25-50 50-75 75-95 >95	photo, woody, serated	i i i i
	Conca	(1) 1-5 5-25 25-50 50-75 75-95 >95	, 	i
	amatu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		ļ
	abuth	(<1) 1-5 5-25 25-50 50-75 75-95 >95		i
)	<u> Plama</u>	(<1) 1-5 5-25 25-50 50-75 75-95 >95		ļ
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOYHU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 1 1 1
	Pluca	<1 (1-5) 5-25 25-50 50-75 75-95 >95	i 	i

8/2/19

Location:

DMW

quadratID	speciesID	cover	notes	flowering
1-12	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	amaty	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Sornu	<1 1-5 6-25 25-50 50-75 75-95 >95		
	andae	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	plama	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i i i i i
	conca	<1(1-5) 5-25 25-50 50-75 75-95 >95		! ! !
	unknown 2	<1 1-5 (5-25) 25-50 50-75 75-95 >95]
	andae	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1
	Sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	enca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	UNKNOWN4	<1 (1-5)5-25 25-50 50-75 75-95 >95		! ! ! !
	PKVi	<1 (1-5)5-25 25-50 50-75 75-95 >95		
1-10	andae	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Téluca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lunknowa 5	<1 (1-5) 5-25 25-50 50-75 75-95 >95	photo, whorlof 3 leaved sanide,	
	Samu	<1 1-5 6-25) 25-50 50-75 75-95 >95		
	panvi	<1 (-5) 5-25 25-50 50-75 75-95 >95		
1-9	Alvea	<1 1-5 6-25 25-50 50-75 75-95 >95		
	PINVI	<1(1-5)5-25 25-50 50-75 75-95 >95		
	andae	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-8	Inndae	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lelica	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Indhvi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	EUNI	<1(1-5)5-25 25-50 50-75 75-95 >95		
	andae	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Sormu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Conca	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1

Date: 8 2 (19

Location: \(\int \mathcal{\mathcal{M}} \quad \mathcal{M} \)

quadratID	speciesID	cover	notes	flowering
1_1_	elica	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
(rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95	1 1 1 1 1 1 1	
1-6	li onca	<15-25 25-50 50-75 75-95 >95	 	
	amatu	<1 (1-5) 5-25 25-50 50-75 75-95 >95	i 	; ; ; ; ; ;
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95	; ; ; ; ;	
	medlu	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95	! ! ! ! !	:
	Sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		! ! ! ! !
	PLVVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		! ! ! !
	spone	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
NHBI	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i -
1-5	unknown 6	<1 1-5 (5-25) 25-50 50-75 75-95 >95	photo, in rose fama avens?	
	UNKNOWN T	<1 1-5 (5-25) 25-50 50-75 75-95 >95	Photo, sample, Chick seed	[
	andge	<1 1-5 5-25 25-50 (50-75) 75-95 >95		! ! ! ! !
	Plyca	<1 1-5 5-25 25-50 50-75 75-95 >95		! ! ! !
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-4	UNKNOWNI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Sornu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		i
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	andge	<1 1-5 5-25 43.50 50-75 75-95 >95	 	
	Schoo	<1 1-5 3-25 25-50 50-75 75-95 >95	 	
	elaca	<1 1-5 5-25 25-50 50-75 75-95 >95		
1_3	<u>andge</u>	<1 1-5 5-25 25-50 50-75 75-95	 	
	<u>Jalymal</u>	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	WARNOM 1	<1 1-5 (5-25) 25-50 50-75 75-95 >95	1000 700 TO	
	lunknom8	<1 (1-5) 5-25 25-50 50-75 75-95 >95	photos hairy	
	1200UM	<1 (1-5) 5-25 25-50 50-75 75-95 >95	-	
1-2	alma	<1 1-5 (5-25) 25-50 50-75 (5-93) >95		 -
	<u>orndge</u>	<1 1-5 5-25 25-50 50-75 75-95 95		
	lases	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

3-2-19			MW	·
quadratID	speciesID	cover	notes	flowering
1-2	UNKNOWN 4	<1(1-5)5-25 25-50 50-75 75-95 >95	! !	
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	a Clima	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Teirvu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	UNKKMM4	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	NIN KNOWM 7	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andae.	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	panyi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Sorny	<1 1-5 (5-25 25-50 50-75 75-95 >95		
2-1	Phaar	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	rirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unkhown4	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	Ox ast	<1 (1.5) 5-25 25-50 50-75 75-95 >95		
	carvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i ! !
	Dinvi	<1 (1-5) 5-25 25-50 50-75 75-95 >95] 	
	100 ne	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	untdi	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	
2-2	urtdi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	phaas	<1 1-5 5-25 25-50 50-75 75-95 95		[
	cirar	<1(1-5)5-25 25-50 50-75 75-95 >95		i
2-3	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95		<u> </u>
2-4	phaar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ambar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Cirar	<1 1-5 6-25 25-50 50-75 75-95 >95		
	polpe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Unknown T	<1 1-5 9- 25 25-50 50-75 75-95 >95		
	andge	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	l nan vi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	r			

8-2	2		DMW	
quadratID	speciesID	cover	notes	flowering
2-4	unknowny	<1 1-5 5-25 25-50 50-75 75-95 >95		i
•	nidhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	acarh	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unknown 2	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	Carvu	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-5	VERUY	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
v6\	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Phi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Dassa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unknown 4	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	clauca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SAMI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unknown 9	<1 1-5 (5-25) 25-50 50-75 75-95 >95	brassica!	
	UNKNOWN 16	<1 1-5 (5-25) 25-50 50-75 75-95 >95	Sample, aster fam.	
	I (MCa	<1/(1-5) 5-25 25-50 50-75 75-95 >95		
	VIKANI	<1(1-5) 5-25 25-50 50-75 75-95 >95		
	phacer	<1(1-5) 5-25 25-50 50-75 75-95 >95		1 1 1
<u> </u>	andae	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
26	BIVICE	<1 (1-5) 5-25, 25-50 50-75 75-95 >95		
	el/Vi	<1(1-5) 5-25 25-50 50-75 75-95 >95		
- ii	Conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unknown 7	<1 1-5 6-25 25-50 50-75 75-95 >95		
	asarh	<1 1-5 \$-25 25-50 50-75 75-95 >95		
	bidents spp?	<1 1-5 5-25 25-50 50-75 75-95 >95	phuto	1
	Dahvi	<1(1-5) 5-25 25-50 50-75 75-95 >95]
	UNKNOWN-	<1 1-3 25-50 50-75 75-95 >95		
	Welhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirdi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andae	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		-+ 		

Date:	-0101	110	Location:		
	8/4/	19		PMW	
quadrat	iD	speciesID	cover	notes	flowering
<u> L</u>	-6	Vlola	<1(1-5) 5-25 25-50 50-75 75-95 >95	i Cou ?	
w w w = = = = =		unknown It	<1 1-5 (5-25) 25-50 50-75 75-95 >95	honeyouckle felm?, photo	
2 -		Conca	<1 (1-5 5 -25 25-50 50-75 75-95 >95	 	
		Ridents?	<1 (-5 5-25 25-50 50-75 75-95 >95		
		! (/ ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	₹1 1-5 (5-25)25-50 50-75 75-95 >95	 	
		ehata	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		asarh	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
		WIKHOWNY	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		Danvi	<1(1-5) 5-25 25-50 50-75 75-95 >95		
		Sornu	<1 1-5 (-25) 25-50 50-75 75-95 >95		
		Clyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
20 pp		andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i
		cirdi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		<u> </u>	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		polpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	الله الله الله الله الله الله الله الله	Dalma	<1 (1-5) 5-25 25-50 50-75 75-95 >95	palma? (plamg	
		setou	<1 (1-5)5-25 25-50 50-75 75-95 >95		
		LARLY .	<1 15 5-25 25-50 50-75 75-95 >95		
2.	8	unknown4	<1 1-5 6-25 25-50 50-75 75-95 >95		
		rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		unknam2	<1 1-5 (5-25 25-50 50-75 75-95 >95		
		ununun 7	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		asam	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		unknown 10	<1 1-5 5-25 25-50 50-75 75-95 >95		ļ
		andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
		Somu	<1 1-5 \$-25 25-50 50-75 75-95 >95	 	
		Conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	
		Clydi	<(1-5) 5-25 25-50 50-75 75-95 >95		
		amtar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

8/2/19			DMW	
quadratID	speciesID	cover	notes	flowering
2_8	l erî vî	<1(1-5) 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
***************************************		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
<u> </u>		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		1
		<1 1-5 5-25 25-50 50-75 75-95 >95		
_ u = 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
E 2 2		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		1
		<1 1-5 5-25 25-50 50-75 75-95 >95]
	-	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		t I
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95	•	
		<1 1-5 5-25 25-50 50-75 75-95 >95		
w w w w w w w w w w w w w w w w w w w		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95	<u>!</u>	
		<1 1-5 5-25 25-50 50-75 75-95 >95	1	
		<1 1-5 5-25 25-50 50-75 75-95 >95		
				k