

Date: 8-9-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
1-1	tarof	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tnre	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	melof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	digra	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	boricu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broja	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	lotco	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	boricu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broja	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-4	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	lotco	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 5-25 (25-50) 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/9

Location:

NYK

quadratID	speciesID	cover	notes	flowering
1-4	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sorru	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andelge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	baycy	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-1	lotco	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sorru	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
2-2	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	borcu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	delcgl	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broja	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	unknown1	<1 (1-5) 5-25 25-50 50-75 75-95 >95	seedling, photo hibtn?	
	tripr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	thre	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	loteo	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-3	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	sorru	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-4	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	loteo	<1 1-5 5-25 (25-50) 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8/9

NYK

quadratID	speciesID	cover	notes	flowering
2-4	tarob	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tripre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	plama	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broja	<1 1-5 5-25 25-50 50-75 75-95 >95		
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	schsc	<1 1-5 5-25 25-50 50-75 75-95 >95		
	thre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lacgl	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarob	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cisar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	nudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broja	<1 1-5 5-25 25-50 50-75 75-95 >95		
	laura	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lotco	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lacse	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-2	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	borcu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sorru	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broja	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cisar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarob	<1 1-5 5-25 25-50 50-75 75-95 >95		
	erian	<1 1-5 5-25 25-50 50-75 75-95 >95		
	plama	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	daura	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8-9

NYK

quadratID	speciesID	cover	notes	flowering
3-2	ndhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-3	plama	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	eupma	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cisar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	boucu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dargl	<1 1-5 5-25 25-50 50-75 75-95 >95	dargl	
	horju	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panca	<1 1-5 5-25 25-50 50-75 75-95 >95	sheath & leaves hairy	
4-1	lotoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	boucu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cisar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	aggre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-2	unknown1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	brja	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

NYK

8/9

quadratID	speciesID	cover	notes	flowering
4-2	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cinar	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-3	aggre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	braja	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cinar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	calse	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lotco	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnpr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	hibtr	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-1	media	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monse	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnpr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-2	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	plama	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dauca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambes	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnre	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/9

Location:

NYK

quadratID	speciesID	cover	notes	flowering
5-2	nudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bnja	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elupma	<1 1-5 5-25 25-50 50-75 75-95 >95		
	podpr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sympsi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	scribbled	<1 1-5 5-25 25-50 50-75 75-95 >95		
	scribbled	<1 1-5 5-25 25-50 50-75 75-95 >95		
	scribbled	<1 1-5 5-25 25-50 50-75 75-95 >95		
	scribbled	<1 1-5 5-25 25-50 50-75 75-95 >95		
	trpr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 5-25 25-50 50-75 75-95 >95		
scribbled	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-3	tarob	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirai	<1 1-5 5-25 25-50 50-75 75-95 >95		
	nudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chapa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lusca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	agrgi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dagr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asttu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	katpi	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/9

Location:

NYK

quadratID	speciesID	cover	notes	flowering
5-4	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broja	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	circa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	horju	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	plama	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
6-1	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	lotco	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	desil	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	asctu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broja	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarob	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	canu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spone	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
7-1	tarob	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	lotco	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	desca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/9

Location: NYK

quadratID	speciesID	cover	notes	flowering
7-1	desif	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
7-2	citar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
8-1	monfi	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	phusu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lase	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	trire	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unknown 1	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
8-2	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	desca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	asctu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broja	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	lesca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chaba	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8-9

Location:

NYK

quadratID	speciesID	cover	notes	flowering
8-2	loteo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	larof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
8-3	larof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxart	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tnre	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ndlhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lexca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	katpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	horju	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: