

Date: 7.26.19

Location: ISB

quadratID	speciesID	cover	notes	flowering
1-14	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solpt	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brom	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-15	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	moral	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brom	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	solpt	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solcar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirva	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	lacge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	amarc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-16	phyhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brom	<1 1-5 5-25 25-50 50-75 (75-95) >95		
1-17	ascfu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brom	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-18	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brom	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-19	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brom	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	solcar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.26.19

Location: ISB

quadratID	speciesID	cover	notes	flowering
1-19 cont'd	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-10	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-6	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-5	solpt	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-4	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	radhrudsu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Serna	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.26.19

Location: ISB

quadratID	speciesID	cover	notes	flowering
1-21	panvi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-20	rudhi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	verfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-24	ange	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-23	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 (75-95) >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-22	broin	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	garna	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-11	solca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	(25-50)		

Scanned:

Entered:

Date: 7.26.19

Location: ISB

quadratID	speciesID	cover	notes	flowering
1-3	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symno	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	panvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	panvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-13	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	panvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) (5-25) 25-50 50-75 75-95 >95		
1-1	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	panvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	(5-25)		

Scanned:

Entered:

Date: 7.26.19

Location: ISB

quadratID	speciesID	cover	notes	flowering
1-9	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-12	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-8	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-7	thlar thlar	<1 1-5 (5-25) 25-50 50-75 75-95 >95	penny cress	
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) (25-50) 50-75 75-95 >95		
	ambar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	symoo	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	mulfr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monfi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
		<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: