quadratID	speciesID	cover	notes	flowering
	Ciran	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	dayca	<1 1-5 5-25 25-50 50-75 75-95 >95	daura	
	elivi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bieg'a	<1 1-5 (5-25) 25-50 50-75 75-95 >95	biennial grura	i ! !
	ratoi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	lacse	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		; ; ; ; 1
	carvu	<1(1-5)5-25 25-50 50-75 75-95 >95		
	Circli	<1 (1-5) 5-25 25-50 50-75 75-95 >95		i
1-2	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i
	solca	<1 1-5 5-25 (50-75) 75-95 >95		
	dauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Solpt	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	taros	<1 (1-5)5-25 25-50 50-75 75-95 >95		
1-3	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
533337777	Carvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i
pay pay yan yan lan lan lan lan lan lan lan lan lan l	ruboc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		<u> </u>
\	ratbi	<1 1-5 3-25 25-50 50-75 75-95 >95		
	schisc	<1(1-5) 5-25 25-50 50-75 75-95 >95		
1-4	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helba	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	hidhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Solca	<1 1-5 5-25 25-50 50-75 75-95 >95		

8/21/19

Location:

quadratID speciesID cover flowering notes <1**(1-5** \$-25 **25-50** 50-75 **75-95** >95 <1 **1-5** (5-25 **25-50** 50-75 **75-95** >95 <1 **1-5**((5-25) **25-50** 50-75 **75-95** >95 <1 **1-5 (**-25 **)25-50** 50-75 **75-95** >95 <1 **(1-5**)5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** \$0-75 **75-95** >95 <1 **1-5 8**-25 **25-50** 50-75 **75-95** >95 <1 **1-5** /5-25\ **25-50** 50-75 **75-95** >95 <1 **/1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 (1-5)5-25 25-50 50-75 75-95 >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** (5-25) **25-50** 50-75 **75-95** >95 <1 **(1-5)**5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50 (**50-75**)75-95** >95 <1 **1-5** /5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** (5-25) **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 5-25 **25-50** 50-75 **75-95** >95 <1 **(1-5)**5-25 **25-50** 50-75 **75-95** >95 <1**(1-5**\5-25 **25-50** 50-75 **75-95** >95 <1 **(1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5(** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5(** 5-25) **25-50** 50-75 **75-95** >95 <1 **1-5**/ 5-25**/ 25-50** 50-75 **75-95** >95 <1/1-5\5-25 **25-50** 50-75 **75-95** >95 **25-50** 50-75 **75-95** >95 <1 **1-5** (5-25 **25-50** 50-75 **75-95** >95 <1**/1-5** 5-25 **25-50** 50-75 **75-95** >95

Date: 8/21

Location:

SLO

quadratID	speciesID	cover	notes	flowering
2-1	eluvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Carvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i
	Zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Cîrdi	<1 (1-5 5-25 25-50 50-75 75-95 >95		
	broia	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Danvi	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	monfe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1 1 1 1 1
2-2	dauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elvri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lacse	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	agato	<1 1-5 5-25 25-50 50-75 75-95 >95	doublecheckpho	to
	landae	<1 (1-5) 5-25 25-50 50-75 75-95 >95	7	
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	nanyi	<1(1-5) 5-25 25-50 50-75 75-95 >95		
	Zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Earon	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2,3	elucă	<1 1-5 (5-25) 25-50 50-75 75-95 >95		! ! ! !
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andae	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		i
	elyví	<1 (1-5) 5-25 25-50 50-75 75-95 >95		:
{	monte	<1 1-5 5 25 25-50 50-75 75-95 >95		! ! ! ! ! !
W.	OSCEY	<1 1-5 (5-25) 25-50 50-75 75-95 >95		! ! ! ! ! !
	monfe!	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	RIVI	<1 1-5 5-25 (25-50) 50-75 75-95 >95		i t i i
 	schsc	<1(1-5)5-25 25-50 50-75 75-95 >95		
	andap	<1 1-5 5-2 5 25-50 50-75 75-95 >95		
	ratsi	<1(1-5)5-25 25-50 50-75 75-95 >95		

Location:

aua dratiD	[2]	cover	5 L O	flouraging
quadratID	speciesID	cover \$\frac{1.5}{1.5}	notes	flowering
		<1(1-5) 5-25 25-50 50-75 75-95 >95		
	Panyı	·	 	i
7~~	<u>50100</u>	<1 1-5 5-25 25-50 50-75 75-95 >95		
50 mm	<u> </u>	<1 1-5 (5-25) 25-50 50-75 75-95 >95	<u> </u>	
	<u> </u>	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	1914CA	<1(1-5) 5-25 25-50 50-75 75-95 >95		
	ratoi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	16 min	<1 1-5 5-25 (25-50) 50-75 75-95 >95]
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Verst	<1 1-5 (5-25 25-50 50-75 75-95 >95		
<u>4-3</u>	broin	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	verst	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
B 및 및 및 및 및 및 및 및 및 및 및 및 및 및 및 및 및 및 및	dalpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	landge	<1 1-5 5-25 25-50 50-75 75-95 >95		i i i t
	Conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
養3-1	dauca	<1 1-5 6-25 25-50 50-75 75-95 >95		
7	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	!
	somu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elvia	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	garre	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	+ avol	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	hudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-2	Cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TACHOO	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Divin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOMIL	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andar	<1 1-5 5-25 25-50 50-75 75-95 >95		
			1	

8/21

Location:

510

quadratID	speciesID	cover	notes	flowering
W 3-2	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
3.3	えばし	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PIVI	<1 (1-5) 3-25 25-50 50-75 75-95 >95	·	
	Schsc	<1 (1-5)5-25 25-50 50-75 75-95 >95		
	Cirvu	<1 1-5 (5-25 25-50 50-75 75-95 >95		
	taros	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SALFa	<1(1-5) 5-25 25-50 50-75 75-95 >95		
(thatch *	<1 1-5 5-25 (25-50) 50-75 75-95 >95	 	
3-4	18/JVi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		! ! !
10 10 10 10 10 10 10 10 10 10 10 10 10 1	Sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
## ## ## ## ## ## ## ## ## ## ## ## ##	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95]
	Solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1(1-5) 5-25 25-50 50-75 75-95 >95		
	andae	<1 1-5 (5-25) 25-50 50-75 75-95 >95] 1 1
	trior	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Versb	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Schsc	<1(1-5)5-25 25-50 50-75 75-95 >95		
	Spohe	<1(1-5) 5-25 25-50 50-75 75-95 >95		1 1 1 1 1
3-5	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Somu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elun	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tavoh	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	1 1 1 1
	andae	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schice	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	carvu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		i
5-1	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	14119-	<1 1-5 5-25 25-50 50-75 75-95 >95		
	jj			p

Location:

Date:		Location:		
	8/21		SLO	
quadratID	speciesID	cover	notes	flowering
5-1	Solcar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLDE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-2	Plyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
Mar (Mar (Mar (Mar (Mar (Mar (Mar (Mar (Sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Isoln	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
	andae	<1 1-5 (5-25 25-50 50-75 75-95 >95		
# TO SEE THE PERSON S	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	21200	(1)1-5 5-25 25-50 50-75 75-95 >95	 	
	schsc	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
5_3	Solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
	elvivi	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	Sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95	 	
	para	<1 1-5 (5-25 25-50 50-75 75-95 >95	 	
~~~~~	13chsc	<1 <b>(1-5)</b> -25 <b>25-50</b> 50-75 <b>75-95</b> >95	i   	   
	andor	<1 <b>1-5</b> (5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	 	
	cirar	<1(1-5)5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	ratpi	(<1) 1-5 5-25 25-50 50-75 75-95 >95	 	
5_4	sornu	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95	 	
	broin	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	 	
	ländae	<1 <b>1-5</b> 5-25 <b>(25-50)</b> 50-75 <b>75-95</b> >95		
	Zizal	<1(1-5)5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	 	
	birega	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95	breiga?	
	ELYVY	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95	V	
5_5	Cirar	<1 <b>1-5</b> (5-25) <b>25-50</b> 50-75 <b>75-95</b> >95	] 	
	lelyn	<1 <b>1-5</b> 5-25 <b>25-50</b> (50-75) <b>75-95</b> >95		
	<u>lhelar</u>	<1 <b>1-5</b> 5-25 <b>(25-50)</b> 50-75 <b>75-95</b> >95	i	
	ander	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	schse	<1(1-5)5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
	0-1-10-			

Location:

quadratID speciesID cover notes flowering <1 **1-5** 5-25 **(25-50)** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **(1-5** \5-25 **25-50** 50-75 **75-95** >95 **1-5** \ 5-25 **25-50** 50-75 **75-95** > 95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95 <1 **1-5** 5-25 **25-50** 50-75 **75-95** >95

quadratID	speciesID	cover	notes	flowering
	<u></u>	<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	     	
NOT THE REAL PROPERTY AND THE PROPER		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		1 Marie Mari
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
and, and the core and and the core and and and the core and and the core and		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95	i	
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		 
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		·
		<1 <b>1-5</b> 5-25 <b>25-50</b> 50-75 <b>75-95</b> >95		