

Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
1-1	CHFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		✓
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	TRIR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	DESIL	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	unknown weed #1 mustard?	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	MEDSA	<1 1-5 5-25 (25-50) 50-75 75-95 >95		✓
	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 (25-50) 50-75 75-95 >95		✓
	"Birdsfoot trefoil"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		✓
	AMBAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unknown weed #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unknown grass #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	PUMCR	(1) 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	MONFI	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	"Birdsfoot trefoil"	<1 1-5 5-25 (25-50) 50-75 75-95 >95		✓
	unkn. grass #1	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	CONCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unkn. grass #2	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
1-4	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	yellow sweet clover	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. aster #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-1	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. weed #2	<1 1-5 5-25 25-50 50-75 75-95 >95	photo	
	"plantane"	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95	parsnip? - photo	
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-2	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

7-19

Location:

NYK

quadratID	speciesID	cover	notes	flowering
2-3 (cont.)	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-4	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	plantain	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYMER	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #3	<1 1-5 5-25 25-50 50-75 75-95 >95	foxtail?	
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	SYMLA	<1 1-5 5-25 25-50 50-75 75-95 >95	smooth aster	
	ASCTU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	foxtail barley	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	weedy aster	<1 1-5 5-25 25-50 50-75 75-95 >95	photo	
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

7-19

Location:

NYK

quadratID	speciesID	cover	notes	flowering
3-2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPRA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. weed #2	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCH	<1 1-5 5-25 25-50 50-75 75-95 >95		
	plantane	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95	prickly lettuce	
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #3	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-3	BOUCH	<1 1-5 5-25 25-50 50-75 75-95 >95		
	<del>LYCA</del> ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	plantane	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	foxtail barley	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETU	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-1	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	birdsfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCH	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRI RE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #4	<1 1-5 5-25 25-50 50-75 75-95 >95	thatchy cover	
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
4-2	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SYM00	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown weed #2	<1 1-5 5-25 25-50 50-75 75-95 >95	yellow flower	
	birdsfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	OXAST	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #4	<1 1-5 5-25 25-50 50-75 75-95 >95	thatchy	
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95	fescue type	
4-3	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #2	<1 1-5 5-25 25-50 50-75 75-95 >95	auricles	
	TRIPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSE	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
5-1	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCMSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIPAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #5	<1 1-5 5-25 25-50 50-75 75-95 >95	June grass?	
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-2	PATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESIL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LESCA	<1 1-5 5-25 25-50 50-75 75-95 >95	or alfalfa...?	
	DALCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DACGL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-3	LESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIPAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAFI	<1 1-5 5-25 25-50 50-75 75-95 >95		✓

Scanned:

Entered:

Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
5-3 (cont.)	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SPOHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	foxtail barley	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROP	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-4	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESIL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BOUCU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AMBAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	birdsfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SPOHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROP	<1 1-5 5-25 25-50 50-75 75-95 >95		
6-1	HELHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIM	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ZIZAN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRIP	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
6-1 (cont.)	birdsfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROP	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn seedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95		
7-1	HELHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESIL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIP	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROP	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ZIRAU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DALCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SPOHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
7-2	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	birdsfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	LESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPRA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROP	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:



Date: 7-19

Location: NYK

quadratID	speciesID	cover	notes	flowering
7-2 (cont.)	LACSE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. grass #4	<1 1-5 5-25 25-50 50-75 75-95 >95	thatching	
8-1	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRPA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	birdfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SPOHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
8-2	birdfoot trefoil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DESIL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CHAFH	<1 1-5 5-25 25-50 50-75 75-95 >95		
8-3	DESCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CONCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIM	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

