

Date: 7.29.19

Location: WDR

quadratID	speciesID	cover	notes	flowering
1-1	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	desca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monfi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asetu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	oxase	<1 1-5 5-25 25-50 50-75 75-95 >95		
	eupma	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symoo	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	bapal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7-29-19

Location: WOR

quadratID	speciesID	cover	notes	flowering
1-3	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-4	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tchpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cedar?	<1 1-5 5-25 25-50 50-75 75-95 >95	photo	
	eryyu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sorny	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	frapa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-5	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symer	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, woody	
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarob	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: 7/29/19

Location: WOR

quadratID	speciesID	cover	notes	flowering
1-6	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	boucy	<1 1-5 5-25 25-50 50-75 75-95 >95		
	moral	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ruehu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	rudhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sorriu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown 2	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, rose fam.?	
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-1	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-2	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-3	asctu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

7-29-19

Location:

WOR

quadratID	speciesID	cover	notes	flowering
5-3	panvi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rvdhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	<del>ratpi</del>	<1 1-5 5-25 25-50 50-75 75-95 >95		
5-4	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	panvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	aggre	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	brain	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
<del>4-1</del>	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	rwhu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solri	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	boucu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4-2	chafa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ascsy	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7-29-19

Location: WOR

quadratID	speciesID	cover	notes	flowering
4-3	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	agme	<1 1-5 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spohe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
4-4	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asetu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	boucu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spohe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	frapa	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, double check	
3-2	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bapal	<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: 7-29-19

Location: WOR

quadratID	speciesID	cover	notes	flowering
3-2	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dalca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ndhi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-3	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	eryyu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	bouch	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solri	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-4	tarob	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	eryyu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solri	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-5	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	cinar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7/29/19

Location:

WOR

quadratID	speciesID	cover	notes	flowering
2-5	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symoo	<1 1-5 5-25 25-50 50-75 75-95 >95		
	thatch	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-1	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-2	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ruehu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sorru	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ridhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solri	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sorru	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ruehu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: 7-29-19

Location: WORK

[illegible]

Scanned:

Entered: