

Date: 8.13.19

Location: GES

quadratID	speciesID	cover	notes	flowering
4-1	PHYSU	<1 1-5 (5-25) 25-50 50-75 75-95 >95	area mowed, hayed	
	CIRAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	POAPR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SORNV	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	fesar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Setpn	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4-2	tripr	<1 1-5 5-25 (25-50) 50-75 75-95 >95	area mowed, hayed	
	polpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	holhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	fesar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	bwin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	sornw	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Amare	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-1	Cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	bwin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	aneri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monji	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	flyvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lawf	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	brote	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-2	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.13.19

Location: GES

quadratID	speciesID	cover	notes	flowering
3-2 (contd)	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	untdi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sonar	<1 1-5 5-25 25-50 50-75 75-95 >95	double check clasps; photo	
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	choal	<1 1-5 5-25 25-50 50-75 75-95 >95		
	amatu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bwinh	<1 1-5 5-25 25-50 50-75 75-95 >95		
3-1	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	brote	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sonn	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lonca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	melop	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	civar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bwinh	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sonn	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8-13-19

Location: GES

quadratID	speciesID	cover	notes	flowering
2-2	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dalpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tanof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cypes	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symer	<1 1-5 5-25 25-50 50-75 75-95 >95		
	fesar	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-1	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	eryyu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tanof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dmbar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	katpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-7	cinar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broim	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	welof	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8-13-17

Location: GES

quadratID	speciesID	cover	notes	flowering
1-6	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ruehu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asctu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	fesar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tanof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	civar	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-5	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dalpn	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tanof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-4	symer	<1 1-5 5-25 25-50 50-75 75-95 >95		
	eryy v	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 5-25 25-50 50-75 75-95 >95		
	zizav	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dalpn	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8-13-19

Location: GES

quadratID	speciesID	cover	notes	flowering
1-4 (contd)	brote	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-3	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	parvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-2	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asctu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	dalpr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	"bare ground"	<1 1-5 5-25 25-50 50-75 75-95 >95	"thatch" also may be more accurate	
1-1	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 25-50 50-75 75-95 >95		
	symer	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	daegl	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	fesar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8.13.19

Location: GES

quadratID	speciesID	cover	notes	flowering
7-1	panvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	civar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tripr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wdhi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	brvira	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	fesar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tanof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lase	<1 1-5 5-25 25-50 50-75 75-95 >95		
6-3	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95	mowed	
	civar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	surra	<1 1-5 5-25 25-50 50-75 75-95 >95		
6-2	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tanof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cheal	<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: 8/13/19

Location: GES

quadratID	speciesID	cover	notes	flowering
6-1	parvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	lacse	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	erynn	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	wehu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
8-4	acern	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	phaar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	parvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	bnwim	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
8-3	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	parvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
8-2	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	civar	<1 1-5 5-25 25-50 50-75 75-95 >95		

Date: 8-13-19

Location: 665

[illegible]

canned:

Entered: