

Date: 8-8-19

Location: SER

quadratID	speciesID	cover	notes	flowering
2-1	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	moral	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ipohe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trpr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	agrr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	unknown 1	<1 (1-5) 5-25 25-50 50-75 75-95 >95	elm fam? photo	
2-2	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ambtr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ipohe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	digsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	erivi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-3	unknown 2	<1 (1-5) 5-25 25-50 50-75 75-95 >95	photo, parsnip seedling	
	elyca	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	ambtr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ipohe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	bauca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
2-4	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monfe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/8

Location:

SER

quadratID	speciesID	cover	notes	flowering
2-4	Solca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	bracu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	eriri	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-5	xanst	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tnpr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	trike	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setpa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	digsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	conca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Sympi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-6	Sympi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	moral	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ipoke	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/8

Location:

SER

quadratID	speciesID	cover	notes	flowering
2-6	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-7	monfi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	desil	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solpt	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarot	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-8	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-9	desca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asctu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spoke spoke	<1 1-5 5-25 25-50 50-75 75-95 >95	spoke	
	lacoe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 50-75 75-95 >95		
	schbc	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-10	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	asesy	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	monfe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 5-25 25-50 50-75 75-95 >95		
	zizau	<1 1-5 5-25 25-50 50-75 75-95 >95		
	sornu	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/8

Location:

SER

quadratID	speciesID	cover	notes	flowering
2-11	monfe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	lesca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	agrgi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-12	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	monfe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dalca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	papal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-13	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ambtr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	somu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	potar	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spoke	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/8

Location:

SER

quadratID	speciesID	cover	notes	flowering
2-13	ipohr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-14	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	podpr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
2-15	solpt	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	arctu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ambtr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	desil	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-16	arctu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	spohr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
2-17	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	manfe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	dalpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ardge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cheal	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ipohr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-18	ambtr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	meral	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

8/8

Location:

SER

quadratID	speciesID	cover	notes	flowering
2-18	ipohc	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarob	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	enri	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	borcu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-19	solca	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sympi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarob	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	asctu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spohi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sare ground	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
2-20	lacse	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	solpt	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sympi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unkhann2	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	numcr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	white cress	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	spoke	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	eupma	<1 (1-5) 5-25 25-50 50-75 75-95 >95	spotted Spurge	
1-1	monpe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	dalca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

Location:

8-8

SER

quadratID	speciesID	cover	notes	flowering
1-1	asctu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sposhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andoge	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	schsc	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-2	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	schsc	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	chafa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	monpe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ascsy	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	sposhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dasca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	asctu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	chafa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dalpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ltsca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	abuth	<1 1-5 5-25 25-50 50-75 75-95 >95		
	conca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	nahi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

8-8

SFR

[illegible]

Entered: