Date: 8 16

Location: BNE

quadratID	speciesID	cover	notes	flowering
1-1	MONFI	<1 1-5 5-25 25-30 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ATCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POTAR	<1 1-5 5-2 5 25-50 50-75 75-95 >95		
	ASHMI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	EYVI	<1 1-5 5-25 25-90 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 (1 1-5) 5-25 25-50 50-75 75-95 >95		
	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
1-2	ASTCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ZIZAU	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ASHMI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNU	<1 1-5 \$-2 5 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SCHSC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	Bouch	<1 1-5 5-25 25-50 50-75 75-95 >95		
*	ELYCA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-1	CIFAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 1-5 8-2 5 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ECHCR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEDSA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	ERNI	<1 2-5 5-25 25-50 50-75 75-95 >95		
	unkn #1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo grass closed stea	ths
	AGRRE	<1 1-9 5-25 25-50 50-75 75-95 >95	V	
2-2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 8/16

Location:

BHE

quadratID	speciesID	cover	notes	flowering
2-2(cont.)	ANBTR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		! !
	SETLU	<1 1-5 5-25 25-50 50-75 75-95 >95		
unkn.	*3 CARVU	<1 (1-5) 5-25 25-50 50-75 75-95 >95	sedge, photo	
	AGRRE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-3	CIPAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELMA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. #2	<1 1-5 5-25 25-50 50-75 75-95 >95	photo, bindweld?	
	MEDSA	<1 1-5 6-25 25-50 50-75 75-95 >95		
	TRIRE	<1 (1 5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	AGFRE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-4	BROIN	<1 1-5 5-25 25-50 50-75 75-95 95		
2-5	unkn. #3	<1 1-5 (5-25 25-50 50-75 75-95 >95	sedge	
URTO	1/SEALKY 6X////	<1 1-5 5-25 25-50 50-75 75-95 >95	· · · · · · · · · · · · · · · · · · ·	
	SOLPT	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unkn. Hz	<1 1-5 5-25 25-50 50-75 75-95 >95	birdueed	
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-6	ASCSY	<1 1-5 5-25 25-50 50-75 75-95 >95		
S _23	PHAAR	<1 1-5 5-25 25-50 50-73 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
2-7	HELGR	<1 1-5 5-25 25-50 50-75 75-95 >95		
. /	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIFE	<1 1-5 5-25 25-90 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGRRE	<1 1-5 6-29 25-50 50-75 75-95 >95		

Date: 8/16

Location: BNE

quadratID	speciesID	cover	notes	flowering
2-7(conf.)	PHAAR	<1 (-5) 5-25 25- 50 50-75 75-95 >95		
	SETLU	<1 -5 5-25 25-50 50-75 75-95 >95		Jacob Control of the
2-8	ERIVI	<1 1-5 5-25 (5-50 50-75 75-95 >95		1
	BROIN	<1 1-5 (5-2) 25-50 50-75 75-95 >95		
	CIFAR	<1 1-5 (-29) 25-50 50-75 75-95 >95		
· · · · · · · · · · · · · · · · · · ·	AMPTA	<1. 1-5 (-25) 25-50 50-75 75-95 >95		1 1 1 1 1 1 1
	TAROF	<1 1-5 6-29 25-50 50-75 75-95 >95		1
no man and and and south of the base and and the south of the base and and the base that the base that	MEDSA	<1 1-5 5-25 26-5) 50-75 75-95 >95		
	AGRRE	<1 1-5 5-25 25-90 50-75 75-95 >95		
	SETFA	<1 (-5) 5-25 25-50 50-75 75-95 >95		1
2-9	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	BROIN	<1. 1-5 5-25 25-50 (0-)5 75-95 >95		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
2-10	BROIN	<1 1-5 5-25 25-50 50-75 75-95)	
2-11	ASCSY	<1 (-3) 5-25 25-50 50-75 75-95 >95	M.	
	PHAAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
and the last last and last last and and any love two love like 1-10 like 1-1	Brolh	<1. 1-5 5-25 25-50 50-75 (5-95 >95		
or then good goog join has got the two god body join thin good think thin you join him you	URTPI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		[]]
	MEDSA	<1 🕞 5-25 25-50 50-75 75-95 >95		
	PANCA	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
a designed has been had her had her one you got too one one had been one find been got one of	AGRRE	<1 1-5 5-29 25-50 50-75 75-95 >95		1
n man man han han han han han han han han han h	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
2-12	Ascsy	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	BROIN	<1 1-5 5-25 25-50 50-75 5-95 >95		
	AGRFE	<1 1-5 (5-2) 25-50 50-75 75-95 >95		1 1 1
	CIRAR	<1 1-5 (5-2) 25-50 50-75 75-95 >95		1
4-1	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		MOWE
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	MEOSA	<1 1-5 (-2) 25-50 50-75 75-95 >95		1
	SETFA	<1 1-5 (5-2) 25-50 50-75 75-95 >95		1

Scanned:

Entered:

Location: BNC

quadratID	speciesID	cover	notes	flowering
4-1 (cont.)	HELMA	<1 1-5 2 25-50 50-75 75-95 >95		1
	TRIRE	<1 1-5 (-)5 25-50 50-75 75-95 >95		2 6 3 1
	ANDGE	<1 1-5 (-2) 25-50 50-75 75-95 >95)) 1 1
	SOLCA	<1 (-3) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
3-1	SETFA	<1 1-5 5-25 26-30 50-75 75-95 >95		MOWE
	CHEAL	<1 🕞 5-25 25-50 50-75 75-95 >95		1
	RUDHI	<1 (-5) 5-25 25-50 50-75 75-95 >95		1
Same data allow and find any and any and any and any and any any and and any any and	SETLU	<1 1-5 (5-2) 25-50 50-75 75-95 >95	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1
	TAROF	1-5 5-25 25-50 50-75 75-95 >95		1
	POAPR	<1 1-5 5-25 26-50 50-75 75-95 >95		
	ELYCA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
3-2	HELHE	<1 1-5 (-23) 25-50 50-75 75-95 >95	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 1 1 1
	CIRAR	<1 5-25 25-50 50-75 75-95 >95		
	TARAF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ASTCA	<1 1-5 (5-2) 25-50 50-75 75-95 >95		[[[]
man dan dan dan dan dan dan dan dan dan d	Bouch	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1 1 1
(m) yen yen pin hin yan yan ino na kan mi han na' ma na' ma na' na na' ma hin han ba' ma na' ma	ANDGE	<1 1-5 5-25 25-30 50-75 75-95 >95		1
ing MME MAN (MA) DAN SAN AND AND AND AND AND AND AND AND AND A	ELYVI	<1 (-5) 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
900 Mar and and past game date date from and the same last past come just like date date last, past like	PANVI	<1 1-5 6-29 25-50 50-75 75-95 >95		1
in dan Tale May Die son han par that you are left one land lake you may pad dan tale had not yo	ERIVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1
gase galle field band hand dree fan yn 160 tre gan gale fan yn yn y fan yn gan ban ban yn e gan 'n	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-1	CIPAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	HELHE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 (5-30 50-75 75-95 >95		
	TAROF	<1 1-5 5-29 25-50 50-75 75-95 >95		
	POTAR	<1. (1-5) 5-25 25-50 50-75 75-95 >95	1	
	SETFA	<1 (-5) 5-25 25-50 50-75 75-95 >95		<u>-</u>

Scanned:

Entered:

Location: BNE

quadratID	speciesID	cover	notes	flowering
5-1 (cont.)	ERIVI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95] 	
	RUDHI	<1 1-5 5-25 25-50 50-75 75-95 >95	1	
8-1	PATPI	<1 1-5 (-29 25-50 50-75 75-95 >95		1
Made had been paid had join just him you see one one one one one the last had been been been been been been been	CIRAR	<1 1-5 6-2 25-50 50-75 75-95 >95	i ! !	
Do no per ser per las der ser per las des ser per las des des des ser las des des des des des des des des des de	ZIZAU	<1 (1-) 5-25 25-50 50-75 75-95 >95		
MAN DESCRIPTION THAT DAY AND ANY	MONFI	<1 (1-5) 5-25 25-50 50-75 75-95 >95		\$ 2 3 3 4 6 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	EUCA.	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	BROIN	<1 1-5 6-25 25-50 50-75 75-95 >95		1
	EPIVI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		; ; ; ;
,	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95	í ! !	1 1 1
	SORNU	<1 1/5 5-25 25-50 50-75 75-95 >95		
7-1	Acalmi	<1 1-5 5 25 25-50 50-75 75-95 >95		Mowed
and the past and the last the past and the real and the last the l	//MMG65#44///	 <1 14 5 75 125-60 50 18 715-65 >98	(
	CIFAR	<1 1-5 5-2 25-50 50-75 75-95 >95		
	TAROP	<1 1-5 6-23 25-50 50-75 75-95 >95		
(and side (to find pink pink pink pink pink pink pink pink	SETLU	<1 1-5 25 25-50 50-75 75-95 >95		
	BROIN	<1 (1-5) 5-25 25-50 50-75 75-95 >95	 	
	MEDSA	<1 1- 5 5-25 25-50 50-75 75-95 >95		
	SOLRI	<1 1/5 5-25 25-50 50-75 75-95 >95] 1 1
6-2	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 3-25 25-50 50-75 75-95 >95		I I I I
	HELLE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		MOWED
	SETFA	<1 (-5) 5-25 25-50 50-75 75-95 >95		
	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unka. Hy	<1 1-5 5-29 25-50 50-75 75-95 >95	photo further night	ode

Date: 8/16

Location: BKE

quadratiD	speciesID	cover	notes	flowering
6-2 (ant)	ANDGE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 (-5) 5-25 25-50 50-75 75- 95 >95		
	POAPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
and the last last last last last last last last	HELMA	<1 1-5 (-25) 25-50 50-75 75-95 >95		
	VERST	<1 (-5) 5-25 25-50 50-75 75-95 >95		
i	PATCO	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	SETLU	<1 1-5 9-25 25-50 50-75 75-9 5 >95		
6-1	TAROF	<1 1-5 5-25 25-50 50-75 75-9 5 >95		
	HELLE	<1 1-5 5-25 25-50 50-75 75-95 >95	6	1
	ANDGE	<1 1-5 5-25 25-50 50-75 75-9 5 >95		
;	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
May 2010 Date 1 200 Date 2 200 Date 1 200 Date 1 200 Date 1 200 Date 2 200 Date 2 200 Date 2 200 Date 2 200 Date	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
8-2	ACHMI	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
Mar Mart Man and Man Ann and Ann Ann Ann Ann Ann Ann Ann Ann Ann A	PATPI	<1 1-5 5-25 25-50 50-75 75-9 5 >95		
May gate Just have Just have have have had held that have have may say you can you have held had been	CIPAL	<1 1-5 5-25 25-50 50-75 75-95 >95		
and that \$10,000 pers and that that the total and the tot the tot tot the tot of the \$10.00 pers \$10.00 pers	POLPE	<1 1-3 5-25 25-50 50-75 75-95 >95		
	EFYVI	<1 1-5 (5-2) 25-50 50-75 75-95 >95		
May 2000 Sale (see Sale 200) Sale 200, Sale 200, Sale 200, Sale 200 Sale 200 Sale 200 Sale 200 Sale 200 Sale 2	SETFA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
Man and and then you man have been paid you good not not not not not not not man man and an a	BROIN	<1 1-5 6-29 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 6-29 25-50 50-75 75-95 >95		
8-3	PATPI	<1 1-5 5-25 25-50 50-75 75-95 >95		
MILE SAME SAME SAME SAME SAME SAME SAME SAM	TAROF	<1 1-5 (5-2/5 25-50 50-75 75-95 >95		
~ .	SOLPT	<1 1-5 5 -25 25-50 50-75 75-95 >95		
	ERYVI	<1 1-5 5-25 25-50 50-75 75 -95 >95		
	DACGL	<1 1-5 6-2 25-50 50-75 75- 95 >95	 	
	BROIN	<1 (-9 5-25 25-50 50-75 7 5-95 >95		
per pic per cen	SETFA	<1 6-3 5-25 25-50 50-75 75- 95 >95	1	
	SETLA	<1 1-5 (-2) 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75- 95 >95	 	