

Date: 8.4.19

Location: 4, STT

| quadratID | speciesID | cover | notes | flowering |
|-----------|-----------|-------------------------------------|-------|-----------|
| 5-5 | sympi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | cirdi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | parvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | schsc | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | poapr | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| 5-4 | civar | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | helhe | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | parvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | conca | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| 5-3 | andge | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | monfi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | elyca | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | parvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | monfi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | bouch | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| 5-2 | andge | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | civar | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | tunef | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | helhe | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | civar | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| 5-2 | solri | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |

Scanned:

Entered:

Date: 8-4-19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|------------|-----------|-------------------------------------|-------|-----------|
| 5-2(contd) | tanof | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | pauvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | boucu | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | holhe | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | monfi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | sorhu | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| 5-7 | sympi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | solri | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | tanof | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | sorhu | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | andge | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | elyca | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | podpr | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| 5-1 | pauvi | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | holhe | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | phyvi | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | brorn | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | solcar | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | sorhu | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-------------|-----------|-------------------------------------|--------------------------|-----------|
| 5-1 (contd) | poapr | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | unk #1 | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | brassica, photo, rosette | |
| 5-6 | andge | <1 1-5 5-25 25-50 (50-75) 75-95 >95 | | |
| | monfi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | schsc | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | poapr | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | brote | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | ?? hairy sheath | |
| | bouch | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| 5-8 | panvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | symp | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | tripr | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | agme | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | poapr | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | melof | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | spoke | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| 4-14 | soypt | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | physa | |
| | lacse | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |
| | sornu | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | elijvi | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | setfz | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | broin | <1 1-5 (5-25) 25-50 50-75 75-95 >95 | | |
| 4-12 | ovar | <1 (1-5) 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 5-25 (25-50) 50-75 75-95 >95 | | |

Scanned:

Entered:

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-------------|------------------|-----------------------------------|-------------------|-----------|
| 4-12(contd) | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-13 | phyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | halhe | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | civar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | lacse | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarok | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-15 | lacse | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| physn | solpt | <1 1-5 5-25 25-50 50-75 75-95 >95 | smooth grnd cheng | |
| | urdhi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | amare | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfz | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-11 | manfi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | parvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|--------------|-----------|-----------------------------------|-------|-----------|
| 4-11 (contd) | Spoke | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sympi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-3 | physu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | monfi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | cirdi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-10 | elyca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | laese | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | helhe | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | ratpi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-2 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | viola | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-1 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sornu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | cheal | 1-5 | | |

Scanned:

Entered:

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-----------|-----------|-----------------------------------|-------|-----------|
| 4-9 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sorru | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | schse | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-8 | elyca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | monfi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | wdhi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sympi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sorru | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | spoke | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-4 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | pospr | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-7 | monfi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | passa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-5 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | monfi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | helhe | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 4-6 | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | monfi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-----------|-----------|-----------------------------------|-------------|-----------|
| 4-16 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 3-2 | broin | <1 1-5 5-25 25-50 50-75 75-95 >95 | extra quad | |
| | apocy | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | cirar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 3-1 | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | cirar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | uchmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | agree | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | plema | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-9 | uchmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | broin | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trine | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | hacvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | ? stickseed | |
| | ndhi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | lacce | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | agree | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | thlar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | boncu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-8 | phaar | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-----------|-----------|-----------------------------------|-----------------|-----------|
| 2-7 | physn | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | chafa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | lacse | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | achmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | soran | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | zizav | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | helon | <1 1-5 5-25 25-50 50-75 75-95 >95 | common sufflora | |
| | ratpi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | elyvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | echpr | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | oxast | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-6 | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-5 | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trine | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | lacse | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | achmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | bouch | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | helhe | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | broin | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | parvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-4 | bouch | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trine | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tarof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-------------|---------------|-----------------------------------|-------------------|-----------|
| 2-4 (contd) | schsc | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | abnth | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-3 | helhe | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trine | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | poapr | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-2 | achmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | wdhi | <1 1-5 5-25 25-50 50-75 75-95 >95 | orange/orange/red | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | boucn | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | helhe | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trine | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | brown | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | "bare ground" | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 2-1 | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | wdhi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | brown | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | achmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | pelco | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trine | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanof | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |

Scanned:

Entered:

Date: 8.4.19

Location: STT

| quadratID | speciesID | cover | notes | flowering |
|-----------|-------------|-----------------------------------|--------|-----------|
| 1-4 | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanf | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trire | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | achmi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | bouin | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | schsc | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 1-3 | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | larce | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | trire | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | boucu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setpr | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | wheat grass | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | panvi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanf | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setfa | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 1-2 | trire | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanf | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | conca | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | boucu | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | fesar | <1 1-5 5-25 25-50 50-75 75-95 >95 | agree? | |
| | daegl | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | andge | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| 1-1 | trire | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | sympi | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | larce | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | setpr | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |
| | tanf | <1 1-5 5-25 25-50 50-75 75-95 >95 | | |

setfa
setpr
achmi

schsc

Scanned:

Entered:

Date:

Location:

[illegible]

Scanned:

Entered: