Location: ROD

quadratID	speciesID	cover		notes	flowering
1-1	PANCA	1-5 5-25 25-5 0 50-75	75-95	1	
	PHAAR	<1 1- 5 5-25 25-5 0 50-75	75-95 >95) 	1
	SETLIN	<1 1-5 5-25 25-5 0 50-75	75-95 >95		1 1 1 2
2-1	PANVI	<1 1-5 5-25 25-50 50-75	7 5-95 >95		a ca ta ca ta ca ta ta ta ta ta ta ta ta ta ta ta ta ta
	PASSA	<1(-1-5) 5-25 25-50 50-75	75-9 5 >95		1 1 1 1 1
No. 200 200 200 200 200 200 200 200 200 20	DANCA	<1 1-8 5-25 25- 50 50-75	75-95 >95	1 1 1 1	
gan man yang man yan, kant man kan kan, kan kali ikan atau kan kan kani ikan man ikan kan kani	VERST	<1 1-5 5-25 25-50 50-75	75-9 5 >95		1
Date and the data had just just love last (or 300 year ver) year and over over just love	vakning weed # [<1 4-5 5-25 25-50 50-75	75-95 >95	photo	1
have need that that and jon, you you can have been you have day one day you can be	ANDGE	<1 1-5 (5-25) 25-50 50-75	75-95 >95	; ; ;	
data has the fire one gas too too par too too data dat her not play had too and an	AGGRE	<1 1-5 5-25 25-50 50-75	75-9 5 >95	3	
And the Said feet that the Said the Said feet and the Said feet feet feet feet feet feet	SETPA	<1 (1-5 5-25 25-50 50-75	75-95 >95		
2_2	SOLCA	<1 1-5 5-25 25-50 50-75	75-95 >95		
	DIRAR	<1 1-5 5-25 25-5 0 50-75	75-95 >95		
	SORNIN	<1 (1-5) 5-25 25-50 50-75	75-95 >95		
	SPOAS	<1 (1-5) 5-25 25-50 50-75	75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75	75-95 >95		Note have been took great from sout took took been been been province.
	ELYVI	<1 (1-5) 5-25 25-50 50-75	75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75	75-95 >95	 	
	PHAAR	<1 1-5 5-25 25-50 50-75	75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75	75-95 >95		
3~1	SOLCA	<1 (1-5) 5-25 25-50 50-75	75-95 >95		
	AGRRE	<1 1-5 5-25 25-50 50-75	75-95 >95		
,	CIRAR	1-5 5-25 25-50 50-75	75-95 >95		
	ANDGE	<1 1- 5 5-25 25-50 50-75	75-95 >95		
	VERST	<1 1-5 5-25 25-50 50-75	75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75	75-95 >95		
	SORNN	<1 1-5 5-25 25-50 50-75	75-95 >95		i i i
3-2	ANDGE	<1 1-5 5-25 25-50 50-75	75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75	75-95 >95		} ! ! !

Location: ROD

quadratID	speciesID	cover	notes	flowering
3-2	PANCA	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	AGRRE	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	TAROF	1-5 5-25 25-50 50-75 75-95 >	95	
3_3	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >	95	
:	CIRAR	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	POAPR	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	FR PHAAI	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
3_4	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
:	SOUCA	<1 1-5 5-25 25-50 50-75 75-95 >	95	
_	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >	95	y .
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	SORNA	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
	SETVI	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	PHAAR	<1 (1-5) 5-25 25-50 50-75 75-95 >	95	
3_5	SOLCA	<1 1-5 (6-25 25-50 50-75 75-95 >	95	
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	DAUCA	<pre>(<1 1-5 5-25 25-50 50-75 75-95 ></pre>	95	
	POAPA	<1 1-5 5-25 25-50 50-75 75-95 >	95	<i>i</i> 5
	SURNN	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	FESAR	<1 1-5 (5-25) 25-50 50-75 75-95 >	95 photo	
4-1	DAUCA	<1 1-5 (5-25) 25-50 50-75 75-95 >	95	
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >	>95	
	blackmedic	<1 (1-5) 5-25 25-50 50-75 75-95 >	95 photo	
	alsikeclover	<1 1-5 5-25 25-50 50-75 75-95 >	95 phito	
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >	95	
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >	>95	
	PASSO	<1 1-5 5-25 25-50 50-75 75-95 >	95 Seedhay	

Scanned:

Entered:

Location: ROD

quadratID	speciesID	cover	notes	flowering
4-1	ELMVI 1	1-5 5-25 25 -50 50-75 75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75 75 -95 >95		- No. and \$100 (see and some some some some some some some some
	SETLU	<1 1-5 5-25 25- 50 50-75 75- 95 >95		
	TAROF	<1 1-5 5-25 25 -50 50-75 75-95 >95		
	SOLCA	<1 (-5 5-25 25 -50 50-75 75 -95 >95		1
4_2	SOLCA	<1 1-5 6-25 25-50 50-75 75-95 >95		! ! !
	SYMOO	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	MKnown weed #2	<1 1-5 5-25 25-50 50-75 75-95 >95	photo-looks like u	white flows
	ANDGE	<1 1-5 6-25 25-50 50-75 75-95 >95		
	SORNH	<1 1 -5 (5-25) 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5) 5-25 25-50 50-75 75- 95 >95		1
	PASSA	<1 1-5 6-25 25-50 50-75 75-95 >95		
	DANCA	<1 f-5 5-25 25-50 50-75 75-95 >95		
	OXAST	1-5 5-25 25 -50 50-75 75-95 >95		
	BROJU?	<1 1-5 5-25 25 -50 50-75 75-95 >95	Viknown from NK - Same by	one
B B B B B B B B B B B B B B B B B B B	POAPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	URAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
4_3	TAROF	<1 2-5 5-25 25-50 50-75 75-95 >95		Marie de 100 mar 100 mar 100 mar des 100 mar 1
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DAMOA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNH	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	MONFI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIPAR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	vn known weed \$3	1-5 5-25 25-50 50-75 75-95 >95	photo-small S lobed wh	+ florer
	AGGRG	<1 1-5 5-25 25-50 50-75 75-95 >95		
4_4	TAROF	<1-5 5-25 25-50 50-75 75-95 >95		
	CIRVU	<1 1-5 5-25 25-50 50-75 75-95 >95	bull thistle	
	DANCA	(<1)1-5 5-25 25-50 50-75 75-95 >95	<u> </u>	

Date: 727

Location: Pop

quadratID	speciesID	cover	notes	flowering
4-4	SOLCA	<1 15 5-25 25-50 50-75 75-95 >95		1
	SORNU	<1 1-5 5-25 25-50 50-75 75-95 >95		
>	RATPI	<1 1-5 5-25 25-50 50-75 75-95 >95	seedby	1
	ANDRE	<1 1-5 5-25 (5-50) 50-75 75-95 >95		1
	DACGL	<1 -5 5-25 25-50 50-75 75-95 >95		
	SPOAS	<pre><1 (1-5) 5-25 25-50 50-75 75-95 >95</pre>		1
5-1	PANVI	<1 1-5 5-29 25 50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SORNN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	DANCA	1-5 5-25 25-50 50-75 75-95 >95		
	ANDEC	<1 1-5 5-25 25-50 50-75 75-95 >95		
	AGBRE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		2
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		1
6-1	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PANUL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	BROIN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	vnknown ceedling #1	<1 1-5 5-25 25-50 50-75 75-95 >95	photo	
7-1	PANUL	<1 1-5 5-25 25-50 50-75 75-95 >95	,	
	CARVU	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	PHLPR	<1 1-5 5-25 25-50 50-75 75-95 >95		nes best land des best nes per per test est nes mes mes mes mes
	ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 15-50 50-75 75-95 >95		
	SORNY	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POLPE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETLN	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SETPA	<1 (1-5) 5-25 25-50 50-75 75-95 >95		1 1 1 1

Date: 727

Location: PUD

quadratID	speciesID	cover	notes	flowering
8-1	PANVI	<1 1-5 5-25 2 5-5 0 50-75 75-95 >95		1
	SOLCA	<1 1-5 (-25 25-50 50-75 75-95 >95	1 1 1 1	1
	ELYVI	<1 1-5 5/25 25-50 50-75 75-95 >95		1
	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SURNIN	<1 1-5 (5-25) 25-50 50-75 75-95 >95		1
	PASSA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 1/5 -25 25-50 50-75 75-95 >95		1
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1
9-1	CIRAR	<1 1-5 8-25 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	unkn weed ##3	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDE	<1 1-5 5-25 25-50 60-75 75-95 >95	 	
	AGRRE	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	RATPI	(1) 1-5 5-25 25-50 50-75 75-95 >95	Seedby	
	ELYVI	<1 1-5 5-25 25-50 50-75 75-95 >95	9	
10-1	ASCSY	<1 1-5 (5-25) 25-50 50-75 75-95 >95	`	
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
7	CIRAR	<1 1-5 5-25 25-50 60-75 75-95 >95	9	Thist
,	SORNM	<1 (1-5) 5-25 25-50 50-75 75-95 >95		Str
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		/
	POAPR	<1 1-5 5-25 25-50 60-75 75-95 >95		i
	DANCA	<1]-5 5-25 25-50 50-75 75-95 >95		
10-2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95	1	
	solanun W spykes	<1 1-5 5-25 25-50 50-75 75-95 >95	Photo-already have I Died	
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
11-1	CIPAR	<1 1-5 (5-25 25-50 50-75 75-95 >95		i
	PANJI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 (5-25) 25-50 50-75 75-95 >95		! ! !

Location: ROD

quadratID	speciesID	cover	notes	flowering
(_	POAPR	<1 1-5 5-25 25-50 50-75 75- 95 >95		
12-1	ELYVI	<1 1-5 5-25 25-50 30-75 75-95 >95		1
and need not	ELYCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PANCA	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	ANDGE	<1 1-5 5-25 25-50 50-75 75-9 5 >95		
	SETLH	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 1 2 1
	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		1 1 3 3
	Vaknown #3	<1 1-5 5-25 25-50 50-75 75-95 >95		1
Seed	MKnown #1	<1 1-5 5-25 25-50 50-75 75-9 5 >95	`	1
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		
13-1	TAROF	<1 1-5 5-25 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		1
	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95		! ! !
	DANCA	<1_1-5_5-25 25-50 50-75 75-9 5 >95		1
	PACGL	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TRIRE	21 2-5 5-25 25-50 50-75 75-95 >95	; ; ; ; ;	
	SORNW	<1 1-5 5-25 25-50 50-75 75-95 >95	 	
	POAPR	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
13_2	CIRAR	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ELYV)	<1 1-5 (5-25 25-50 50-75 75-95 >95	 	
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ANDGE	<1 1-5 5-25 25-50 50-75 75-95 >95		
	TAROF	<1 (1-5) 5-25 25-50 50-75 75-95 >95	P	
13-3	CIRAR	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	SOLCA	<1 1-5 5-25 25-50 50-75 75-95 >95		
	PANVI	<1 1-5 5-25 25-50 50-75 75-95 >95		
	POAPR	<1 1-5 5-25 25-50 50-75 75-95 >95		

Location: RDD

!	PANCA	<pre><1 (1-5) 5-25 25-50 50-75 75-95 >95 (1 1-5) 5-25 25-50 50-75 75-95 >95 <1 1-5 5-25 25-50 50-75 75-95 >95 <1 1-5 5-25 25-50 50-75 75-95 >95</pre>		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
i		<1 1-5 5-25 25-50 50-75 75-95 >95	 	
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
	9 9	<1 1-5 5-25 25-50 50-75 75-95 >95		
*		<1 1-5 5-25 25-50 50-75 75-95 >95	 	
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95	 	
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95	 	
		<1 1-5 5-25 25-50 50-75 75-95 >95	`	
	,	<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
ļ		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		
		<1 1-5 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered: