

Date: 7-24-19

Location: BUE

quadratID	speciesID	cover	notes	flowering
1-5	astca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	achmi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-4	helma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	boucu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	sornu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helhe open bi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
1-3	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-2	zizau	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	elyvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
1-1	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	monfi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date:

7.29.19

Location:

Bhe

quadratID	speciesID	cover	notes	flowering
1-1	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	ratpi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
4-1	helma	<1 1-5 (5-25) 25-50 50-75 75-95 >95	mowed	
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trire	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	panvi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	digsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
3-1	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95	mowed	
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95	WTH	
	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	"Hatch"	<1 1-5 5-25 (25-50) 50-75 75-95 >95	bare ground	
3-3	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	trire	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 1-5 (5-25) 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.24.19

Location: BHE

quadratID	speciesID	cover	notes	flowering
3-3	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	amatu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	unknown 1	<1 (1-5) 5-25 25-50 50-75 75-95 >95	vetch / photo	
3-4	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95	mowed	
	Lacse	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	abuth	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Oxast	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	"garlic must"	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
3-5	"thatch"	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95	mowed	
	avesa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	amatu	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	"thatch"	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
3-2	medsa	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	"thatch"	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	setfa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	brain	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Date: 7.24.19

Location: BUE

quadratID	speciesID	cover	notes	flowering
3-2	amatu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	zizau	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-3	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 1-5 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 (50-75) 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	trire	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broine	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
5-2	cirar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	broine	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
5-1	monfi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	helma	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	Solri	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	dacgl	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broine	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
8-1	"thatch"	<1 1-5 5-25 (25-50) 50-75 75-95 >95	mowed	

Scanned:

Entered:

Date: 7-27-19

Location: BNE

quadratID	speciesID	cover	notes	flowering
8-1	helma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	taroz	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	monfe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	erivi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	poapr	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
8-4	zizau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	ratpi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	setpu	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	Verst	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helma	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	thatch	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
6-1	helhe	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	elyvi	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	andge	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	poapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
6-2	cirar	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	medsa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Date: 7.29.19

Location: BUE

quadratID	speciesID	cover	notes	flowering
6-2	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cheal	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oat thatch	<1 1-5 5-25 25-50 50-75 75-95 >95		
	avesa	<1 1-5 5-25 25-50 50-75 75-95 >95		
6-3	oat thatch	<1 1-5 5-25 25-50 50-75 75-95 >95		
	avesa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	medsa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solpt	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
7-1	amatu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	cirar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	medsa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	avesa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	ambar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	heike	<1 1-5 5-25 25-50 50-75 75-95 >95		
	solpt	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 5-25 25-50 50-75 75-95 >95		
	potar	<1 1-5 5-25 25-50 50-75 75-95 >95		
	setpu	<1 1-5 5-25 25-50 50-75 75-95 >95		
	erivi	<1 1-5 5-25 25-50 50-75 75-95 >95		
	tarof	<1 1-5 5-25 25-50 50-75 75-95 >95		
	oxast	<1 1-5 5-25 25-50 50-75 75-95 >95		
	unknown 2	<1 1-5 5-25 25-50 50-75 75-95 >95	bagged sample, clammy g. cherry?	

Scanned:

Entered:

Date:

7.24.19

Location:

BVE

quadratID	speciesID	cover	notes	flowering
7-1	cheal	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
7-2	cikar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	monfe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	paapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	erivi	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	"thatch"	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
8-5	elivi	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	baku	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	zazau	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	solpt	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	broin	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	andge	<1 1-5 5-25 25-50 (50-75) 75-95 >95		
	paapr	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	elyca	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	panvi	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
8-2	crar	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	tarof	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	helhe	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	broin	<1 1-5 5-25 (25-50) 50-75 75-95 >95		
	digsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	setfa	<1 1-5 (5-25) 25-50 50-75 75-95 >95		
	echcr	<1 (1-5) 5-25 25-50 50-75 75-95 >95		
	medsa	<1 (1-5) 5-25 25-50 50-75 75-95 >95		

Scanned:

Entered:

Date: 7.29.19

Location: BVE

[illegible]

Scanned:

Entered: