Stewardship for Daniel's Creek

Lead Steward: Lydie

2022-08-31

Boundary Issues

Year	Issue	$Issue_Desc$	Treated	Treatment	Resolved
					,

Channel Issues

	Year Subtype	Issue	Issue_Desc	Treat	$ ext{ted}\Gamma ext{reatme}$	ntResolved
32	2021 Failed Struc- ture	Erosion/Sco	urædx filter fabric and live stake around ends	No		No
33	2021 Failed Struc- ture	Failed/Not Functional	Last log in riffle is piping underneath	No		Yes
34	2021 Needs Lives- takes		No stakes	Yes		Yes
35	2021 Needs Lives- takes		No stakes	Yes		No
36	2021 Needs Lives- takes		Needs livestakes. Fill in gaps.	Yes		Yes
37	2021 Failed Struc- ture	Piping	Piping around and under. Hole in bank. U-bend of piping water. Stream side cave of wonders.	Yes	Added 30 plugs	Yes
38	2022 Failed Struc- ture			No	r0-	No

Vegetation Issues

YearIssue	Issue_Desc	Percent_	Colorea A. Hore actor in integr	
2021Low Stem	Low stem density in haul road. Soil VERY	76-100%	No	No
Density 2021Low Stem	compacted. Throughout floodplain, but better towards creek	76-100%	No	No
Density				

YearIssue	Issue_Desc	Percent_	Colhera A. Midre a col <u>n E</u> Nderg	_ Mesbbd ed1
2021Bare Areas & Low Stem Density	Not filling in very well. Growth stunted.	76-100%	No	No
2021Bare Areas & Low Stem Density	Area of low growth and sparse vegetation	51-75%	No	No
2021Low Stem Density	Basically no trees. Bermudagrass monoculture.	76-100%	No	No
2021Low Stem Density	Coastal bermuda outcompeting trees. No trees needed in powerline	76-100%	No	No
2021Low Stem Density	Coastal bermuda outcompeting trees	76-100%	No	No
2021Bare Areas & Low Stem Density	Coastal bermuda outcompeting trees, but no replanting needed. Ring sprays with boosters may be best. Watch out for hole near fence and bare patch!		No	No
2021	Coastal bermuda outcompeting trees. Density isn't too bad, but boosters definitely needed.	76-100%	No	No
2021	Bermudagrass outcompeting trees. Needs replanting.		No	No
2021	Bermudagrass outcompeting trees. Needs replanting.		No	No
2021	Bermudagrass outcompeting trees. Needs replanting.		No	No
2021Bare Areas, Low Stem Vigor/Height & Density	Sparse vegetation. Very few trees. Rocky soils.	76-100%	No	No
2021	Bermudagrass outcompeting trees. Needs replanting.	76-100%	No	No
2021Low Stem Density	No trees! Needs Bermuda grass treatment and live stakes.	76-100%	Yes	No
2021Bare Areas & Low Stem Density	Haul road? Basically no trees. Veg is bermudagrass. Bare areas are very small and not troublesome in scale.	76-100%	Yes	No
2022Low Stem Vigor/Height & Density	Needs ring sprays. Coastal bermudagrass outcompeting native veg. Trees present, but supplemental planting likely	76-100%	No ring sprays	No

Weed Issues

YearInvSpecieknvSpecieknvSpeciessue3_Desc			Treatment	Treat_MetaltoDatPercent	_ CRossdEssec tive_
225 2021Blackbe	erry				No
226~2021Callery	Chinese	Probably root sprouts			No
Pear	Privet				
227~2021Callery		1 stem- lop size			No
Pear					

YearInvSpeci	els <u>nv</u> Speciels <u>nv</u> Sp	ec lss <u>ue3</u> Desc	Treatment	Treat_		ercent_	
228 2021Chinese Privet	Japanese Multif Hon-Rose ey- suckle	do Sa attered stems in wooded area					No
229 2021Chinese Privet		loSattered stems, mostly in wooded headwaters. Bermudagrass on slopes. Needs ring sprays.	cut stump and ring sprays	Cut Stump	2021- 1 0 06-16 00:00:00	-5%	No
230 2021Chinese Privet	Japanese Blackl Hon- ey- suckle	pesttyms along woodline					No
231 2021Japanese Hon- ey- suckle	e	Runners on stream bank					No
232 2021Japanese Hon- ey- suckle	e Chinese Privet	Pruner-saw size privet, mid-canopy honeysuckle					No
233 2021OTHER	,	Smartweed and dogfennel	ring sprays	-	a 21 021- 06-16 00:00:00		No
234 2021OTHER	,	Buttercup ring sprays needed					No
$235\ 2021 OTHER$,	Cattail					No
236 2022Marsh Dewflow	er		foliar 5% solution	_		76- .00%	No
237 2022Marsh Dewflow	er		retreatment- 2.5% solution	Backp Spray	a2\(\right)22- 06-22 00:00:00		No
238 2022Marsh Dewflow	er		foliar 4.5% solution		a 21 022- 06-07 00:00:00		No
239 2022Marsh Dewflow	er		foliar 5% solution	_		76- .00%	No
240 2022Marsh Dewflow	er		foliar 2.5 % solution		a 21 022- 06-22 00:00:00		No
241 2022Marsh Dewflow	er						No
242 2022OTHER	,	Cattail					No
243 2022			Murdannia removal		2022- 06-01 21:18:47		No
244 2022			Foliar		2022- 06-01 09:17:11		Yes

YearInvSpecietnvSpecietnvSpectesue3_Desc	Treatment	Treat_MetaltDatPercent_	
245 2022	Foliar	2022-	No
		05-26	
		16:24:05	
246 2022	Treated	2022-	Yes
	with	05-26	
	glyphosate	06:44:54	
247 2022			No
248 2022	In-stream	2022-	No
	veg	05-26	
	removal	00:00:00	
	with		
	glyphosate		
249 2022			No
250 2022			No
251 2022			No

Miscellaneous Issues

	Site	Year Subtyp	e Issue_Desc	Issue_L	ocation Construction	_Descol	veldead_	Steward
33	Daniel's Creek	2021 Misc	Scour. Add cover crop	Bank	No	No	Lydie	
34	Daniel's Creek	2021 Misc	Repair equipment path has no trees. Stream bank has no live stakes.		No	No	Lydie	
35	Daniel's Creek	2021 Misc	Needs winter cover crop on slopes	Bank	No	No	Lydie	
36	Daniel's Creek	2021 Misc	Needs a sign. U-Post present.		No	No	Lydie	
37	Daniel's Creek	$2021~\mathrm{Misc}$	Pile of rocks		No	No	Lydie	
38	Daniel's Creek	$2021~\mathrm{Misc}$	Barb wire fencing with t-posts		Yes	No	Lydie	
39	Daniel's Creek	2022 Soil Sam- ple	DAN7		na	na	Lydie	
40	Daniel's Creek	2022 Soil Sam- ple	DAN3		na	na	Lydie	
NA		1						
NA.	1							
NA.								
NA.	3							