arXiv:2503.06047v2 [cs.AI] 9 May 2026

DSGBench: A Diverse Strategic Game Benchmark for Evaluating LLM-based Agents in Complex Decision-Making Environments

Wenjie Tang[1,2,†], **Yuan Zhou**[2,†], **Keyan Cheng**[2], **Erqiang Xu**[2], **Liquan Xiao**[1], **Minne Li**[2,*]
[1]College of Computer, National University of Defense Technology
[2]Intelligent Game and Decision Lab (IGDL)
[*]Corresponding author [†]Equal contribution

Abstract

Large language model (LLM)-based agents are increasingly applied to complex strategic environments that demand long-horizon reasoning, multi-agent interaction, and decision-making under uncertainty. However, common existing benchmarks either assess isolated skills, lack environmental diversity, or rely on broad overall metrics. To address these issues, we introduce DSGBench, a more rigorous evaluation platform for strategic decision-making tasks. Firstly, it incorporates six complex strategic games which serve as ideal testbeds due to their long-term and multi-dimensional decision-making demands and flexibility in customizing tasks with various difficulty levels and targets. Secondly, DSGBench employs a fine-grained evaluation scoring system which examines the decision-making capabilities by looking into the performance in five specific dimensions, offering a comprehensive assessment in a better-designed fashion. Furthermore, DSGBench also incorporates an automated decision-tracking mechanism which enables in-depth analysis of agent behaviour patterns and the turning points in their strategies. We evaluate six popular LLM agents, including open-source and closed-source models, and observe distinct strengths and limitations among various tasks. Through decision trajectory analysis, we further identify systemic limitations in different LLMs. These findings offer valuable insights for model selection and future LLM-based agent development.

1 Introduction

Large language models (LLMs) have recently demonstrated remarkable progress in reasoning, planning, and problem solving, particularly within well-defined, closed-world environments such as web navigation, assistant programming, and task execution in simulated settings [Lai *et al.*, 2024; Jiang *et al.*, 2024; Wang *et al.*, 2024a]. Motivated by these advancements, there is growing interest in extending the capabilities of LLMs to more complex and dynamic domains, including open-world scenarios and multi-agent strategic games [Wang *et al.*, 2023; Schmidgall *et al.*, 2025; Hu *et al.*, 2024]. Unlike closed settings, these environments are often partially observable, adversarial, and require long-horizon planning under uncertainty [He *et al.*, 2024; Park *et al.*, 2023]. Applying LLMs in such contexts demands not only a deep understanding of other agents' intentions and potentially deceptive behaviors, but also advanced reasoning to anticipate risks and weaknesses in evolving strategies [Zhang *et al.*, 2024; Gandhi *et al.*, 2023]. Unlocking this broader potential calls for innovations in model architecture and the development of rigorous evaluation frameworks that can systematically assess their capabilities [Chang *et al.*, 2024; Liu *et al.*, 2025].

Despite significant advances in LLM benchmarking, existing assessment frameworks suffer from three key limitations when applied to complicated decision-making settings. Firstly, agent performance in

Preprint. Under review.

arXiv:2503.06047v2 [cs.AI] 9 May 2026

DSGBench：用于评估复杂决策环境中基于大语言模型的智能体的多样化策略博弈基准

Wenjie Tang[1,2,†], **Yuan Zhou**[2,†], **Keyan Cheng**[2], **Erqiang Xu**[2], **Liquan Xiao**[1], **Minne Li**[2,*]
国防科技大学计算机学院[2]智能博弈与决策实验室（IGDL）[*]通讯作者 [†]同等贡献

摘要

基于大语言模型（LLM）的智能体正日益广泛地应用于需要长时域推理、多智能体交互和不确定性下的决策的复杂战略环境。然而，现有常用基准要么仅评估孤立的技能，要么缺乏环境多样性，要么依赖宽泛的总体指标。为解决这些问题，我们提出了 DSGBench，一个面向策略决策任务的更严谨的评估平台。首先，它涵盖六种复杂的策略博弈，这些游戏具有长期、多维度的决策需求，并可灵活定制不同难度等级和目标的任务，因此是理想的测试平台。其次，DSGBench 采用细粒度评估计分系统，通过考察五个具体维度上的表现来评估决策能力，以更合理的设计提供全面评估。此外，DSGBench 还引入了自动化决策追踪机制，支持深入分析智能体行为模式及其策略转折点。我们评估了六种主流大语言模型智能体，涵盖开源与闭源模型，并观察到它们在不同任务中各具优势与局限。通过决策轨迹分析，我们进一步识别了不同大语言模型的系统性局限。这些发现为模型选择和未来基于大语言模型的智能体开发提供了有价值的见解。

1 引言

近年来，大语言模型（LLM）在推理、规划和问题求解方面取得了显著进展，尤其是在网页导航、辅助编程以及模拟场景中的任务执行等定义明确的封闭世界环境中 [Lai 等，2024年；Jiang 等，2024年；Wang 等，2024a]。受这些进展的推动，研究者越来越关注如何将大语言模型的能力拓展至更复杂、更动态的领域，包括开放世界场景和多智能体策略博弈 [Wang 等，2023年；Schmidgall 等，2025年；Hu 等，2024]。与封闭场景不同，这些环境通常具有部分可观测性和对抗性，并要求在不确定性下进行长时域规划 [He 等，2024年；Park 等， 2023]。在此类上下文中应用大语言模型，不仅需要深入理解其他智能体的意图及其潜在的欺骗行为，还需要借助高级推理来预判不断演变的策略中的风险与弱点 [Zhang 等，2024年；Gandhi 等， 2023]。要释放这一更广泛的潜力，就需要在模型架构方面进行创新，并开发严谨的评估框架，以系统地评估其能力 [Chang 等，2024年；Liu 等， 2025]。

尽管大语言模型基准评测已取得显著进展，但现有评估框架在应用于复杂决策情境时仍存在三项主要局限。首先，智能体在

预印本。审稿中。



Figure 1: The overall framework of **DSGBench**. The framework consists of (1) a multi-game environment supporting both asynchronous and synchronous interactions; (2) fine-grained capability metrics for strategic planning, real-time decision-making, social reasoning, team collaboration, and adaptive learning; and (3) decision trajectory tracking tools that collaboratively analyze agents' decision-making processes. Through observation-to-prompt and response-to-action loops, DSGBench enables systematic evaluation of LLM-based agents in dynamic, multi-agent scenarios.

complex environments depends on the coordination of multiple interdependent cognitive abilities. However, existing benchmarks often target only single-dimensional skills and fail to provide a systematic evaluation of these integrated capabilities [Xie *et al.*, 2024; Zhong *et al.*, 2023]. Secondly, many benchmarks employ environments that are either overly simplistic or lack structural diversity, limiting their ability to evaluate model performance across varied and complex decision-making tasks [Duan *et al.*, 2024; Costarelli *et al.*, 2024]. Furthermore, common evaluation metrics focus extensively on result-oriented performance like task completion rate and win rate [Liu *et al.*, 2023; Xi *et al.*, 2024; Wu *et al.*, 2023; Xu *et al.*, 2023]. However, most models have near-zero success rates in challenging environments [Xie *et al.*, 2024], and therefore, overly broad assessment scores are difficult to evaluate strengths and weaknesses among LLM-based agents properly.

To address these challenges, we introduce DSGBench, a diverse strategic game benchmark designed to assess LLM-based agents across multiple dimensions of cognitive and interactive capabilities. The overall framework of DSGBench is shown in Figure 1. First of all, it includes six classic strategic games which are *StarCraft II* [Ma *et al.*, 2023a], *Civilization* [Qi *et al.*, 2024], *Street Fighter III* [Go *et al.*, 2023], *Diplomacy* [Mukobi *et al.*, 2023], *Werewolf* [Bailis *et al.*, 2024a], and *Stratego* [Perolat *et al.*, 2022]. These games replicate the dynamics of the real world through multi-agent interactions, long-context decision-making, and the achievement of various sub-goals, providing a varied scene setting that allows for a comprehensive assessment of agents' adaptability and cognitive integration. Furthermore, DSGBench breaks down the overall decision-making capability into five sub-dimensions, including strategic planning, real-time decision-making, social reasoning, team collaboration, and adaptive learning, and customizes tasks with various difficulty levels in the previously mentioned environments as test cases. A more fine-grained quantitative scoring system is designed, which provides deeper insights into agent capabilities beyond conventional success rates. Last but not least, our benchmark integrates a detailed decision-tracking mechanism, offering researchers clear visibility into agents' underlying decision-making processes. This transparency is essential for improving model interpretability and advancing agent design. We have conducted a systematic evaluation of six representative LLM-based agentsunder complex and variable-controlled setups. Results show that they exhibit varying performance and present systemic limitations under different types of tasks, rather than demonstrating consistent general competence.



图1：**DSGBench**的总体框架。该框架包括：（1）支持异步和同步交互的多游戏环境；（2）用于衡量战略规划、实时决策、社会推理、团队协作和自适应学习的细粒度能力指标；（3）协同分析智能体决策过程的决策轨迹跟踪工具。通过观测到提示和响应到动作循环，DSGBench能够在动态多智能体场景中对基于大语言模型的智能体进行系统评估。

复杂环境中的性能取决于多种相互依赖的认知能力之间的协调。然而，现有基准通常仅针对单一维度的技能，未能对这些综合能力进行系统评估 [Xie 等，2024年；Zhong 等， 2023]。其次，许多基准所采用的环境要么过于简单，要么缺乏结构多样性，限制了其在多样且复杂的决策任务中评估模型性能的能力 [Duan 等，2024年；Costarelli 等， 2024]。此外，常用评估指标过度关注任务完成率和胜率等结果导向的表现 [Liu 等，2023年；Xi 等，2024年；Wu 等，2023年；Xu等， 2023]。然而，大多数模型在具有挑战性的环境中的成功率接近于零 [Xie 等， 2024], ，因此，过于笼统的评估得分难以恰当地衡量基于大语言模型的智能体各自的优势与不足。

为应对这些挑战，我们提出了DSGBench，这是一个多样化的策略博弈基准，旨在从认知能力和交互能力的多个维度评估基于大语言模型的智能体。DSGBench的整体框架如图1所示。首先，它包含六款经典策略博弈游戏，分别是星际争霸*II* [Ma 等，2023a], 文明 [Qi等， 2024], 街头霸王*III* [Go 等， 2023], 强权外交 [Mukobi等， 2023], 狼人杀 [Bailis 等，2024a],以及陆战棋 [Perolat 等， 2022]。这些游戏通过多智能体交互、长上下文决策以及各种子目标的达成，复现现实世界的动态变化，提供多样化的场景设置，从而能够全面评估智能体的适应性和认知整合能力。此外，DSGBench将整体决策能力细分为战略规划、实时决策、社会推理、团队协作和自适应学习五个子维度，并在上述环境中定制不同难度等级的任务作为测试用例。我们设计了更细粒度的定量评分系统，相较于传统的成功率指标，该系统能够更深入地揭示智能体能力。最后，我们的基准测试集成了详细的决策跟踪机制，使研究人员能够清晰地了解智能体内在的决策过程。这种透明性对于提高模型可解释性和推进智能体设计至关重要。我们在复杂且变量受控的布局下，对六种具有代表性的基于大语言模型的智能体进行了系统评估。结果表明，它们在不同类型的任务中表现各异，并呈现出系统性局限，而非展现出一致的通用能力。

Table 1: Comparison of representative LLM-agent benchmarks across five core evaluation dimensions. **DSGBench** uniquely integrates all five aspects within a unified evaluation platform. **AgentBench**† evaluates decision-making in close-ended single-agent tasks with multi-turn interactions, but does not consider multi-agent scenarios or long-horizon planning; **AgentBoard**§ emphasizes multi-round interaction and fine-grained progress tracking, but short episodes (fewer than 30 iterations) restrict evaluation of long-term planning. **GTBench**‡ focuses on strategic reasoning in competitive games, yet its tasks are limited to 10 predefined tasks, mostly deterministic and symmetric.

Benchmark	Multi-Agent Strategic Games	Long-Horizon Planning	Scenario Diversity	Fine-Grained Metrics	Decision Trajectory Analysis
AgentBench[Liu *et al.*, 2023]	✘†	✘	✔	✘	✘
SmartPlay[Wu *et al.*, 2023]	✘	✔	✔	✘	✘
GameBench[Costarelli *et al.*, 2024]	✘	✘	✘	✘	✘
GTBench[Duan *et al.*, 2024]	✘	✘	✘‡	✘	✘
MAgIC[Xu *et al.*, 2023]	✘	✘	✘	✘	✘
AgentBoard[Ma *et al.*, 2024]	✘	✘§	✔	✔	✔
AgentGym[Xi *et al.*, 2024]	✘	✔	✔	✘	✘
DSGBench (Ours)	✔	✔	✔	✔	✔

2 Related Work

2.1 LLM-based agents

LLM-based agents present human-like cognitive abilities to solve decision-making problems [Liu *et al.*, 2025]. In early applications of the LLMs, they achieved significant success in handling relatively simple tasks such as role-playing and code generation [Nijkamp *et al.*, 2022; Park *et al.*, 2023] due to their strong capabilities in instruction following, language comprehension, and generation [Wang *et al.*, 2024c]. As the research progressed, researchers began to focus on how to interact LLMs with external tools or environments [Schick *et al.*, 2023; Tang *et al.*, 2024], where the key technique is to provide relevant instruction and environment information through context, which enables LLM-based agents to generate executable actions in response to complex tasks. In addition, researchers have systematically explored the capabilities of LLM-based agents in perception, memory, decision-making, and tool use, with application areas ranging from web navigation, software development, and game decision-making [Wang *et al.*, 2024c; Zhou *et al.*, 2023; Qian *et al.*, 2024; Ma *et al.*, 2023b]. Among these advances, the emergent reasoning capabilities of LLM-based agents are particularly critical and are an integral part of the decision-making process [Hao *et al.*, 2024]. Furthermore, it is found that LLMs have demonstrated advanced cognitive capabilities such as human-like chain-of-thought reasoning, world modeling, and theory of mind [Wei *et al.*, 2022; Hao *et al.*, 2023; Shapira *et al.*, 2023]. These capabilities influence aspects of how LLM-based agents respond to changes in adversary strategies, how they make rational decisions in uncertain environments, and how they maintain long-term and short-term consistency across successive decision-making processes.

2.2 Existing Benchmarks for LLM-based agents

With the enhancement of the comprehensive capabilities of LLMs, there is a growing trend to evaluate their performance in more challenging open-world or complex gaming scenarios [Hu *et al.*, 2025]. Although static datasets provided effective evaluation in early studies, they failed to reflect the true performance of LLMs in dynamic and complex environments [Huang *et al.*, 2024; Bai *et al.*, 2023]. To address this limitation, subsequent research has begun to evaluate LLM-based agents in executable environments, focusing on revealing their capabilities in an open-ended generation, multi-round interaction, and agent-based role-playing [Wang *et al.*, 2024c]. Current researchers have focused on areas such as software development, embodied agents, society simulations, gaming, and policy making [Hong *et al.*, 2023; Mandi *et al.*, 2024; Kaiya *et al.*, 2023; Mukobi *et al.*, 2023], which have provided LLM assessments with more authentic and diverse contexts.

In particular, strategy games have been widely recognized as ideal experimental platforms for evaluating decision-making capabilities of LLM-based agents due to their complex reasoning requirements and dynamic interaction properties [Liu *et al.*, 2023; Hu *et al.*, 2025]. They require agents to engage in multistep reasoning, predict the actions of other agents, and balance competing goals under uncer-

表1：代表性大语言模型智能体基准在五个核心评估维度上的比较。**DSGBench** 独具特色地将这五个方面全部整合于统一的评估平台中。**AgentBench**†评估封闭式单智能体任务中涉及多轮交互的决策能力，但未考虑多智能体场景或长时域规划；**AgentBoard**§ 强调多轮交互和细粒度进度跟踪，但较短的回合（少于30次迭代）限制了对长期规划的评估。**GTBench**‡ 聚焦于竞争性博弈中的策略推理，但仅包含10项预定义任务，且大多具有确定性和对称性。

基准测试	多智能体策略博弈	长时域规划	场景多样性	细粒度指标	决策轨迹分析
AgentBench[刘等人， 2023]	✘†	✘	✔	✘	✘
SmartPlay[吴等人， 2023]	✘	✔	✔	✘	✘
GameBench[科斯塔雷利等人， 2024]	✘	✘	✘	✘	✘
GTBench[段等人， 2024]	✘	✘	✘‡	✘	✘
MAgIC[徐等人， 2023]	✘	✘	✘	✘	✘
AgentBoard[马等人， 2024]	✘	✘§	✔	✔	✔
AgentGym[Xi 等人， 2024]	✘	✔	✔	✘	✘
DSGBench（我们的工作）	✔	✔	✔	✔	✔

2 相关工作

2.1 基于大语言模型的智能体

基于大语言模型的智能体展现出解决决策问题的类人认知能力 [Liu 等， 2025]。在大语言模型的早期应用中，凭借强大的指令遵循、语言理解和生成能力 [Wang 等，2024c]，它们在处理角色扮演和代码生成等相对简单的任务方面取得了显著成功 [Nijkamp 等，2022年；Park 等， 2023]。随着研究的推进，研究人员开始关注如何让大语言模型与外部工具或环境交互 [Schick等，2023年；Tang 等， 2024]，，其关键技术是通过上下文提供相关指令和环境信息，使基于大语言模型的智能体能够针对复杂任务生成可执行动作。此外，研究人员系统地探索了基于大语言模型的智能体在感知、记忆、决策和工具使用方面的能力，其应用领域涵盖网页导航、软件开发和游戏决策 [Wang 等，2024c；Zhou 等，2023年；Qian等，2024年；Ma 等，2023b]。在这些进展中，基于大语言模型的智能体的涌现推理能力尤为关键，是决策过程中不可或缺的组成部分 [Hao 等， 2024]。此外，研究发现，大语言模型已展现出类人的思维链推理、世界建模和心智理论等高级认知能力 [Wei等，2022年；Hao等，2023年；Shapira等， 2023]。这些能力影响着基于大语言模型的智能体如何应对对手策略的变化、如何在不确定环境中作出理性决策，以及如何在连续的决策过程中保持长期与短期一致性。

2.2 现有的基于大语言模型的智能体基准

随着大语言模型综合能力的提升，在更具挑战性的开放世界或复杂游戏场景中评估其表现已成为一种日益明显的趋势 [Hu 等人， 2025]。尽管静态数据集在早期研究中提供了有效的评估，但它们未能反映大语言模型在动态复杂环境中的真实表现 [Huang等人，2024年；Bai等人， 2023]。为解决这一局限，后续研究开始在可执行环境中评估基于大语言模型的智能体，重点揭示其在开放式生成、多轮交互和基于智能体的角色扮演方面的能力 [Wang 等人，2024年c]。目前，研究人员主要关注软件开发、具身智能体、社会模拟、游戏和政策制定等领域 [Hong 等人，2023年；Mandi 等人，2024年；Kaiya 等人，2023年；Mukobi等人， 2023]，，这些领域为大语言模型评估提供了更真实、更多样化的上下文。

具体而言，策略游戏因其复杂推理要求和动态交互特性，被广泛认为是评估基于大语言模型的智能体决策能力的理想实验平台 [Liu 等，2023年；Hu 等， 2025]。这些游戏要求智能体进行多步推理、预测其他智能体的操作，并在不确

Table 2: Overview of the DSGBench evaluation suite, highlighting its comprehensive coverage of five core agent capabilities: strategic planning, real-time decision-making, social reasoning, team collaboration, and adaptive learning. Each capability is assessed through diverse strategy games and scenario types, using fine-grained metrics tailored to capture distinct decision-making capabilities.

Capability	Environments	Scenarios	Metrics
Strategic Planning	***Starcraft II***[Ma *et al.*, 2023b]	Macro (Async/Sync)	RPM, EER, SUR, TCR
	Civilization[Qi *et al.*, 2024]	Map (World)	EGR, CER, TRP, LUR, MGR
	Diplomacy[Mukobi *et al.*, 2023]	Negotiation and Alliances	CCC, WS
	Stratego[Wikipedia, 2024a]	Random Placement	CPR, TPCV
Real-Time Decision-Making	***Starcraft II***[Ma *et al.*, 2023b]	Rush (Async/Sync)	APM, EPM
	Street Fighter III[Wikipedia, 2024b]	Fast-Paced(Async)	AHR, SMHR, HCR
Social Reasoning	***Diplomacy***[Mukobi *et al.*, 2023]	Negotiation and Alliances	BIR
	Werewolf[Bailis *et al.*, 2024a]	Social Deduction	IRP
Team Collaboration	***Diplomacy***[Mukobi *et al.*, 2023]	Negotiation and Alliances	ASR, AD
	Werewolf[Bailis *et al.*, 2024a]	Social Deduction	KSR, VSS
Adaptive Learning	***Starcraft II***[Ma *et al.*, 2023b]	Random (Async/Sync)	WR, GA
	Civilization[Qi *et al.*, 2024]	Map (Small-Scale)	WR, GA
	Street Fighter III[Wikipedia, 2024b]	Sync	WR, GA
	Stratego[Wikipedia, 2024a]	Fixed Placement	WR, GA

tainty, thus reflecting the complex decision-making processes encountered in real-world scenarios [tse Huang *et al.*, 2025]. However, as shown in table 1, benchmarks such as GTBench [Duan *et al.*, 2024] and SmartPlay [Xi *et al.*, 2024] focus on unidimensional capabilities, neglecting the integrated cognitive skills required to cope with interdependence and uncertainty in dynamic environments. In addition, benchmarks such as AgentBench [Liu *et al.*, 2023] and GameBench [Costarelli *et al.*, 2024] use eventual success as the core metric, which limits insight into complex decision-making processes.

3 DSGBench - Overview

DSGBench is a benchmark for evaluating the strategic decision-making capabilities of LLM-based agents through a diverse suite of strategy games. It consists of three key components: (i) a suite of complex strategy games covering various interaction settings, (ii) fine-grained evaluation metrics designed to capture different aspects of decision-making capabilities, and (iii) decision-tracking mechanisms for structured analysis of agent behavior over time. DSGBench adopts a unified Gym-based interface to standardize agent-environment interactions across tasks. This interface facilitates configurable tasks and supports the integration of new games and extension of existing ones. Additionally, the framework incorporates an automated scoring process that permits the customisation of scoring tasks as required. For a detailed description of the architectural design, please refer to the Appendix B.1. In this section, we provide a detailed overview of DSGBench along three dimensions, following the structure in Table 2.

3.1 Cognitive Decision-Making Capabilities

Effective decision-making in complex environments involves the coordination of multiple cognitive processes. According to Dual Systems Cognitive Theory [Kahneman, 2011], rational planning and analytical thinking rely on "System 2", while rapid decision-making is accomplished through the intuitive responses of "System 1". The complementarity of the two allows individuals to make quick decisions and maintain certain goals in dynamic and uncertain environments. However, in complex situations involving multiple intelligences, the ability to make decisions collectively, and individual capabilities alone are often insufficient. Distributed Cognition Theory emphasizes that the ability to reason socially and work in a team stems from the interaction of the individual with the environment, tools, and other subjects [Hutchins, 1995]. Furthermore, Dynamic Decision Theory states that, in dynamic environments, individuals and groups can adapt their decision-making strategies in response to feedback, thereby exhibiting adaptive behaviours in response to changing external conditions [Edwards, 1962].

Drawing inspiration from human cognitive decision-making theories, DSGBench adopts a five-dimensional framework for evaluating LLM-based agents, as illustrated in Table 2: (i) *strategic planning* (deep analysis via System 2), (ii) *real-time decision-making* (fast, intuitive responses via

表2：DSGBench评估套件概览，重点展示其对五项核心智能体能力的全面覆盖：战略规划、实时决策、社会推理、团队协作和自适应学习。每项能力均通过多样化的策略游戏和场景类型进行评估，并采用专门设计的细粒度指标来衡量不同的决策能力。

能力	环境	场景	指标
战略规划	星际争霸***II***[Ma等人，2023b]	宏观运营（异步/同步）	RPM、EER、SUR、TCR
	文明[Qi等人， 2024]	地图（世界）	EGR、CER、TRP、LUR、MGR
	强权外交[Mukobi 等人， 2023]	谈判与联盟	CCC, WS
	陆战棋[维基百科，2024a]	随机布局	CPR, TPCV
实时决策	星际争霸***II***[Ma等人，2023b]	快攻（异步/同步）	APM, EPM
	街头霸王***III***[维基百科，2024b]	快节奏（异步）	AHR, SMHR, HCR
社会推理	强权外交[Mukobi 等人， 2023]	谈判与联盟	BIR
	狼人杀[Bailis 等人，2024a]	社会推理	IRP
团队协作	强权外交[Mukobi 等人， 2023]	谈判与联盟	ASR, AD
	狼人杀[Bailis 等人，2024a]	社会推理	KSR, VSS
自适应学习	星际争霸***II***[Ma等人，2023b]	随机（异步/同步）	胜率，扎根准确率
	文明[Qi等人， 2024]	地图（小规模）	胜率，扎根准确率
	街头霸王***III***[维基百科，2024b]	Sync	胜率，扎根准确率
	陆战棋[维基百科，2024a]	固定布局	胜率，扎根准确率

定性下平衡相互竞争的目标，从而反映现实场景中遇到的复杂决策过程 [tse Huang 等， 2025]。然而，如表1所示，GTBench [Duan 等，2024] 和 SmartPlay [Xi 等， 2024] 等基准侧重于单维能力，忽视了应对动态环境中的相互依赖性和不确定性所需的综合认知技能。此外，AgentBench [Liu 等， 2023] 和 GameBench [Costarelli等， 2024]等基准以最终是否成功作为核心指标，这限制了对复杂决策过程的深入理解。

3 DSGBench - 概述

DSGBench是一个通过多样化策略游戏评估基于大语言模型的智能体战略决策能力的基准测试。它由三个关键部分组成：(i) 一套涵盖各种交互设置的复杂策略游戏，(ii) 旨在衡量决策能力不同方面的细粒度评估指标，以及 (iii) 用于对智能体行为随时间的变化进行结构化分析的决策追踪机制。DSGBench采用统一的基于Gym的接口，以标准化不同任务中的智能体与环境交互。该接口便于配置任务，并支持集成新游戏和扩展现有游戏。此外，该框架还引入了自动评分流程，允许根据需要定制评分任务。有关架构设计的详细说明，请参阅附录B.1。本节按照表2的结构，从三个维度详细介绍DSGBench。

3.1 认知决策能力

在复杂环境中进行有效决策需要协调多种认知过程。根据双系统认知理论 [卡尼曼， 2011]，，理性规划和分析性思维依赖于“系统2”，而快速决策则通过“系统1”的直觉反应完成。两者的互补性使个体能够在动态且不确定的环境中快速做出决策，并维持特定目标。然而，在涉及多个智能主体的复杂情境中，往往需要集体决策能力，仅凭个体能力通常并不足够。分布式认知理论强调，社会推理与团队协作能力源于个体与环境、工具及其他主体之间的交互 [Hutchins， 1995]。此外，动态决策理论指出，在动态环境中，个体和群体能够根据反馈调整其决策策略，从而表现出应对外部条件变化的适应性行为 [Edwards， 1962]。

受人类认知决策理论启发，DSGBench 采用五维框架来评估基于大语言模型的智能体，如表 2 所示：(i) 战略规划（通过系统2进行深度分析），(ii)实时决策（通过以下系统作出快速、直觉反应：

Table 3: Overview of Key Characteristics of Environments in DSGBench. The prompt structure relates to the form of interaction in each game, which may vary in abstraction levels B.2. Iterations represent the average rounds of interaction per game. Additionally, flexibility in variable control enables the creation of diverse scenarios to assess the performance of LLM-based agents under varying conditions.

Game	Scene Variables	Scene Count	Dynamic Space	Multi-goal	Prompt Structure	Iterations
StarCraft II[Ma *et al.*, 2023b]	Mode, Opponent strategy, Difficulty level	6	✓	✓	Hierarchical	450
Civilization[Qi *et al.*, 2024]	Map	3	✓	✓	Hierarchical	141
Street Fighter III[Wikipedia, 2024b]	Mode, Role	2	✓	×	Flat	24
Diplomacy[Mukobi *et al.*, 2023]	Map, Role	1	×	×	Flat	60
Werewolf[Bailis *et al.*, 2024b]	Role	2	×	×	Flat	32
Stratego[Wikipedia, 2024a]	Mode, Board placement	2	✓	×	Flat	1270

System 1), (iii) *social reasoning* (distributed information processing), (iv) *team collaboration* (multi-agent coordination), and (v) *adaptive learning* (feedback-driven strategy adaptation). A detailed breakdown of these dimensions is provided in Appendix A.1.

3.2 Diverse Strategic Environments and Scenarios

To effectively evaluate cognitive decision-making capabilities of LLM-based agents, we curated a diverse set of strategic games. As summarized in Table 2, each core capability is mapped to a representative subset of games specifically designed to target that dimension. The selection was guided by key criteria, including decision-making demands, gameplay mechanics, and overall difficulty. These games collectively present long-horizon, multidimensional challenges that test agents across five core dimensions of cognitive decision-making capabilities. The following sections explain the specific challenges posed by the games chosen to evaluate these dimensions.

As demonstrated in Table 3, a set of strategic games was selected to ensure that each capability is adequately evaluated, with factors such as game mechanics, difficulty, and other key aspects being considered. These games present long-term, multidimensional decision-making challenges and also assess five key dimensions of cognitive decision-making capability through multifaceted evaluation perspectives. The following sections explain the specific challenges posed by the games chosen to evaluate these dimensions.

***StarCraft II* [Ma *et al.*, 2023b]** is a complex real-time strategy (RTS) game where players build bases, manage resources, raise armies, and destroy enemy bases. LLM-based agents must make efficient decisions, optimize resource management, engage in strategic planning, and adapt to their opponents' tactics in real-time within a rapidly changing and high-pressure environment.

***Civilization* [Qi *et al.*, 2024]** is a turn-based strategy game where players lead a civilization from ancient times to the future. The game involves city-building, resource management, technological development, cultural growth, and diplomacy, with the goal of creating a strong, prosperous civilization. LLM-based agents must make long-term decisions, wisely allocate resources, plan future development, and engage in complex diplomatic negotiations.

***Street Fighter III* [Street *et al.*, 2024]** is a fast-paced fighting game where players control characters with unique skills and combos to battle each other. LLM-based agents must make quick decisions, execute precise combos, and anticipate and counter their opponents' moves in a high-pressure environment.

***Diplomacy* [(FAIR)† *et al.*, 2022]** is a multiplayer strategy board game where players expand their territory through negotiations, alliances, and betrayals. Each player controls a country, and the goal is to gain an advantage through strategic positioning and diplomatic agreements. LLM-based agents must build alliances, manage complex diplomatic relationships, and predict opponents' actions.

***Werewolf* [Bailis *et al.*, 2024b]** is a social reasoning-based multiplayer game where players are secretly assigned roles, with some being werewolves and others villagers. The werewolves aim to destroy the villagers, while the villagers must identify the werewolves. LLM-based agents need to make decisions with limited information, assess the credibility of others, and adjust their strategies based on changing social dynamics.

表3：DSGBench中各环境的关键特征概览。提示结构与各游戏中的交互形式有关，其抽象层级可能有所不同，详见B.2。迭代表示每局游戏的平均交互回合数。此外，变量控制的灵活性支持创建多样化场景，以评估基于大语言模型的智能体在不同条件下的表现。

Game	场景变量	场景数量	动态空间	多目标	提示结构	迭代
星际争霸*II*[Ma等人，2023b]	模式、对手策略、难度等级	6	✓	✓	层级式	450
文明[Qi等人， 2024]	Map	3	✓	✓	层级式	141
街头霸王*III*[维基百科，2024b]	模式，角色	2	✓	×	Flat	24
强权外交[Mukobi 等人， 2023]	地图，角色	1	×	×	Flat	60
狼人杀[Bailis等人，2024b]	Role	2	×	×	Flat	32
陆战棋[维基百科，2024a]	模式，棋盘布局	2	✓	×	Flat	1270

系统1），(iii) 社会推理（分布式信息处理），(iv) 团队协作（多智能体协调），以及 (v) 自适应学习（反馈驱动的策略适应）。附录 A.1 提供了这些维度的详细说明。

3.2 多样化的战略环境与场景

为有效评估基于大语言模型的智能体的认知决策能力，我们精心挑选了一组多样化的策略博弈。如表2所示，每项核心能力都对应一个具有代表性的游戏子集，这些游戏经过专门设计，用于评估相应维度。筛选依据涵盖决策需求、玩法机制和整体难度等关键标准。这些游戏共同构成了长时程、多维度的挑战，从认知决策能力的五个核心维度考验智能体。以下各节将说明为评估这些维度而选取的游戏所带来的具体挑战。

如表3所示，我们综合考虑游戏机制、难度及其他关键因素，选取了一组策略博弈，以确保每项能力都得到充分评估。这些游戏提出了长期、多维度的决策挑战，并通过多角度评估来考察认知决策能力的五个关键维度。以下各节将说明为评估这些维度而选取的游戏所带来的具体挑战。

星际争霸*II* [Ma 等人，2023b] 是一款复杂的即时战略（RTS）游戏，玩家需要建造基地、管理资源、组建陆军并摧毁敌方基地。基于大语言模型的智能体必须在快速变化的高压环境中高效决策，优化资源管理，开展战略规划，并实时适应对手的战术。

文明 [Qi 等人， 2024] 是一款回合制策略游戏，玩家带领一个文明从远古走向未来。游戏涵盖城市建设、资源管理、科技发展、文化发展和外交，目标是打造一个强大、繁荣的文明。基于大语言模型的智能体必须做出长期决策，合理分配资源，规划未来发展，并参与复杂的外交谈判。

街头霸王*III* [Street 等人， 2024] 是一款快节奏的格斗游戏，玩家操控拥有独特技能和连招的角色相互战斗。基于大语言模型的智能体必须在高压环境中快速决策，精准执行连招，并预判和反制对手的着法。

强权外交 [(FAIR)† 等人， 2022] 是一款多人策略桌游，玩家通过谈判、联盟和背叛来扩张领土。每位玩家控制一个国家，目标是通过战略布局和外交协议取得优势。基于大语言模型的智能体必须建立联盟、管理复杂的外交关系，并预测对手的操作。

狼人杀 [Bailis 等人，2024b] 是一款基于社会推理的多人游戏，玩家被秘密分配角色，其中一些是狼人，另一些是村民。狼人的目标是消灭村民，而村民必须找出狼人。基于大语言模型的智能体需要在有限信息下做出决策，评估他人的可信度，并根据不断变化的社会动态调整策略。

Stratego **[Perolat *et al.*, 2022]** is a strategic board game where players move pieces on a board to capture the opponent's flag. The game emphasizes planning, bluffing, and reasoning about the opponent's strategy. LLM-based agents must make decisions with incomplete information, predict their opponents' actions, and conceal their own plans.

Customizable Evaluation Tasks. Despite the fact that the various strategic games employed in DSGBench encompass a broad range of decision-making capabilities, the fixed game settings may not adequately assess an agent's multi-dimensional capabilities performance in dynamic environments. Consequently, DSGBench offers the flexibility to create customized evaluation tasks through scenario variables, enabling targeted assessments based on specific needs. As shown in Table 3, it provides precise control over various scenario variables, such as opponent behavior patterns, interaction paradigms (e.g., synchronous vs. asynchronous), prompt engineering approaches, and reasoning strategies. Additionally, the extensive interaction trajectories across games, ranging from 24 iterations in *Street Fighter III* to 1270 in *Stratego*, challenge LLM-based agents, requiring advanced capabilities in contextual learning, long-term strategic planning, and decision consistency. For a detailed description of the game mechanics, aciton space and other information, please refer to the Appendix E.

3.3 Fine-Grained Capability Metrics

In order to address the limitations of traditional capability assessment methods in dynamic and complex environments, a fine-grained capability metric is introduced. The multiple metrics is motivated by two empirical findings: (1) outcome-based metrics are difficult to capture detailed differences between capability dimensions, and (2) gamification assessment requires the establishment of interpretable measurement benchmarks. The metrics in DSGBench are defined based on expert insights into the core mechanics of each game, ensuring alignment with the key competencies being assessed. Specifically, each metric is chosen to reflect a critical aspect that influences strategic decision-making performance. As illustrated in Table 2, the proposed methodology first establishes a mapping relationship between capability dimensions and games at the macro level, and then associates each game with a set of fine-grained metrics at the micro level. More details of each metric can be found in the Metrics subsection in Appendix E.

An example. We take evaluating the *Strategic Planning* capability in the game *StarCraft II* as an example. Efficient resource management, which involves collecting and allocating minerals and gases, allows players to sustain their forces, while supply utilization governs their capacity to deploy units effectively. Based on these mechanics, fine-grained metrics such as resource management efficiency and supply utilization are key for assessing a player's strategic planning. Specifically, Resource Collection Performance (RPM) measures the efficiency of resource gathering by calculating the total amount of minerals and gases collected during the game, indicating how well a player manages resources to support their strategy. The formula for RPM is as follows:

$$RPM_i = \sum_{t=1}^{T} (\text{collected_minerals}_i(t) + \text{collected_vespene}_i(t)) \tag{1}$$

In addition, the Supply Utilization Rate (SUR) evaluates unit production efficiency through the ratio of used supply capacity to maximum supply capacity:

$$SUR_i = \frac{\sum_{t=1}^{T} \text{supply_used}_i(t)}{\sum_{t=1}^{T} \text{supply_cap}_i(t)} \tag{2}$$

When SUR is higher, it means that players are performing more efficiently in resource management and unit production.

3.4 Decision Trajectory Tracking

As a complement to the quantitative evaluation, DSGBench introduces a decision-tracking and behavioural analysis system that combines performance metrics with contextual analysis to deepen the understanding of LLM decision-making. The system captures key decision points throughout the game and links them to real-time game states and mission objectives, thereby revealing underlying

陆战棋 **[Perolat 等人， 2022]** 是一款策略棋盘游戏，玩家通过在棋盘上移动棋子来夺取对手的军旗。该游戏强调规划、虚张声势以及对对手策略的推理。基于大语言模型的智能体必须在不完全信息下做出决策，预测对手的操作，并隐藏自己的计划。

可定制评估任务。尽管 DSGBench 采用的各种策略博弈涵盖了广泛的决策能力，但固定的游戏设置可能无法充分评估智能体在动态环境中的多维能力表现。因此，DSGBench 支持通过场景变量灵活创建定制化评估任务，从而根据具体需求开展针对性评估。如表 3 所示，它可以精确控制各种场景变量，例如对手行为模式、交互范式（如同步与异步）、提示工程方法和推理策略。此外，各游戏中的交互轨迹跨度很大，从街头霸王*III*中的 24 次迭代到陆战棋中的 1270 次迭代不等，这对基于大语言模型的智能体构成了挑战，要求其具备高水平的上下文学习、长期战略规划和决策一致性能力。有关游戏机制、动作空间及其他信息的详细说明，请参阅附录 E。

3.3 细粒度能力指标

为解决传统能力评估方法在动态复杂环境中的局限性，我们引入了细粒度能力指标。采用多项指标的依据是两项实证发现：（1）基于结果的指标难以捕捉能力维度之间的细微差异；（2）游戏化评估需要建立可解释的测量基准。DSGBench 中的指标根据专家对各游戏核心机制的深入理解进行定义，以确保与所评估的关键能力相一致。具体而言，每项指标的选取都旨在反映影响战略决策表现的一个关键方面。如表 2 所示，所提出的方法首先在宏观层面建立能力维度与游戏之间的映射关系，然后在微观层面将每个游戏与一组细粒度指标关联起来。各项指标的更多详细信息可参阅附录 E 中的“指标”小节。

示例。我们以评估游戏星际争霸*II*中的战略规划能力为例。高效的资源管理涉及晶体矿和高能瓦斯的采集与分配，使玩家能够维持其兵力，而人口利用则决定了玩家有效部署部队的能力。基于这些游戏机制，资源管理效率和人口利用等细粒度指标是评估玩家战略规划能力的关键。具体而言，资源采集表现（RPM）通过计算游戏过程中采集的晶体矿和高能瓦斯总量来衡量资源采集效率，反映玩家管理资源以支援其策略的水平。RPM的计算公式如下：

$$RPM_i = \sum_{t=1}^{T} (\text{collected_minerals}_i(t) + \text{collected_vespene}_i(t)) \tag{1}$$

此外，人口利用率（SUR）通过已用人口容量与最大人口容量之比来评估单位生产效率：

$$SUR_i = \frac{\sum_{t=1}^{T} \text{supply_used}_i(t)}{\sum_{t=1}^{T} \text{supply_cap}_i(t)} \tag{2}$$

SUR越高，意味着玩家在资源管理和单位生产方面的效率越高。

3.4 决策轨迹跟踪

作为定量评估的补充，DSGBench 引入了一个决策跟踪与行为分析系统，将性能指标与上下文分析相结合，以加深对大语言模型决策的理解。该系统捕捉整个游戏过程中的关键决策点，并将其与实时游戏状态和任务目标关联起来，从而揭示潜在的

Table 4: Presents a detailed decision trajectory analysis of an LLM's gameplay in *StarCraft II* across various stages: Early, Mid, and Mid to Late. The table outlines specific decisions made by the model, including the training of units, building structures, and conducting research. Each entry details the decision-making process, the associated strategy, and suggestions for optimizing performance.

Stage	Trajectory	Step
Early	Decision: 0: <TRAIN PROBE>→1: <BUILD PYLON>→2: <BUILD NEXUS>→3: <TRAIN PROBE>→4: <BUILD ASSIMILATOR> Our Strategy: Expand the number of workers, build additional resource collection structures, and ensure base defense. Suggestions: Focus on building additional Probes to boost resource gathering, construct more Pylons to increase supply cap, and consider expanding to new resource locations.	429
	Decision: 0: <TRAIN STALKER>→1: <BUILD GATEWAY>→2: <TRAIN PROBE>→3: <BUILD ASSIMILATOR> →4: <RESEARCH PROTOSSGROUNDARMORSLEVEL1> Our Strategy: Build a stable economy and gradually advance technology and the army. Suggestions: Continue to build up the economy while gradually increasing army supply and advancing technology to prepare for mid-game engagements.	4629
	Decision: 0: <BUILD GATEWAY>→1: <BUILD SHIELDBATTERY>→2: <TRAIN SENTRY>→3: <RESEARCH PROTOSSGROUNDARMORSLEVEL2>→4: <SCOUTING PROBE> Our Strategy: Build a solid economic foundation, maintain a basic military presence, and invest in early upgrades to enhance force capabilities. Suggestions: Consider diversifying our army composition by introducing more advanced units like Sentries or Adepts to complement the existing Zealots and Stalkers. Focus on scouting to gather intelligence on the enemy's strategy.	7004
Mid	Decision: 0: <TRAIN SENTRY>→1: <BUILD ROBOTICSFACILITY>→2: <TRAIN IMMORTAL>→3: <BUILD ASSIMILATOR>→4: <RESEARCH PROTOSSGROUNDARMORSLEVEL2> Our Strategy: Improve the effectiveness of the army around balanced economy, unit composition and early upgrades. Suggestions: Consider diversifying your unit composition to include more advanced units like Sentries or Immortals to counter potential enemy threats. Additionally, continue upgrading your technology to stay ahead in battles.	8454
	Decision: 0: <TRAIN IMMORTAL>→1: <TRAIN OBSERVER>→2: <TRAIN VOIDRAY>→3: <BUILD GATEWAY>→4: <BUILD ASSIMILATOR> Our Strategy: Focus on a mix of ground and air units, supported by upgrades. We are also investing in infrastructure for advanced unit production. Suggestions: Consider diversifying our army composition by training units from the Robotics Facility and Stargates to counter a wider range of enemy units.	9554
	Decision: 0: <TRAIN HIGHTEMPLAR>→1: <BUILD ROBOTICSBAY>→2: <RESEARCH EXTENDEDTHERMALLANCE>→3: <BUILD ASSIMILATOR>→4: <TRAIN OBSERVER> Our Strategy: Focus on upgrading units and technology while maintaining a balanced economy and military composition. Suggestions: Consider expanding unit diversity by incorporating more advanced units like Colossi or High Templars to enhance our army's capabilities. Additionally, focus on tech upgrades to stay ahead in battles.	10529
Mid to Late	Decision: 0: <BUILD GATEWAY>→1: <BUILD PHOTONCANNON>→2: <TRAIN STALKER>→3: <RESEARCH PROTOSSAIRARMORSLEVEL2>→4: <EXPAND TO NEW RESOURCE LOCATION> Our Strategy: Around the mix of gateway units and technical units such as Stalkers, Immorals, and Voidray. Suggestions: Enhance our unit composition by adding more production structures like Gateways to increase unit production capacity. Consider expanding tech options to counter potential enemy strategies effectively.	14129
	Decision: 0: <TRAIN STALKER>→1: <BUILD GATEWAY>→2: <BUILD SHIELDBATTERY>→3: <RESEARCH PROTOSSGROUNDARMORSLEVEL2>→4: <SCOUTING OBSERVER> Our Strategy: Around the unit diversity and balance method of technological progress. The emphasis on stalkers suggests a flexible military composition capable of handling a variety of threats. Suggestions: Consider diversifying our unit composition further to adapt to potential enemy strategies. Focus on maintaining map control and scouting to stay ahead of the opponent.	17554
	Decision: 0: <TRAIN STALKER>→1: <BUILD GATEWAY>→2: <CHRONOBOOST CYBERNETICSCORE>→3: <RESEARCH PROTOSSAIRWEAPONSLEVEL2>→4: <TRAIN IMMORTAL> Our Strategy: Focus on balanced unit composition and technology upgrades to improve the effectiveness of our forces. Suggestions: Consider diversifying our army composition further to counter the enemy's Stalkers effectively. Focus on unit production and upgrades to strengthen our army.	20929



(a) SP - EER (b) RTDM - EPM (c) AL - GA

Figure 2: Performance indicators for evaluating LLM capabilities in *StarCraft II*: (a) Strategic Planning - EER (Efficiency of Resource Utilization), (b) Real-Time Decision-Making - EPM (Effective Actions Per Minute), and (c) Adaptive Learning - GA (Grounding Accuracy). Each graph displays the performance trends of different game sessions ($Game_0$, $Game_1$, $Game_2$, $Game_3$) over time steps.

strategic reasoning patterns. Specifically, the analytical framework consists of three core components: (1) action types that categorize specific decisions, such as resource allocation and unit production; (2) decision contexts that capture the game state and objectives at each decision point; and (3) outcomes that assess the impact of decisions on game progression.

We employ a two-layered action classification approach that infers decisions from the game API, enhanced by domain-specific heuristics. For each decision, DSGBench records observable game states, including unit configurations, resource reserves, and historical events, along with opponent actions within a sliding window. Intermediate goals inferred from the LLM's chain-of-thought outputs are also captured, enabling rapid identification of critical decision points and issues. This

表4：详细展示了大语言模型在星际争霸*II*前期、中期及中后期各阶段玩法中的决策轨迹分析。该表列出了模型做出的具体决策，包括训练部队、建造建筑和开展研究。每条记录均详细说明了决策过程、相关策略及性能优化建议。

阶段	轨迹	Step
前期	决策：0: 我们的策略：增加工人数量，建造更多资源采集建筑，并确保基地防御。建议：重点进行建造增加探机以提升资源采集效率，建造更多水晶塔以提高人口上限，并考虑向新的资源点扩张。	429
	决策：0: <→4: <研究星灵地面单位护甲等级1> 我方策略：建立稳定的经济，逐步发展科技和陆军。建议：继续发展经济，同时逐步增加部队人口并发展科技，为中期交战做好准备。	4629
	决策：0: <MORSLEVEL2>→4: <侦察探机> 我方策略：建立稳固的经济基础，保持基本的军事存在，并投入资源进行前期升级，以增强部队实力。建议：考虑引入更多高级单位，使我方部队构成更加多样化例如哨兵或使徒，以配合现有的狂热者和追猎者。注重侦察，收集有关敌方策略的情报。	7004
Mid	决策：0: 4: <研究星灵地面护甲等级2> 我们的策略：围绕均衡的经济、兵种组合来提升陆军的作战效能以及前期升级。建议：考虑丰富你的兵种组合，加入更多高级单位，如哨兵或不朽者，以应对潜在的敌方威胁。此外，持续升级你的科技，以在战斗中保持领先。	8454
	决策：0: 我们的策略：注重地面与空中单位的混合搭配，并通过升级提供支援。我们还在投资建设用于高级单位生产的基础设施。建议：考虑通过机械台和星门训练部队，丰富我们的部队构成，以应对更多种类的敌方部队。	9554
	决策：0: <→4: <训练观察者> 我们的策略：重点升级部队和科技，同时保持经济与部队构成的均衡。建议：考虑引入巨像或高阶圣堂武士等更多高级单位，增加兵种多样性，以增强我方陆军的作战能力。此外，重点关注科技升级，以在战斗中保持领先。	10529
中后期	决策：0: →4: <扩张至新资源点> 我方策略：以传送门单位与追猎者、不朽者、虚空辉光舰等科技单位的混合编成为核心。建议：增建传送门等生产建筑，提高单位生产能力，完善我方兵种组合。考虑拓展科技选择以有效应对潜在的敌方策略。	14129
	决策：0: →4: <侦察 观察者> 我方策略：围绕兵种多样性与科技发展之间的平衡展开。侧重追猎者表明采用了灵活的部队构成，能够应对各种威胁。建议：考虑进一步丰富我方兵种组合，以适应潜在的敌方策略。注重保持地图控制并开展侦察，以保持对对手的领先优势。	17554
	决策：0: <等级2>→4: <训练不朽者> 我们的策略：注重均衡的兵种组合和科技升级，以提高我方部队的作战效能。建议：考虑进一步丰富我方部队构成，以有效克制敌方的追猎者。注重单位生产和升级，以增强我方陆军的战斗力。	20929



(a) 战略规划 - EER (b) 实时决策 - 每分钟有效操作次数 (c) 自适应学习 - 扎根准确率

图2：用于评估大语言模型在星际争霸*II*中能力的性能指标：(a) 战略规划 - EER（资源利用效率），(b) 实时决策 - 每分钟有效操作次数（每分钟有效操作数），以及 (c) 自适应学习 - GA（落地准确率）。每张图展示了不同游戏对局（对局$_0$,对局$_1$,对局$_2$,对局$_3$）随时间步变化的性能趋势。

战略推理模式。具体而言，该分析框架由三个核心组成部分构成：（1）动作类型，用于对资源分配和单位生产等具体决策进行分类；（2）决策情境，用于记录每个决策点的游戏状态和目标；（3）结果，用于评估决策对游戏进程的影响。

我们采用双层动作分类方法，通过游戏API推断决策，并辅以领域专用启发式规则。对于每项决策，DSGBench都会记录可观测的游戏状态，包括单位配置、资源储备和历史事件，以及滑动窗口内的对手动作。同时，还会记录从大语言模型的思维链输出中推断出的中间目标，从而能够快速识别关键决策点和问题。这种

Table 5: Performance evaluation of closed-sourced and open-sourced models across five cognitive dimensions. The table includes the mean and standard deviation of scores for each model. Each score represents the average of ten match runs in each scenario, as defined in A.2. The Overall score is a weighted sum of the scores across all dimensions. *Note: Llama-3.1-8B-Instruct is unable to follow instructions and generate valid actions, resulting in scores of zero in certain scenarios.*

Model	Strategic Planning	Real-Time Decision-Making	Social Reasoning	Team Collaboration	Adaptive Learning	Overall
Closed-Sourced Models						
Gemini 1.5 Flash	**72.88** ± **2.12**	48.45 ± 1.42	60.17 ± 1.82	22.46 ± 3.35	64.23 ± 1.39	**56.16** ± **1.70**
GPT-3.5 Turbo	32.94 ± 0.22	52.32 ± 2.54	74.25 ± 9.52	26.18 ± 7.97	47.68 ± 1.04	47.01 ± 3.02
GPT-4o	54.59 ± 6.69	40.47 ± 1.76	**83.27** ± **2.20**	**34.31** ± **1.86**	52.79 ± 1.86	54.10 ± 1.14
Open-Sourced Models						
DeepSeek-V2.5	51.92 ± 5.27	46.97 ± 1.57	68.23 ± 2.62	26.85 ± 3.02	**68.50** ± **1.82**	53.75 ± 1.72
Llama-3.1-70B-Instruct	51.47 ± 2.48	**66.35** ± **1.54**	40.78 ± 4.81	26.33 ± 3.63	34.35 ± 1.72	45.11 ± 1.30
Llama-3.1-8B-Instruct	0.00 ± 0.00	36.99 ± 1.12	0.00 ± 0.00	0.00 ± 0.00	17.72 ± 0.19	10.94 ± 0.24

approach reveals the decision-making logic of LLM-based agents and lays the foundation for further optimisation. As shown in Figure 2 and Table 4, these insights offer a more precise understanding of the evolution of LLM decision-making. *StarCraft II* serves as an example. The figure presents a visual representation of decision trends, and the table provides specific data points explaining the rationale behind key actions. More detailed analysis and examples can be found in Appendix D.

4 Experiments

This section presents the results of the evaluation of the six representative LLMs on DSGBench. The following subsections describe the evaluation setup, the main experimental results, and both quantitative and qualitative results that highlight the strengths and limitations of the models.

4.1 Evaluation Setup

We evaluated six representative LLMs on DSGBench, including closed-source models (GPT-4o[OpenAI, 2024], GPT-3.5-Turbo[OpenAI, 2023], Gemini 1.5 Flash[Reid *et al.*, 2024]) and open-source models (DeepSeek-V2.5[DeepSeek-AI, 2024], Llama-3.1-8B-Instruct and Llama-3.1-70B-Instruct[Dubey *et al.*, 2024]). All models were assessed using standardized prompts without fine-tuning across six game environments. For prompt engineering, we adopted existing prompt templates for established game environments (*StarCraft II*[Ma *et al.*, 2023b], *Civilization*[Qi *et al.*, 2024], *Diplomacy*[Mukobi *et al.*, 2023], *Werewolf* [Bailis *et al.*, 2024b], and *Street Fighter III*[Wikipedia, 2024b]), while developing custom prompt structures and reasoning frameworks for *Stratego*[Wikipedia, 2024a]. To ensure consistency and fairness, each game was interfaced through a unified text-based interaction loop, as detailed in Appendix B.2, and models competed in 10 matches per scenario against either built-in AIs or GPT-4o-mini. The temperature was fixed at 0.2 to balance determinism and reasoning.

As demonstrated in Table 3, our benchmark facilitates precise control over a range of scenario variables, including opponent behaviour patterns, interaction paradigms (e.g., synchronous vs. asynchronous), prompt engineering approaches, and reasoning strategies. These variables can be customised to align with the distinct characteristics inherent in each game type. Further details on scenario configurations, prompt engineering, and evaluation metrics are provided in Appendix E.

4.2 Quantitative Results

Fine-grained capability metrics reveal distinct patterns in model performance across different cognitive dimensions. The comprehensive evaluation framework, encompassing strategic planning, real-time decision-making, social reasoning, team collaboration, and adaptive learning, demonstrates that models exhibit specialised strengths rather than uniform capabilities. This specialised performance is particularly evident in the case of Gemini 1.5 Flash [Reid *et al.*, 2024], which achieves exceptional results in strategic planning (72.88) and adaptive learning (64.23), while showing limitations in real-time decision-making (48.45). In contrast, GPT-4o [OpenAI, 2024] exhibits a more balanced set of capabilities across various metrics. It demonstrates a particularly strong performance

表5：闭源模型与开源模型在五个认知维度上的性能评估。表中列出了各模型得分的均值和标准差。每项得分均为各场景下十次比赛运行的平均值，具体定义见A.2。综合得分为所有维度得分的加权和。注：*Llama-3.1-8B-Instruct* 无法遵循指令并生成有效操作，导致其在某些场景中的得分为零。

模型	战略规划	实时决策	社会推理	团队协作	自适应学习	总体
闭源模型						
Gemini 1.5 Flash	**72.88** ± **2.12**	48.45 ± 1.42	60.17 ± 1.82	22.46 ± 3.35	64.23 ± 1.39	**56.16** ± **1.70**
GPT-3.5 Turbo	32.94 ± 0.22	52.32 ± 2.54	74.25 ± 9.52	26.18 ± 7.97	47.68 ± 1.04	47.01 ± 3.02
GPT-4o	54.59 ± 6.69	40.47 ± 1.76	**83.27** ± **2.20**	**34.31** ± **1.86**	52.79 ± 1.86	54.10 ± 1.14
开源模型						
DeepSeek-V2.5	51.92 ± 5.27	46.97 ± 1.57	68.23 ± 2.62	26.85 ± 3.02	**68.50** ± **1.82**	53.75 ± 1.72
Llama-3.1-70B-Instruct	51.47 ± 2.48	**66.35** ± **1.54**	40.78 ± 4.81	26.33 ± 3.63	34.35 ± 1.72	45.11 ± 1.30
Llama-3.1-8B-Instruct	0.00 ± 0.00	36.99 ± 1.12	0.00 ± 0.00	0.00 ± 0.00	17.72 ± 0.19	10.94 ± 0.24

方法揭示了基于大语言模型的智能体的决策逻辑，并为进一步优化奠定了基础。如图2和表4所示，这些洞见有助于更精确地理解大语言模型决策的演变。这里以星际争霸*II* 为例。该图直观展示了决策趋势，而表格则提供了具体数据点，解释关键操作背后的依据。更详细的分析和示例见附录D。

4 实验

本节介绍六个具有代表性的大语言模型在 DSGBench 上的评估结果。以下各小节将介绍评估布局、主要实验结果，以及反映模型优势与局限性的定量和定性结果。

4.1 评估布局

我们在 DSGBench 上评估了六个具有代表性的大语言模型，包括闭源模型（GPT-4o[OpenAI， 2024], GPT-3.5-Turbo[OpenAI， 2023], Gemini 1.5 Flash[Reid等人， 2024]）和开源模型（DeepSeek-V2.5[DeepSeek-AI， 2024], Llama-3.1-8B-Instruct 和 Llama-3.1-70B-Instruct[Dubey 等人， 2024]）。所有模型均未经过微调，而是使用标准化提示词在六种游戏环境中接受评估。在提示词工程方面，我们为已有的游戏环境采用了现有提示词模板（星际争霸*II*[Ma 等人，2023b], 文明[Qi等人， 2024], 外交[Mukobi 等人， 2023], 狼人杀 [Bailis 等人，2024b], 以及 街头霸王*III*[维基百科，2024b]），同时为陆战棋[维基百科，2024a]开发了定制的提示词结构和推理框架。为确保一致性和公平性，每款游戏均通过统一的基于文本的交互循环进行交互，具体见附录 B.2；在每个场景中，模型均与内置人工智能或 GPT-4o-mini 进行 10 场对局。温度固定为 0.2，以平衡确定性与推理。

如表3所示，我们的基准测试支持对一系列场景变量进行精确控制，包括对手行为模式、交互范式（例如同步与异步）、提示工程方法和推理策略。这些变量可根据各类游戏的固有特征进行定制。有关场景配置、提示词工程和评估指标的更多详细信息，请参见附录E。

4.2 定量结果

细粒度能力指标揭示了模型在不同认知维度上的表现具有鲜明的模式。涵盖战略规划、实时决策、社会推理、团队协作和自适应学习的综合评估框架表明，模型展现出的是特定领域的优势，而非均衡一致的能力。这种专长化表现，在 Gemini 1.5 Flash [Reid 等人，2024], 的案例中尤为明显：该模型在战略规划（72.88）和自适应学习（64.23）方面取得了出色的成绩，但在实时决策（48.45）方面存在局限。相比之下，GPT-4o [OpenAI, 2024] 在各项指标上展现出更为均衡的能力。它的表现尤为突出

in social reasoning (83.27) and team collaboration (34.31), along with consistent scores above 40 in other dimensions.

The performance analysis reveals a substantial capability gap between closed-source and open-source models. Closed-source models have been shown to demonstrate superior performance, with Gemini 1.5 Flash [Reid *et al.*, 2024] and GPT-4o [OpenAI, 2024] achieving overall scores of 56.16 and 54.10, respectively. In contrast, open-source alternatives such as DeepSeek-V2.5[DeepSeek-AI, 2024] and Llama-3.1-70B-Instruct [Dubey *et al.*, 2024] achieve significantly lower overall scores of 53.75 and 45.11, respectively. The most pronounced disparity is observed in strategic planning tasks, where Gemini 1.5 Flash[Reid *et al.*, 2024] (72.88) significantly outperforms Llama-3.1-70B-Instruct[Dubey *et al.*, 2024] (51.47). However, in specific scenarios such as StarCraft's real-time decision-making, open-source models can achieve competitive performance, as demonstrated by Llama-3.1-70B-Instruct's[Dubey *et al.*, 2024] high score in that dimension.

Game-specific analysis further illuminates the relationship between model architecture and task performance. In strategic games such as *Civilization*, closed-source models demonstrate clear advantages, with Gemini 1.5 Flash[Reid *et al.*, 2024] achieving a high score of 72.88 in strategic planning. Conversely, GPT-3.5 Turbo[OpenAI, 2023] exhibits diminished efficacy in this domain, attaining a score of 32.94. In contrast, in real-time gaming environments, where the speed of decision-making is paramount, models such as Llama-3.1-70B-Instruct demonstrate superior performance with a score of 66.35 in real-time decision-making. The observed variance in performance across different game types suggests that current Agent architectures may be optimised for specific cognitive tasks, potentially at the expense of others.

4.3 Qualitative Analysis

Our comprehensive analysis of decision trajectories generated by LLM-based agents across the diverse suite of games within DSGBench has revealed several recurrent, systemic limitations in their decision-making capabilities. These limitations, while varying in manifestation across different game genres and complexities, point to fundamental challenges in current LLM architectures when applied to strategic environments. We briefly outline three primary limitations here, with detailed empirical evidence and case studies provided in D.

Difficulty balancing long-term planning with immediate decision-making. LLM-based agents set long-term goals such as economic growth and technological advancement in games like StarCraft II. However, they often struggle to adapt to immediate tactical needs, sticking to predetermined strategies while missing opportunities to respond to emerging threats or capitalize on fleeting advantages. This reveals a challenge in integrating long-term goals with dynamic, short-term demands. Further analysis of this issue is provided in 3.4 and D.1.

Challenges handling incomplete information and multi-hop inference, especially in games like Stratego. In these environments, decision-making depends on inferring hidden pieces and predicting future moves. LLM-based agents frequently make decisions based on incomplete inferences, often failing to revise their beliefs when new information surfaces. This limits their ability to make strategic decisions in situations requiring predictions from partial data. Further analysis of this issue is provided in D.2.

Difficulty overcoming memory limitations in long horizon tasks. In social deduction games like Diplomacy, success relies on remembering past interactions, understanding other agents' intentions, and adapting strategies. LLM-based agents often fail to maintain a consistent memory of key events, leading to inconsistent decisions and repetitive strategies that can be exploited by more adaptive opponents. Further analysis of this issue is provided in D.3.

5 Conclusion

We introduce DSGBench, a comprehensive benchmark designed to evaluate the strategic decision-making capabilities of LLM-based agents in diverse and dynamic gaming environments. In this paper, we assess LLM-based agents based on key cognitive decision-making dimensions from human cognition and propose an integrated evaluation approach. Under standardized settings, we systematically evaluate the performance of six representative LLM-based agents in complex strategic environments. Through fine-grained evaluation metrics and decision trajectory analysis, we reveal

体现在社会推理（83.27）和团队协作（34.31）方面，同时在其他维度上的得分均稳定在 40 分以上。

性能分析表明，闭源模型与开源模型之间存在显著的能力差距。闭源模型展现出更优异的性能，其中 Gemini 1.5 Flash [Reid 等人， 2024]和 GPT-4o [OpenAI， 2024] 的综合得分分别达到 56.16 和 54.10。相比之下，DeepSeek-V25[DeepSeek-AI，2024] 和 Llama-3.1-70B-Instruct [Dubey 等人， 2024]等开源模型的综合得分明显较低，分别为 53.75 和 45.11。最显著的差距出现在战略规划任务中，Gemini 1.5 Flash[Reid 等人， 2024]（72.88）的表现显著优于 Llama-3.1-70B-Instruct[Dubey 等人， 2024]（51.47）。然而，在《星际争霸》的实时决策等特定场景中，开源模型也能取得具有竞争力的表现，Llama-3.1-70B-Instruct[Dubey等人， 2024] 在该维度的高得分便证明了这一点。
针对具体游戏的分析进一步揭示了模型架构与任务表现之间的关系。在文明等策略博弈中，闭源模型展现出明显优势，其中 Gemini 1.5 Flash[Reid等人， 2024] 在战略规划中取得了 72.88 的高分。相反，GPT-3.5 Turbo[OpenAI， 2023] 在这一领域的表现较弱，得分为 32.94。相比之下，在决策速度至关重要的实时游戏环境中，Llama-3.1-70B-Instruct 等模型表现更为出色，在实时决策中取得了 66.35 的得分。不同游戏类型之间的表现差异表明，当前的智能体架构可能针对特定认知任务进行了优化，而这可能以牺牲其他任务的表现为代价。

4.3 定性分析

我们全面分析了基于大语言模型的智能体在 DSGBench 多样化游戏集合中生成的决策轨迹，揭示了其决策能力中反复出现的若干系统性局限。尽管这些局限在不同游戏类型和复杂程度下的表现形式有所不同，但它们都指向当前大语言模型架构应用于战略环境时面临的根本性挑战。我们在此简要概述三个主要局限，详细的实证证据和案例研究见附录 D。

难以平衡长期规划与即时决策。在星际争霸II等游戏中，基于大语言模型的智能体会设定经济增长和技术进步等长期目标。然而，它们往往难以适应即时战术需求，固守预定策略，错失应对新威胁或利用转瞬即逝的优势的机会。这表明，将长期目标与动态变化的短期需求相结合仍是一项挑战。第3.4节和附录D.1对此问题进行了进一步分析。

在处理不完全信息和进行多跳推理方面面临挑战，在陆战棋等游戏中尤为明显。在这些环境中，决策依赖于推断隐藏棋子的身份以及预测未来着法。基于大语言模型的智能体经常依据不完整推断做出决策，且往往未能在新信息出现时修正自身判断。这限制了它们在需要根据部分数据进行预测的情境中做出战略决策的能力。附录D.2对此问题进行了进一步分析。

难以克服长时程任务中的记忆局限。在强权外交等社交推理游戏中，成功依赖于记住过往互动、理解其他智能体的意图以及调整策略。基于大语言模型的智能体往往无法保持对关键事件的一致记忆，导致决策前后不一、策略重复，从而被适应能力更强的对手利用。附录D.3对此问题进行了进一步分析。

5 结论

我们推出了 DSGBench，这是一个综合性基准测试，旨在评估基于大语言模型的智能体在多样且动态的游戏环境中的战略决策能力。本文依据源自人类认知的关键认知决策维度，对基于大语言模型的智能体进行评估，并提出一种综合评估方法。在标准化设置下，我们系统地评估了六种具有代表性的基于大语言模型的智能体在复杂战略环境中的表现。通过细粒度评估指标和决策轨迹分析，我们揭示了

the strengths and weaknesses of agents in various scenarios. Experimental results show significant differences across multiple ability dimensions. Additionally, we have established a unified evaluation framework that supports the integration of new games and the customization and expansion of new game scenarios. DSGBench enables us to select the most suitable agents for specific tasks or those with strengths in certain capabilities. We hope that DSGBench will see widespread application, as strategic gaming itself is an evolving process. Agents can continuously learn and evolve through interaction with opponents, making game-based evaluation methods virtually limitless in potential.

智能体在各类场景中的优势与不足。实验结果表明，它们在多个能力维度上存在显著差异。此外，我们建立了统一评估框架，可集成新游戏，并支持新游戏场景的定制与扩张。
DSGBench 使我们能够针对特定任务选择最合适的智能体，或选择在某些能力方面具有优势的智能体。我们希望 DSGBench 能够得到广泛应用，因为策略博弈本身就是一个不断演进的过程。智能体可以通过与对手互动持续学习和演进，使基于游戏的评估方法具有近乎无限的潜力。

10

References

Yushi Bai, Xin Lv, Jiajie Zhang, Hongchang Lyu, Jiankai Tang, Zhidian Huang, Zhengxiao Du, Xiao Liu, Aohan Zeng, Lei Hou, et al. Longbench: A bilingual, multitask benchmark for long context understanding. *arXiv preprint arXiv:2308.14508*, 2023.

Suma Bailis, Jane Friedhoff, and Feiyang Chen. Werewolf arena: A case study in llm evaluation via social deduction. *arXiv preprint arXiv:2407.13943*, 2024.

Suma Bailis, Jane Friedhoff, and Feiyang Chen. Werewolf arena: A case study in llm evaluation via social deduction. *arXiv preprint arXiv:2407.13943*, 2024.

Yupeng Chang, Xu Wang, Jindong Wang, Yuan Wu, Linyi Yang, Kaijie Zhu, Hao Chen, Xiaoyuan Yi, Cunxiang Wang, Yidong Wang, et al. A survey on evaluation of large language models. *ACM Transactions on Intelligent Systems and Technology*, 15(3):1–45, 2024.

Anthony Costarelli, Mat Allen, Roman Hauksson, Grace Sodunke, Suhas Hariharan, Carlson Cheng, Wenjie Li, and Arjun Yadav. Gamebench: Evaluating strategic reasoning abilities of llm agents. *arXiv preprint arXiv:2406.06613*, 2024.

DeepSeek-AI. Deepseek-v2: A strong, economical, and efficient mixture-of-experts language model, 2024.

Jinhao Duan, Renming Zhang, James Diffenderfer, Bhavya Kailkhura, Lichao Sun, Elias Stengel-Eskin, Mohit Bansal, Tianlong Chen, and Kaidi Xu. Gtbench: Uncovering the strategic reasoning limitations of llms via game-theoretic evaluations. *arXiv preprint arXiv:2402.12348*, 2024.

Abhimanyu Dubey, Abhinav Jauhri, Abhinav Pandey, Abhishek Kadian, Ahmad Al-Dahle, Aiesha Letman, Akhil Mathur, Alan Schelten, Amy Yang, Angela Fan, et al. The llama 3 herd of models. *arXiv preprint arXiv:2407.21783*, 2024.

Ward Edwards. Dynamic decision theory and probabilistic information processings. *Human factors*, 4(2):59–74, 1962.

Meta Fundamental AI Research Diplomacy Team (FAIR)†, Anton Bakhtin, Noam Brown, Emily Dinan, Gabriele Farina, Colin Flaherty, Daniel Fried, Andrew Goff, Jonathan Gray, Hengyuan Hu, et al. Human-level play in the game of diplomacy by combining language models with strategic reasoning. *Science*, 378(6624):1067–1074, 2022.

Kanishk Gandhi, Dorsa Sadigh, and Noah D Goodman. Strategic reasoning with language models. *arXiv preprint arXiv:2305.19165*, 2023.

Shao-Xiang Go, Yu Jiang, and Desmond K Loke. A phase-change memristive reinforcement learning for rapidly outperforming champion street-fighter players. *Advanced Intelligent Systems*, 5(11):2300335, 2023.

Shibo Hao, Yi Gu, Haodi Ma, Joshua Jiahua Hong, Zhen Wang, Daisy Zhe Wang, and Zhiting Hu. Reasoning with language model is planning with world model. *arXiv preprint arXiv:2305.14992*, 2023.

Shibo Hao, Yi Gu, Haotian Luo, Tianyang Liu, Xiyan Shao, Xinyuan Wang, Shuhua Xie, Haodi Ma, Adithya Samavedhi, Qiyue Gao, et al. Llm reasoners: New evaluation, library, and analysis of step-by-step reasoning with large language models. *arXiv preprint arXiv:2404.05221*, 2024.

Jianliang He, Siyu Chen, Fengzhuo Zhang, and Zhuoran Yang. From words to actions: Unveiling the theoretical underpinnings of llm-driven autonomous systems. *arXiv preprint arXiv:2405.19883*, 2024.

Sirui Hong, Xiawu Zheng, Jonathan Chen, Yuheng Cheng, Jinlin Wang, Ceyao Zhang, Zili Wang, Steven Ka Shing Yau, Zijuan Lin, Liyang Zhou, et al. Metagpt: Meta programming for multi-agent collaborative framework. *arXiv preprint arXiv:2308.00352*, 2023.

Sihao Hu, Tiansheng Huang, Fatih Ilhan, Selim Tekin, Gaowen Liu, Ramana Kompella, and Ling Liu. A survey on large language model-based game agents. *arXiv preprint arXiv:2404.02039*, 2024.

参考文献

Yushi Bai、Xin Lv、Jiajie Zhang、Hongchang Lyu、Jiankai Tang、Zhidian Huang、Zhengxiao Du、Xiao Liu、Aohan Zeng、Lei Hou 等。LongBench：面向长上下文理解的双语多任务基准。*arXiv* 预印本 *arXiv:2308.14508*，2023年。Suma Bailis、Jane Friedhoff 和 Feiyang Chen。狼人杀竞技场：通过社会推理开展大语言模型评估的案例研究。*arXiv* 预印本 *arXiv:2407.13943*，2024年。Suma Bailis、Jane Friedhoff 和 Feiyang Chen。狼人杀竞技场：通过社会推理开展大语言模型评估的案例研究。*arXiv* 预印本 *arXiv:2407.13943*，2024年。Yupeng Chang、Xu Wang、Jindong Wang、Yuan Wu、Linyi Yang、Kaijie Zhu、Hao Chen、Xiaoyuan Yi、Cunxiang Wang、Yidong Wang 等。大语言模型评估综述。*ACM*智能系统与技术汇刊，15(3):1–45，2024年。Anthony Costarelli、Mat Allen、Roman Hauksson、Grace Sodunke、Suhas Hariharan、Carlson Cheng、Wenjie Li 和 Arjun Yadav。GameBench：评估大语言模型智能体的策略推理技能。*arXiv* 预印本 *arXiv:2406.06613*，2024年。DeepSeek-AI。DeepSeek-V2：一种强大、经济且高效的混合专家语言模型，2024年。Jinhao Duan、Renming Zhang、James Diffenderfer、Bhavya Kailkhura、Lichao Sun、Elias Stengel-Eskin、Mohit Bansal、Tianlong Chen 和 Kaidi Xu。GTBench：通过博弈论评估揭示大语言模型的策略推理局限。*arXiv* 预印本 *arXiv:2402.12348*，2024年。Abhimanyu Dubey、Abhinav Jauhri、Abhinav Pandey、Abhishek Kadian、Ahmad Al-Dahle、Aiesha Letman、Akhil Mathur、Alan Schelten、Amy Yang、Angela Fan 等。Llama 3 模型家族。*arXiv* 预印本 *arXiv:2407.21783*，2024年。Ward Edwards。动态决策理论与概率信息处理。人因，4(2):59–74，1962年。Meta基础人工智能研究外交棋团队（FAIR）†、Anton Bakhtin、Noam Brown、Emily Dinan、Gabriele Farina、Colin Flaherty、Daniel Fried、Andrew Goff、Jonathan Gray、Hengyuan Hu 等。结合语言模型与策略推理，在强权外交游戏中达到人类水平。科学，378(6624):1067–1074，2022年。Kanishk Gandhi、Dorsa Sadigh 和 Noah D Goodman。利用语言模型进行策略推理。*arXiv* 预印本 *arXiv:2305.19165*，2023年。Shao-Xiang Go、Yu Jiang 和 Desmond K Loke。一种用于快速超越街头霸王冠军玩家的相变忆阻强化学习方法。先进智能系统，5(11):2300335，2023年。Shibo Hao、Yi Gu、Haodi Ma、Joshua Jiahua Hong、Zhen Wang、Daisy Zhe Wang 和 Zhiting Hu。利用语言模型进行推理就是利用世界模型进行规划。*arXiv* 预印本 *arXiv:2305.14992*，2023年。Shibo Hao、Yi Gu、Haotian Luo、Tianyang Liu、Xiyan Shao、Xinyuan Wang、Shuhua Xie、Haodi Ma、Adithya Samavedhi、Qiyue Gao 等。LLM Reasoners：大语言模型逐步推理的新评估、工具库与分析。*arXiv* 预印本 *arXiv:2404.05221*，2024年。Jianliang He、Siyu Chen、Fengzhuo Zhang 和 Zhuoran Yang。从语言到操作：揭示大语言模型驱动的自主系统的理论基础。*arXiv* 预印本 *arXiv:2405.19883*，2024年。Sirui Hong、Xiawu Zheng、Jonathan Chen、Yuheng Cheng、Jinlin Wang、Ceyao Zhang、Zili Wang、Steven Ka Shing Yau、Zijuan Lin、Liyang Zhou 等。MetaGPT：面向多智能体协作框架的元编程。*arXiv* 预印本 *arXiv:2308.00352*，2023年。Sihao Hu、Tiansheng Huang、Fatih Ilhan、Selim Tekin、Gaowen Liu、Ramana Kompella 和 Ling Liu。基于大语言模型的游戏智能体综述。*arXiv* 预印本 *arXiv:2404.02039*，2024年。

Sihao Hu, Tiansheng Huang, Gaowen Liu, Ramana Rao Kompella, Fatih Ilhan, Selim Furkan Tekin, Yichang Xu, Zachary Yahn, and Ling Liu. A survey on large language model-based game agents, 2025.

Yuzhen Huang, Yuzhuo Bai, Zhihao Zhu, Junlei Zhang, Jinghan Zhang, Tangjun Su, Junteng Liu, Chuancheng Lv, Yikai Zhang, Yao Fu, et al. C-eval: A multi-level multi-discipline chinese evaluation suite for foundation models. *Advances in Neural Information Processing Systems*, 36, 2024.

Edwin Hutchins. *Cognition in the Wild*. MIT press, 1995.

Juyong Jiang, Fan Wang, Jiasi Shen, Sungju Kim, and Sunghun Kim. A survey on large language models for code generation. *arXiv preprint arXiv:2406.00515*, 2024.

Daniel Kahneman. *Thinking, fast and slow*. macmillan, 2011.

Zhao Kaiya, Michelangelo Naim, Jovana Kondic, Manuel Cortes, Jiaxin Ge, Shuying Luo, Guangyu Robert Yang, and Andrew Ahn. Lyfe agents: Generative agents for low-cost real-time social interactions. *arXiv preprint arXiv:2310.02172*, 2023.

Hanyu Lai, Xiao Liu, Iat Long Iong, Shuntian Yao, Yuxuan Chen, Pengbo Shen, Hao Yu, Hanchen Zhang, Xiaohan Zhang, Yuxiao Dong, et al. Autowebglm: A large language model-based web navigating agent. In *Proceedings of the 30th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*, pages 5295–5306, 2024.

Xiao Liu, Hao Yu, Hanchen Zhang, Yifan Xu, Xuanyu Lei, Hanyu Lai, Yu Gu, Hangliang Ding, Kaiwen Men, Kejuan Yang, et al. Agentbench: Evaluating llms as agents. *arXiv preprint arXiv:2308.03688*, 2023.

Bang Liu, Xinfeng Li, Jiayi Zhang, Jinlin Wang, Tanjin He, Sirui Hong, Hongzhang Liu, Shaokun Zhang, Kaitao Song, Kunlun Zhu, Yuheng Cheng, Suyuchen Wang, Xiaoqiang Wang, Yuyu Luo, Haibo Jin, Peiyan Zhang, Ollie Liu, Jiaqi Chen, Huan Zhang, Zhaoyang Yu, Haochen Shi, Boyan Li, Dekun Wu, Fengwei Teng, Xiaojun Jia, Jiawei Xu, Jinyu Xiang, Yizhang Lin, Tianming Liu, Tongliang Liu, Yu Su, Huan Sun, Glen Berseth, Jianyun Nie, Ian Foster, Logan Ward, Qingyun Wu, Yu Gu, Mingchen Zhuge, Xiangru Tang, Haohan Wang, Jiaxuan You, Chi Wang, Jian Pei, Qiang Yang, Xiaoliang Qi, and Chenglin Wu. Advances and challenges in foundation agents: From brain-inspired intelligence to evolutionary, collaborative, and safe systems, 2025.

Weiyu Ma, Qirui Mi, Xue Yan, Yuqiao Wu, Runji Lin, Haifeng Zhang, and Jun Wang. Large language models play starcraft ii: Benchmarks and a chain of summarization approach. *arXiv preprint arXiv:2312.11865*, 2023.

Weiyu Ma, Qirui Mi, Yongcheng Zeng, Xue Yan, Yuqiao Wu, Runji Lin, Haifeng Zhang, and Jun Wang. Large language models play starcraft ii: Benchmarks and a chain of summarization approach. *arXiv preprint arXiv:2312.11865*, 2023.

Chang Ma, Junlei Zhang, Zhihao Zhu, Cheng Yang, Yujiu Yang, Yaohui Jin, Zhenzhong Lan, Lingpeng Kong, and Junxian He. Agentboard: An analytical evaluation board of multi-turn llm agents, 2024.

Zhao Mandi, Shreeya Jain, and Shuran Song. Roco: Dialectic multi-robot collaboration with large language models. In *2024 IEEE International Conference on Robotics and Automation (ICRA)*, pages 286–299. IEEE, 2024.

Gabriel Mukobi, Hannah Erlebach, Niklas Lauffer, Lewis Hammond, Alan Chan, and Jesse Clifton. Welfare diplomacy: Benchmarking language model cooperation. *arXiv preprint arXiv:2310.08901*, 2023.

Erik Nijkamp, Bo Pang, Hiroaki Hayashi, Lifu Tu, Huan Wang, Yingbo Zhou, Silvio Savarese, and Caiming Xiong. Codegen: An open large language model for code with multi-turn program synthesis. *arXiv preprint arXiv:2203.13474*, 2022.

OpenAI. Gpt-3.5 turbo. https://platform.openai.com/docs/models/gpt-3-5, 2023.

Sihao Hu、Tiansheng Huang、Gaowen Liu、Ramana Rao Kompella、Fatih Ilhan、Selim Furkan Tekin、Yichang Xu、Zachary Yahn 和 Ling Liu。基于大语言模型的游戏智能体综述，2025年。Yuzhen Huang、Yuzhuo Bai、Zhihao Zhu、Junlei Zhang、Jinghan Zhang、Tangjun Su、Junteng Liu、Chuancheng Lv、Yikai Zhang、Yao Fu 等。C-eval：面向基础模型的多层次、多学科中文评测套件。神经信息处理系统进展，36，2024年。埃德温·哈钦斯。野外认知。麻省理工学院出版社，1995年。Juyong Jiang、Fan Wang、Jiasi Shen、Sungju Kim 和 Sunghun Kim。用于代码生成的大语言模型综述。*arXiv* 预印本 *arXiv:2406.00515*，2024年。

丹尼尔·卡尼曼。思考，快与慢。麦克米伦出版社，2011年。

Zhao Kaiya、Michelangelo Naim、Jovana Kondic、Manuel Cortes、Jiaxin Ge、Shuying Luo、Guangyu Robert Yang和Andrew Ahn。Lyfe智能体：用于低成本实时社交互动的生成式智能体。*arXiv*预印本 *arXiv:2310.02172*，2023年。Hanyu Lai、Xiao Liu、Iat Long Iong、Shuntian Yao、Yuxuan Chen、Pengbo Shen、Hao Yu、Hanchen Zhang、Xiaohan Zhang、Yuxiao Dong等。Autowebglm：基于大语言模型的网页导航智能体。载于第*30*届*ACM SIGKDD*知识发现与数据挖掘会议论文集，第5295–5306页，2024年。Xiao Liu、Hao Yu、Hanchen Zhang、Yifan Xu、Xuanyu Lei、Hanyu Lai、Yu Gu、Hangliang Ding、Kaiwen Men、Kejuan Yang等。AgentBench：评估作为智能体的大语言模型。*arXiv*预印本 *arXiv:2308.03688*，2023年。

Bang Liu、Xinfeng Li、Jiayi Zhang、Jinlin Wang、Tanjin He、Sirui Hong、Hongzhang Liu、Shaokun Zhang、Kaitao Song、Kunlun Zhu、Yuheng Cheng、Suyuchen Wang、Xiaoqiang Wang、Yuyu Luo、Haibo Jin、Peiyan Zhang、Ollie Liu、Jiaqi Chen、Huan Zhang、Zhaoyang Yu、Haochen Shi、Boyan Li、Dekun Wu、Fengwei Teng、Xiaojun Jia、Jiawei Xu、Jinyu Xiang、Yizhang Lin、Tianming Liu、Tongliang Liu、Yu Su、Huan Sun、Glen Berseth、Jianyun Nie、伊恩·福斯特、Logan Ward、Qingyun Wu、Yu Gu、Mingchen Zhuge、Xiangru Tang、Haohan Wang、Jiaxuan You、Chi Wang、Jian Pei、Qiang Yang、Xiaoliang Qi 和 Chenglin Wu。基础智能体的进展与挑战：从类脑智能到演化、协作与安全系统，2025年。

Weiyu Ma、Qirui Mi、Xue Yan、Yuqiao Wu、Runji Lin、Haifeng Zhang和Jun Wang。大语言模型玩星际争霸II：基准与摘要链方法。*arXiv*预印本 *arXiv:2312.11865*，2023年。Weiyu Ma、Qirui Mi、Yongcheng Zeng、Xue Yan、Yuqiao Wu、Runji Lin、Haifeng Zhang和Jun Wang。大语言模型玩星际争霸II：基准与摘要链方法。*arXiv*预印本 *arXiv:2312.11865*，2023年。Chang Ma、Junlei Zhang、Zhihao Zhu、Cheng Yang、Yujiu Yang、Yaohui Jin、Zhenzhong Lan、Lingpeng Kong和Junxian He。AgentBoard：多轮大语言模型智能体的分析性评估棋盘，2024年。Zhao Mandi、Shreeya Jain和Shuran Song。Roco：利用大语言模型实现辩证式多机器人协作。载于*2024*年*IEEE*国际机器人与自动化会议（*ICRA*），第286–299页。电气与电子工程师协会，2024年。Gabriel Mukobi、Hannah Erlebach、Niklas Lauffer、Lewis Hammond、Alan Chan和Jesse Clifton。福利外交风云：语言模型协作的基准测试。*arXiv*预印本 *arXiv:2310.08901*，2023年。Erik Nijkamp、Bo Pang、Hiroaki Hayashi、Lifu Tu、Huan Wang、Yingbo Zhou、Silvio Savarese和Caiming Xiong。Codegen：支持多轮程序合成的开放式代码大语言模型。*arXiv*预印本 *arXiv:2203.13474*，2022年。O

pen人工智能. G pt-3.5 turbo. htt ps://platform.o penai.com/docs/models/ gpt-3-5 ，2023年。

OpenAI. Hello gpt-4o, 2024.

Joon Sung Park, Joseph C. O'Brien, Carrie J. Cai, Meredith Ringel Morris, Percy Liang, and Michael S. Bernstein. Generative agents: Interactive simulacra of human behavior. *Proceedings of the 36th Annual ACM Symposium on User Interface Software and Technology*, 2023.

Julien Perolat, Bart De Vylder, Daniel Hennes, Eugene Tarassov, Florian Strub, Vincent de Boer, Paul Muller, Jerome T Connor, Neil Burch, Thomas Anthony, et al. Mastering the game of stratego with model-free multiagent reinforcement learning. *Science*, 378(6623):990–996, 2022.

Siyuan Qi, Shuo Chen, Yexin Li, Xiangyu Kong, Junqi Wang, Bangcheng Yang, Pring Wong, Yifan Zhong, Xiaoyuan Zhang, Zhaowei Zhang, et al. Civrealm: A learning and reasoning odyssey in civilization for decision-making agents. *arXiv preprint arXiv:2401.10568*, 2024.

Chen Qian, Wei Liu, Hongzhang Liu, Nuo Chen, Yufan Dang, Jiahao Li, Cheng Yang, Weize Chen, Yusheng Su, Xin Cong, et al. Chatdev: Communicative agents for software development. In *Proceedings of the 62nd Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 15174–15186, 2024.

Machel Reid, Nikolay Savinov, Denis Teplyashin, Dmitry Lepikhin, Timothy Lillicrap, Jean-baptiste Alayrac, Radu Soricut, Angeliki Lazaridou, Orhan Firat, Julian Schrittwieser, et al. Gemini 1.5: Unlocking multimodal understanding across millions of tokens of context. *arXiv preprint arXiv:2403.05530*, 2024.

Timo Schick, Jane Dwivedi-Yu, Roberto Dessì, Roberta Raileanu, Maria Lomeli, Eric Hambro, Luke Zettlemoyer, Nicola Cancedda, and Thomas Scialom. Toolformer: Language models can teach themselves to use tools. *Advances in Neural Information Processing Systems*, 36:68539–68551, 2023.

Samuel Schmidgall, Yusheng Su, Ze Wang, Ximeng Sun, Jialian Wu, Xiaodong Yu, Jiang Liu, Zicheng Liu, and Emad Barsoum. Agent laboratory: Using llm agents as research assistants, 2025.

Xiao Shao, Weifu Jiang, Fei Zuo, and Mengqing Liu. Swarmbrain: Embodied agent for real-time strategy game starcraft ii via large language models. *arXiv preprint arXiv:2401.17749*, 2024.

Natalie Shapira, Mosh Levy, Seyed Hossein Alavi, Xuhui Zhou, Yejin Choi, Yoav Goldberg, Maarten Sap, and Vered Shwartz. Clever hans or neural theory of mind? stress testing social reasoning in large language models. *arXiv preprint arXiv:2305.14763*, 2023.

Winnie Street, John Oliver Siy, Geoff Keeling, Adrien Baranes, Benjamin Barnett, Michael McKibben, Tatenda Kanyere, Alison Lentz, Robin IM Dunbar, et al. Llms achieve adult human performance on higher-order theory of mind tasks. *arXiv preprint arXiv:2405.18870*, 2024.

Hao Tang, Darren Key, and Kevin Ellis. Worldcoder, a model-based llm agent: Building world models by writing code and interacting with the environment. *arXiv preprint arXiv:2402.12275*, 2024.

Jen tse Huang, Eric John Li, Man Ho Lam, Tian Liang, Wenxuan Wang, Youliang Yuan, Wenxiang Jiao, Xing Wang, Zhaopeng Tu, and Michael R. Lyu. How far are we on the decision-making of llms? evaluating llms' gaming ability in multi-agent environments, 2025.

Oriol Vinyals, Timo Ewalds, Sergey Bartunov, Petko Georgiev, Alexander Sasha Vezhnevets, Michelle Yeo, Alireza Makhzani, Heinrich Küttler, John Agapiou, Julian Schrittwieser, et al. Starcraft ii: A new challenge for reinforcement learning. *arXiv preprint arXiv:1708.04782*, 2017.

Oriol Vinyals, Igor Babuschkin, Wojciech M Czarnecki, Michaël Mathieu, Andrew Dudzik, Junyoung Chung, David H Choi, Richard Powell, Timo Ewalds, Petko Georgiev, et al. Grandmaster level in starcraft ii using multi-agent reinforcement learning. *nature*, 575(7782):350–354, 2019.

Guanzhi Wang, Yuqi Xie, Yunfan Jiang, Ajay Mandlekar, Chaowei Xiao, Yuke Zhu, Linxi Fan, and Anima Anandkumar. Voyager: An open-ended embodied agent with large language models. *arXiv preprint arXiv:2305.16291*, 2023.

OpenAI。你好，GPT-4o，2024年。

Joon Sung Park、Joseph C. O'Brien、Carrie J. Cai、Meredith Ringel Morris、Percy Liang 和 Michael S. Bernstein。生成式智能体：人类行为的交互式拟像。第*36*届*ACM*用户界面软件与技术年度研讨会论文集，2023年。Julien Perolat、Bart De Vylder、Daniel Hennes、Eugene Tarassov、Florian Strub、Vincent de Boer、Paul Muller、Jerome T Connor、Neil Burch、Thomas Anthony 等。通过无模型多智能体强化学习精通陆战棋。科学，378(6623):990–996，2022年。Siyuan Qi、Shuo Chen、Yexin Li、Xiangyu Kong、Junqi Wang、Bangcheng Yang、Pring Wong、Yifan Zhong、Xiaoyuan Zhang、Zhaowei Zhang 等。Civrealm：决策智能体在文明中的学习与推理之旅。*arXiv* 预印本 *arXiv:2401.10568*，2024年。Chen Qian、Wei Liu、Hongzhang Liu、Nuo Chen、Yufan Dang、Jiahao Li、Cheng Yang、Weize Chen、Yusheng Su、Xin Cong 等。Chatdev：用于软件开发的通信智能体。载于计算语言学协会第*62*届年会论文集（第*1*卷：长篇论文），第15174–15186页，2024年。

Machel Reid、Nikolay Savinov、Denis Teplyashin、DmitryLepikhin、TimothyLillicrap、Jean-baptiste Alayrac、Radu Soricut、Angeliki Lazaridou、Orhan Firat、Julian Schrittwieser 等。Gemini 1.5：解锁数百万词元上下文中的多模态理解。*arXiv* 预印本 *arXiv:2403.05530*，2024年。

Timo Schick、Jane Dwivedi-Yu、Roberto Dessì、Roberta Raileanu、Maria Lomeli、Eric Hambro、Luke Zettlemoyer、Nicola Cancedda 和 Thomas Scialom。Toolformer：语言模型可以自学使用工具。神经信息处理系统进展，36:68539–68551，2023年。

Samuel Schmidgall、Yusheng Su、Ze Wang、Ximeng Sun、Jialian Wu、Xiaodong Yu、Jiang Liu、Zicheng Liu 和 Emad Barsoum。智能体实验室：使用大语言模型智能体作为研究助手，2025年。

Xiao Shao、Weifu Jiang、Fei Zuo 和 Mengqing Liu。SwarmBrain：基于大语言模型的即时战略游戏星际争霸II具身智能体。*arXiv* 预印本 *arXiv:2401.17749*，2024年。

Natalie Shapira、Mosh Levy、Seyed Hossein Alavi、Xuhui Zhou、Yejin Choi、Yoav Goldberg、Maarten Sap 和 Vered Shwartz。聪明的汉斯还是神经网络心智理论？对大语言模型社会推理能力的压力测试。*arXiv* 预印本 *arXiv:2305.14763*，2023年。

Winnie Street、John Oliver Siy、Geoff Keeling、Adrien Baranes、Benjamin Barnett、Michael McKibben、Tatenda Kanyere、Alison Lentz、Robin IM Dunbar 等。大语言模型在高阶心智理论任务中达到成年人类的表现水平。*arXiv* 预印本 *arXiv:2405.18870*，2024年。

Hao Tang、Darren Key 和 Kevin Ellis。Worldcoder：一种通过编写代码并与环境交互来构建世界模型的基于模型的大语言模型智能体。*arXiv* 预印本 *arXiv:2402.12275*，2024年。

Jen tse Huang、Eric John Li、Man Ho Lam、Tian Liang、Wenxuan Wang、Youliang Yuan、Wenxiang Jiao、Xing Wang、Zhaopeng Tu 和 Michael R. Lyu。我们在大语言模型决策方面进展如何？评估大语言模型在多智能体环境中的游戏能力，2025年。

Oriol Vinyals、Timo Ewalds、Sergey Bartunov、Petko Georgiev、Alexander Sasha Vezhnevets、Michelle Yeo、Alireza Makhzani、Heinrich Küttler、John Agapiou、Julian Schrittwieser 等。星际争霸II：强化学习的新挑战。*arXiv* 预印本 *arXiv:1708.04782*，2017年。

Oriol Vinyals、Igor Babuschkin、Wojciech M Czarnecki、Michaël Mathieu、Andrew Dudzik、Junyoung Chung、David H Choi、Richard Powell、Timo Ewalds、Petko Georgiev 等。利用多智能体强化学习在星际争霸II中达到宗师级水平。自然，575(7782):350–354，2019年。

Guanzhi Wang、Yuqi Xie、Yunfan Jiang、Ajay Mandlekar、Chaowei Xiao、Yuke Zhu、Linxi Fan 和 Anima Anandkumar。Voyager：基于大语言模型的开放式具身智能体。*arXiv* 预印本 *arXiv:2305.16291*，2023年。

Jiaqi Wang, Enze Shi, Huawen Hu, Chong Ma, Yiheng Liu, Xuhui Wang, Yincheng Yao, Xuan Liu, Bao Ge, and Shu Zhang. Large language models for robotics: Opportunities, challenges, and perspectives. *Journal of Automation and Intelligence*, 2024.

Jiawei Wang, Kai Wang, Runze Wu, Bihan Xu, Lingeng Jiang, Shiwei Zhao, Renyu Zhu, Haoyu Liu, Zhipeng Hu, Zhong Fan, LILE, Tangjie Lv, and Changjie Fan. Digital player: Evaluating large language models based human-like agent in games, 2024.

Lei Wang, Chen Ma, Xueyang Feng, Zeyu Zhang, Hao Yang, Jingsen Zhang, Zhiyuan Chen, Jiakai Tang, Xu Chen, Yankai Lin, et al. A survey on large language model based autonomous agents. *Frontiers of Computer Science*, 18(6):186345, 2024.

Jason Wei, Xuezhi Wang, Dale Schuurmans, Maarten Bosma, Fei Xia, Ed Chi, Quoc V Le, Denny Zhou, et al. Chain-of-thought prompting elicits reasoning in large language models. *Advances in neural information processing systems*, 35:24824–24837, 2022.

Wikipedia. Stratego, 2024. Accessed: 2024-09-23.

Wikipedia. Street fighter iii, 2024. Accessed: 2024-09-23.

Yue Wu, Xuan Tang, Tom M Mitchell, and Yuanzhi Li. Smartplay: A benchmark for llms as intelligent agents. *arXiv preprint arXiv:2310.01557*, 2023.

Zhiheng Xi, Yiwen Ding, Wenxiang Chen, Boyang Hong, Honglin Guo, Junzhe Wang, Dingwen Yang, Chenyang Liao, Xin Guo, Wei He, et al. Agentgym: Evolving large language model-based agents across diverse environments. *arXiv preprint arXiv:2406.04151*, 2024.

Jian Xie, Kai Zhang, Jiangjie Chen, Tinghui Zhu, Renze Lou, Yuandong Tian, Yanghua Xiao, and Yu Su. Travelplanner: A benchmark for real-world planning with language agents. *arXiv preprint arXiv:2402.01622*, 2024.

Lin Xu, Zhiyuan Hu, Daquan Zhou, Hongyu Ren, Zhen Dong, Kurt Keutzer, See-Kiong Ng, and Jiashi Feng. Magic: Investigation of large language model powered multi-agent in cognition, adaptability, rationality and collaboration. In *ICLR 2024 Workshop on Large Language Model (LLM) Agents*, 2023.

Wenqi Zhang, Ke Tang, Hai Wu, Mengna Wang, Yongliang Shen, Guiyang Hou, Zeqi Tan, Peng Li, Yueting Zhuang, and Weiming Lu. Agent-pro: Learning to evolve via policy-level reflection and optimization. *arXiv preprint arXiv:2402.17574*, 2024.

Wanjun Zhong, Ruixiang Cui, Yiduo Guo, Yaobo Liang, Shuai Lu, Yanlin Wang, Amin Saied, Weizhu Chen, and Nan Duan. Agieval: A human-centric benchmark for evaluating foundation models. *arXiv preprint arXiv:2304.06364*, 2023.

Shuyan Zhou, Frank F Xu, Hao Zhu, Xuhui Zhou, Robert Lo, Abishek Sridhar, Xianyi Cheng, Yonatan Bisk, Daniel Fried, Uri Alon, et al. Webarena: A realistic web environment for building autonomous agents. *arXiv preprint arXiv:2307.13854*, 2023.

Jiaqi Wang、Enze Shi、Huawen Hu、Chong Ma、Yiheng Liu、Xuhui Wang、Yincheng Yao、Xuan Liu、Bao Ge 和 Shu Zhang。面向机器人学的大语言模型：机遇、挑战与展望。*Journal of Automation and Intelligence*，2024年。

Jiawei Wang、Kai Wang、Runze Wu、Bihan Xu、Lingeng Jiang、Shiwei Zhao、Renyu Zhu、Haoyu Liu、Zhipeng Hu、Zhong Fan、LILE、Tangjie Lv 和 Changjie Fan。数字玩家：评估游戏中基于大语言模型的类人智能体，2024年。

Lei Wang、Chen Ma、Xueyang Feng、Zeyu Zhang、Hao Yang、Jingsen Zhang、Zhiyuan Chen、Jiakai Tang、Xu Chen、Yankai Lin 等。基于大语言模型的自主智能体综述。*Frontiers of Computer Science*，18(6):186345，2024年。

Jason Wei、Xuezhi Wang、Dale Schuurmans、Maarten Bosma、Fei Xia、Ed Chi、Quoc V Le、Denny Zhou 等。思维链提示激发大语言模型的推理能力。神经信息处理系统进展，35:24824–24837，2022年。

维基百科。陆战棋，2024年。访问日期：2024年9月23日。

维基百科。街头霸王III，2024年。访问日期：2024年9月23日。

Yue Wu、Xuan Tang、Tom M Mitchell 和 Yuanzhi Li。SmartPlay：评估大语言模型作为智能体的基准测试。*arXiv* 预印本 *arXiv:2310.01557*，2023年。

Zhiheng Xi、Yiwen Ding、Wenxiang Chen、Boyang Hong、Honglin Guo、Junzhe Wang、Dingwen Yang、Chenyang Liao、Xin Guo、Wei He 等。AgentGym：在多样化环境中演化基于大语言模型的智能体。*arXiv* 预印本 *arXiv:2406.04151*，2024年。

Jian Xie、Kai Zhang、Jiangjie Chen、Tinghui Zhu、Renze Lou、Yuandong Tian、Yanghua Xiao 和 Yu Su。Travelplanner：面向语言智能体现实世界规划的基准测试。*arXiv* 预印本 *arXiv:2402.01622*，2024年。

Lin Xu、Zhiyuan Hu、Daquan Zhou、Hongyu Ren、Zhen Dong、Kurt Keutzer、See-Kiong Ng 和 Jiashi Feng。MAgIC：大语言模型驱动的多智能体在认知、适应性、理性与协作方面的研究。载于 *ICLR 2024*大语言模型（*LLM*）智能体研讨会，2023年。

Wenqi Zhang、Ke Tang、Hai Wu、Mengna Wang、Yongliang Shen、Guiyang Hou、Zeqi Tan、Peng Li、Yueting Zhuang 和 Weiming Lu。Agent-pro：通过策略层面反思与优化学习演进。*arXiv* 预印本 *arXiv:2402.17574*，2024年。

Wanjun Zhong、Ruixiang Cui、Yiduo Guo、Yaobo Liang、Shuai Lu、Yanlin Wang、Amin Saied、Weizhu Chen 和 Nan Duan。Agieval：用于评估基础模型的以人为中心的基准。*arXiv* 预印本 *arXiv:2304.06364*，2023年。

Shuyan Zhou、Frank F Xu、Hao Zhu、Xuhui Zhou、Robert Lo、Abishek Sridhar、Xianyi Cheng、Yonatan Bisk、Daniel Fried、Uri Alon 等。Webarena：用于构建自主智能体的真实网络环境。*arXiv* 预印本 *arXiv:2307.13854*，2023年。

Supplementary Material

Table of Contents

A Cognitive Decision-Making Capabilities **17**
A.1 Key Dimensions of Cognitive Decision-Making Capabilities 17
A.2 Capability Score Computation 17

B Overview of DSGBench Implementation **17**
B.1 Overall Architecture 17
B.2 Game Interaction Formulation 18

C Details of Experimental Evaluation **19**
C.1 Automated Evaluation in DSGBench 19
C.2 Customizable Evaluation Scenarios 20
C.3 Model Description 20
C.4 Runtime Estimation 20

D Decision Trajectory Analysis: Examples and Insights **20**
D.1 Case 1: Difficulty balancing long-term planning with immediate decision-making. 21
D.2 Case 2: Challenges handling incomplete information and multi-hop inference. . . 22
D.3 Case 3: Difficulty overcoming memory limitations in long horizon tasks. 24

E *StarCraft II* **26**
E.1 Game Detailed Description 26
E.2 Action Space 26
E.3 Fine-Grained Metrics 28
E.4 Example Trajectory 29
E.5 Prompt Example 30

F *Civilization* **33**
F.1 Game Detailed Description 34
F.2 Action Space 35
F.3 Fine-Grained Metrics 35
F.4 Example Trajectory 36
F.5 Prompt Example 37

G *Street Fighter III* **39**
G.1 Game Detailed Description 40
G.2 Action Space 41
G.3 Fine-Grained Metrics 41
G.4 Example Trajectory 41
G.5 Prompt Example 42

H *Diplomacy* **43**
H.1 Game Detailed Description 44
H.2 Action Space 44
H.3 Fine-Grained Metrics 45
H.4 Example Trajectory 45
H.5 Prompt Example 47

I *Werewolf* **51**
I.1 Game Detailed Description 53

补充材料

目录

A 认知决策能力 17
A.1 认知决策能力的关键维度 .
17 A.2 能力得分计算.17

B DSGBench 实现概述 17
B.1 总体架构 .
17 B.2 游戏交互形式化描述.18

C 实验评估详情 19
C.1 DSGBench 中的自动化评估.19 C.2 可定制评估场景.20 C.3 模型说明.20 C.4 运行时间估算.20

D D决策轨迹分析：示例与洞见 ts 20
D. 1 案例1：难以平衡长期规划与即时决策。21 D.2 案例2：处理不完全信息与多跳推理面临的挑战。. . . 22 D.3 案例3：在长时程任务中难以克服记忆局限。. 24

E 星际争霸*II* 26
E.1 游戏详细说明 .
26 E.2 动作空间.26 E.3 细粒度指标.28 E.4 轨迹示例.29 E.5 提示词示例.30

舰队 文明 33
F.1 游戏详细描述 .
34 F.2 动作空间.35 F.3 细粒度指标.35 F.4 轨迹示例.36 F.5 提示词示例.37

G 街头霸王*III* 39
G.1 游戏详细说明 .
40 G.2 动作空间.41 G.3 细粒度指标.41 G.4 轨迹示例.41 G.5 提示词示例.42

H 强权外交 43
H.1 游戏详细说明 .
44 H.2 动作空间.44 H.3 细粒度指标.45 H.4 轨迹示例.45 H.5 提示词示例.47

I 狼人杀 51
I.1 游戏详细说明 .
53

I.2 Action Space 53
I.3 Fine-Grained Metrics 53
I.4 Example Trajectory 54
I.5 Prompt Example 55

J *Stratego* 57
J.1 Game Detailed Description 58
J.2 Action Space 58
J.3 Fine-Grained Metrics 58
J.4 Example Trajectory 59
J.5 Prompt Example 60

K Limitations and Broad Impacts 63
K.1 Limitations 63
K.2 Broad Impacts 64

I.2 动作空间.53 I.3 细粒度指标.53 I.4 轨迹示例.54 I.5 提示词示例.55

J陆战棋 57
J.1 游戏详细说明 .
58 J.2 动作空间.58 J.3 细粒度指标.58 J.4 轨迹示例.59 J.5 提示词示例.60

K 局限性与广泛影响 63
K.1 局限性 .
63 K.2 广泛影响.64

A Cognitive Decision-Making Capabilities

Cognitive decision-making capabilities are essential for effective problem-solving and achieving goals in dynamic environments. These capabilities involve the ability to plan strategically, make real-time decisions under pressure, collaborate in teams, and learn from experience. The following are key dimensions of cognitive decision-making capabilities:

A.1 Key Dimensions of Cognitive Decision-Making Capabilities

Strategic Planning [Kahneman, 2011] refers to the ability to formulate and implement long-term strategies that are consistent with overall goals. This ability includes optimizing resources, anticipating future scenarios, and adapting to changing environments.

Real-Time Decision-Making [Kahneman, 2011] refers to the ability to make effective decisions under time pressure. It involves managing competing objectives, processing dynamic information, and reacting quickly to unpredictable changes.

Social Reasoning [Hutchins, 1995] refers to the ability to understand and navigate interactions in a team or competitive environment. This ability requires understanding the intentions of other agents, predicting their behaviour, and adjusting strategies accordingly.

Team Collaboration [Hutchins, 1995] refers to the ability of agents to work together effectively in a multi-agent environment to achieve a common goal. This includes coordinating actions, communicating intentions, and solving collective problems.

Adaptive Learning [Edwards, 1962] refers to the ability of an agent to continuously improve its capabilities by learning from past experiences and feedback. This ability includes identifying patterns, refining strategies, and adapting behaviours to incorporate new information into subsequent iterations, and the decision-making process is continuously optimized for continued success.

A.2 Capability Score Computation

To compute the scores of the LLMs across different capability dimensions, we first establish the mapping between each capability dimension and multiple associated games, where each game is linked to a set of fine-grained metrics. The score for each capability dimension is calculated by weighting the performance metrics of the associated games on multiple fine-grained metrics. Its definition is Formula 3, with the computed results summarized in Table 5.

$$S = \sum_{i=1}^{m} W_i \cdot \beta_i \cdot \left(\sum_{j=1}^{n} w_j \cdot \frac{\frac{1}{k_j} \sum_{k=1}^{k_j} R_{y_{j_k}} - \min_j R_{y_j}}{\max_j R_{y_j} - \min_j R_{y_j}} \right) \tag{3}$$

where the aggregated capability score S integrates capability dimensions through weight coefficients $W_i \in [0, 1]$, where $\sum_{i=1}^{m} W_i = 1$. To account for the varying emphasis of capabilities in different scenarios, each dimension incorporates an adjustment factor $\beta_i \in (0, 1]$. Performance in individual scenarios is weighted by $w_j \in [0, 1]$, with $\sum_{j=1}^{n} w_j = 1$. For statistical robustness, we conduct k_j evaluation runs per scenario, where $R_{y_{j_k}}$ represents the performance metric from the k-th run. These metrics are normalized using the predefined theoretical minimum value $\min_j R_{y_j}$ and maximum value $\max_j R_{y_j}$ to ensure fair comparison across different gaming environments.

B Overview of DSGBench Implementation

B.1 Overall Architecture

The proposed evaluation framework introduces an automated architecture for systematically evaluating LLM-based agents in various game environments. A unified gym interface is implemented for all games, which facilitates subsequent game extensions. In addition, the framework provides easy scenario customization to tailor the evaluation requirements based on a single profile.

The key component of the framework is the GameManager, which coordinates the evaluation process's initialization and execution phases. The architecture consists of three main modules: DataCollector,

A 认知决策能力

认知决策能力对于在动态环境中有效进行问题求解和实现目标至关重要。这些能力包括制定战略规划、在压力下实时决策、开展团队协作以及从经验中学习的能力。以下是认知决策能力的关键维度：

A.1 认知决策能力的关键维度

战略规划 [卡尼曼， 2011]是指制定并实施与总体目标一致的长期策略的能力。这种能力包括优化资源、预判未来情境以及适应不断变化的环境。

实时决策 [卡尼曼， 2011] 是指在时间压力下做出有效决策的能力。它涉及协调相互竞争的目标、处理动态信息，以及对不可预测的变化迅速做出反应。

社会推理 [Hutchins， 1995] 是指理解并应对团队或竞争环境中互动的能力。这种能力要求理解其他智能体的意图、预测其行为，并相应调整策略。

团队协作 [Hutchins， 1995]是指智能体在多智能体环境中有效合作以实现共同目标的能力。这包括协调操作、沟通意图以及解决集体问题。

自适应学习 [Edwards，1962] 指智能体通过从过往经验和反馈中学习，不断提升自身能力的技能。该技能包括识别模式、完善策略以及调整行为，以将新信息融入后续迭代，并持续优化决策过程，从而持续取得成功。

A.2 能力得分计算

为计算大语言模型在不同能力维度上的得分，我们首先建立每个能力维度与多个相关游戏之间的映射关系，其中每个游戏都对应一组细粒度指标。每个能力维度的得分通过对相关游戏在多个细粒度指标上的性能指标进行加权计算得出。其定义见公式3，计算结果汇总于表5。

$$S = \sum_{i=1}^{m} W_i \cdot \beta_i \cdot \left(\sum_{j=1}^{n} w_j \cdot \frac{\frac{1}{k_j} \sum_{k=1}^{k_j} R_{y_{j_k}} - \min_j R_{y_j}}{\max_j R_{y_j} - \min_j R_{y_j}} \right) \tag{3}$$

其中，综合能力得分 S 通过权重系数$W_i \in [0, 1]$整合各能力维度，其中 $\sum_{i=1}^{m} W_i = 1$。为考虑不同场景对各项能力的侧重差异，每个维度均引入调整因子 $\beta_i \in (0, 1]$。各场景中的表现通过 $w_j \in [0, 1]$加权，其中 $\sum_{j=1}^{n} w_j = 1$。为确保统计稳健性，我们在每个场景中进行 k_j次评估运行，其中 $R_{y_{j_k}}$ 表示第 k次运行的性能指标。这些指标使用预定义的理论最小值 $\min_j R_{y_j}$ 和最大值$\max_j R_{y_j}$ 进行归一化，以确保不同游戏环境之间的公平比较。

B DSGBench实现概述

B.1 总体架构

所提出的评估框架引入了一种自动化架构，用于在各种游戏环境中系统地评估基于大语言模型的智能体。所有游戏均实现了统一的Gym接口，便于后续的游戏扩展。此外，该框架支持便捷的场景定制，可基于单个配置文件按需调整评估要求。

该框架的核心组件是 GameManager，负责协调评估过程的初始化和执行阶段。该架构由三个主要模块组成：DataCollector、

GameEnv, and HistoryTracker. The DataCollector module handles the game and agent configurations through parameter parsing and establishes the base parameters for the evaluation. The GameEnv module defines the action and observation space and facilitates the interaction between agents and the evaluation through a standardized interface. The GameEnv module defines the action and observation space while facilitating the interaction between the agents and the environment through a standardized interface. The HistoryTracker module comprehensively records the game progress, agent model, and match-specific information.

During initialization, the GameManager coordinates component configuration through calls to GameEnv(args) and Agent(args), followed by prompt processing through Prompt(args) and LLM(args). The execution phase manages state transitions via env.step(action), facilitates agent decisions via agent.action(obs), and records state information via HistoryTracker. The framework supports a wide range of game genres, including real-time strategy games (*StarCraft II*), turn-based strategy games (*Civilization*), fighting strategy games (*Street Fighter III*), and social strategy games (*Werewolf*, *Diplomacy*). This enables a comprehensive evaluation in diverse decision-making environments.



Figure 3: Code Architecture of **DSGBench** Framework.

B.2 Game Interaction Formulation

In DSGBench evaluation, we model agent-environment interactions as a Partially Observable Markov Decision Process (POMDP), formalized as the quintuple $\langle W, S, A, O, T \rangle$. Here, W denotes the victory condition—the strategic objectives agents must achieve, such as destroying the opponent's base in *StarCraft II* or achieving victory through multiple pathways (combat conquest, cultural dominance, or scientific advancement) in *Civilization*. S represents the state space, encompassing all observable environmental states within the current game. A defines the action space of all legal actions available to an agent per time step, including movement, combat, dialogue, and negotiation. O comprises the observation space, containing environmental feedback f_t that reflects immediate state changes and responses to agent actions. T represents the state transition function $S \times A \to S$, mapping how the current state s_t and agent action a_t determine the subsequent state s_{t+1}. In the context of DSGBench, the agents policy is implicitly the LLM's reasoning process, mapping the history of observations (state s_t, action a_{t-1}, feedback f_{t-1}) and the current observation o_t to the next action a_t generated by LLMs, typically mediated via prompting. The formalizations for single-level and two-level inference model how agents make decisions at different levels of abstraction based on available information, as illustrated in Figure 4.

Single-level Inference. Games such as *Street Fighter III*, *Diplomacy*, *Werewolf*, and *Stratego* are particularly suited for single-level reasoning due to their centralized state and action spaces where a single policy can directly map states to actions. The reasoning process is formalized as

GameEnv 和 HistoryTracker。DataCollector 模块通过参数解析处理游戏配置和智能体配置，并设定评估所需的基础参数。GameEnv 模块定义动作与观测空间，并通过标准化接口促进智能体与评估过程之间的交互。GameEnv 模块定义动作与观测空间，同时通过标准化接口促进智能体与环境之间的交互。HistoryTracker 模块全面记录游戏进程、智能体模型和对局特定信息。

在初始化期间，GameManager 通过调用 GameEnv(args) 和 Agent(args) 来协调组件配置，随后通过 Prompt(args) 和 LLM(args) 进行提示处理。在执行阶段，框架通过 env.step(action) 管理状态转移，通过 agent.action(obs) 实现智能体决策，并通过 HistoryTracker 记录状态信息。该框架支持多种游戏类型，包括即时战略游戏（星际争霸*II*）、回合制策略游戏（文明）、格斗策略游戏（街头霸王*III*）以及社交策略游戏（狼人杀、强权外交）。这使得在多样化决策环境中开展全面评估成为可能。



图 3：**DSGBench** 框架的代码架构。

B.2 游戏交互的形式化

在 DSGBench 评估中，我们将智能体与环境交互建模为部分可观测马尔可夫决策过程（POMDP），并将其形式化为五元组 $\langle W, S, A, O, T \rangle$。其中，$W$ 表示胜利条件，即智能体必须实现的战略目标，例如在星际争霸*II* 中摧毁对手的基地，或在文明中通过多种途径（军事征服、文化主导或科技进步）取得胜利。S 表示状态空间，涵盖当前游戏中所有可观测的环境状态。A 定义动作空间，即智能体在每个时间步可执行的所有合法动作，包括移动、战斗、对话和谈判。O 构成观测空间，其中包含反映即时状态变化及对智能体动作的响应的环境反馈 f_t。T 表示状态转移函数 $S \times A \to S$，用于描述当前状态 s_t 和智能体操作 a_t 如何决定后续状态 s_{t+1}。在 DSGBench 的上下文中，智能体策略隐含地体现为大语言模型的推理过程，将观测历史（状态 s_t、操作 a_{t-1}、反馈 f_{t-1}）和当前观测 o_t 映射为大语言模型生成的下一步操作 a_t，这一过程通常通过提示实现。单层推理和双层推理的形式化描述了智能体如何基于可用信息在不同抽象层次上进行决策，如图 4 所示。

单层推理。街头霸王*III*、强权外交、狼人杀和陆战棋等游戏特别适合单层推理，因为它们具有集中式状态空间和动作空间，单一策略即可将状态直接映射到动作。其推理过程形式化表示为



Figure 4: Formalization of agent-environment interaction in DSGBench. The diagram illustrates (top) single-level inference for centralized state-space games and (bottom) two-level inference, featuring micro and macro decision levels tailored for complex strategy games.

$$p_\pi(\tau) = p(s_0) \prod_{t=0}^{T-1} p(a_t|s_t, f_t) \cdot T(s_{t+1}|s_t, a_t) \tag{4}$$

where $p_\pi(\tau)$ represents the policy trajectory, $p(s_0)$ is the initial state distribution, $p(a_t|s_t, f_t)$ denotes the probability of taking action a_t given state s_t and available feedback f_t, and $T(s_{t+1}|s_t, a_t)$ is the state transition function, defining the probability of transitioning to state s_{t+1} given the current state s_t and action a_t. In single-level reasoning games, agents can effectively accomplish complex tasks with simplified state and action reasoning operating at a single layer of abstraction.

Two-level Inference. Complex strategy games like *StarCraft II* and *Civilization* require agents to handle large observation spaces and multi-dimensional tasks through two levels of reasoning: macro-level strategic planning (for example, resource management and army deployment) and micro-level tactical decisions (for example, executing micro-operations and managing local combat). The reasoning process for two-level inference is formalized as:

$$p_\pi(\tau) = p(s_0) \prod_{t=0}^{T-1} p(a_t^{\text{Micro}} \mid s_t, f_t^{\text{Micro}}) \cdot p(a_t^{\text{Macro}} \mid s_t, a_t^{\text{Micro}}, f_t^{\text{Macro}}) \cdot T(s_{t+1} \mid s_t, a_t^{\text{Micro}}, a_t^{\text{Macro}}) \tag{5}$$

Here, a_t^{Micro} represents immediate tactical actions based on local feedback f_t^{Micro}; a_t^{Macro} denotes macro-level strategic decisions guided by the micro-level decisions a_t^{Micro} and global feedback f_t^{Macro}, and $T(s_{t+1} \mid s_t, a_t^{\text{Micro}}, a_t^{\text{Macro}})$ defines the state transition function, reflecting environmental changes due to both micro a_t^{Micro} and macro a_t^{Macro} actions taken in state s_t.

C Details of Experimental Evaluation

C.1 Automated Evaluation in DSGBench

The evaluation framework is an automated and simplified platform designed to evaluate LLM-based agents uniformly. The main component of the framework is the **GameManager**, which coordinates the initialization and execution phases. It is responsible for configuring the environment and the agent, ensuring a smooth game flow and accurately tracking the decision trajectory. The process starts with the **DataCollector**, which is responsible for collecting the basic configuration of the game and the agent, laying the foundation for accurate evaluation. This data is then fed into the modules **GameEnv** and **HistoryTracker**. While the former manages the action and observation space and enables seamless interaction between the agent and its environment, the latter captures the detailed game history and allows for in-depth analysis of the decision-making process and strategic choices. This setup provides a comprehensive view of the performance of LLM-based agents and helps to



图4：DSGBench 中智能体与环境交互的形式化表示。该图展示了（上）适用于集中式状态空间游戏的单层推理，以及（下）针对复杂策略游戏设计的、包含微观与宏观决策层级的双层推理。

$$p_\pi(\tau) = p(s_0) \prod_{t=0}^{T-1} p(a_t|s_t, f_t) \cdot T(s_{t+1}|s_t, a_t) \tag{4}$$

其中， $p_\pi(\tau)$ 表示策略轨迹， $p(s_0)$ 为初始状态分布， $p(a_t|s_t, f_t)$ 表示在给定状态 s_t 和可用反馈 f_t 的条件下采取操作 a_t 的概率， $T(s_{t+1}|s_t, a_t)$ 为状态转移函数，定义了在给定当前状态 s_t 和操作 a_t 的条件下转移到状态 s_{t+1} 的概率。在单层推理游戏中，智能体可以通过在单一抽象层上进行简化的状态与动作推理，有效完成复杂任务。

双层推理。像星际争霸*II*和文明这样的复杂策略游戏要求智能体通过两个层级的推理来处理庞大的观测空间和多维任务：宏观战略规划（例如资源管理和军队部署）以及微观战术决策（例如执行微操和管理局部战斗）。双层推理的推理过程形式化表示为：

$$p_\pi(\tau) = p(s_0) \prod_{t=0}^{T-1} p(a_t^{\text{Micro}} \mid s_t, f_t^{\text{Micro}}) \cdot p(a_t^{\text{Macro}} \mid s_t, a_t^{\text{Micro}}, f_t^{\text{Macro}}) \cdot T(s_{t+1} \mid s_t, a_t^{\text{Micro}}, a_t^{\text{Macro}}) \tag{5}$$

这里， a_t^{Micro}表示基于局部反馈 f_t^{Micro}的即时战术动作； a_t^{Macro}表示由微观决策 a_t^{Micro}和全局反馈 f_t^{Macro}指导的宏观战略决策，而 $T(s_{t+1} \mid s_t, a_t^{\text{Micro}}, a_t^{\text{Macro}})$定义了状态转移函数，反映在状态 s_t下采取微观操作 a_t^{Micro}和宏观操作 a_t^{Macro}所引起的环境变化。

C 实验评估详情

C.1 DSGBench 中的自动化评估

该评估框架是一个自动化、简化的平台，旨在统一评估基于大语言模型的智能体。框架的主要组件是**GameManager**，它负责协调初始化和执行阶段，配置环境与智能体，确保游戏流程顺畅，并准确跟踪决策轨迹。该流程始于**DataCollector**，它负责收集游戏和智能体的基本配置，为准确评估奠定基础。随后，这些数据被输入**GameEnv** 和**HistoryTracker**模块。前者管理动作与观测空间，实现智能体与环境之间的无缝交互；后者记录详细的游戏历史，支持对决策过程和战略选择进行深入分析。这种布局能够全面呈现基于大语言模型的智能体的表现，并有助于

gain a deeper understanding of their behaviour and how the strategy of the agent evolves throughout the game. For a detailed description of the architectural design, please refer to Appendix B.1.

C.2 Customizable Evaluation Scenarios

Despite the fact that the various strategic games employed in DSGBench encompass a broad range of decision-making capabilities, the fixed game settings may not adequately assess an agent's multi-dimensional capabilities performance in dynamic environments. Consequently, our benchmark offers the flexibility to create customized evaluation scenarios, enabling more targeted assessments based on specific needs and supporting future scenario expansions.

As demonstrated in Table 3, our benchmark facilitates precise control over a range of scenario variables, including opponent behaviour patterns, interaction paradigms (e.g., synchronous vs. asynchronous), prompt engineering approaches, and reasoning strategies. These variables can be customised to align with the distinct characteristics inherent in each game type. Furthermore, a salient feature of our benchmark is the extensive interaction trajectories, with the average number of iterations ranging from 24 in *Street Fighter III* to 1270 in *Stratego* across different games. This presents a substantial challenge for LLM-based agents, as these extended decision sequences require advanced capabilities in contextual learning, long-term strategic planning, and decision consistency across varied game environments.

C.3 Model Description

Table 6 provides a summary of the model names and their corresponding API codes for the six models evaluated in this study.

Table 6: Model Code/API of our evaluated models

Model Name	Model Code/API
GPT-4o[OpenAI, 2024]	Azure API: gpt-4o (version: 2024-08-06)
GPT-3.5 Turbo[OpenAI, 2023]	Azure API: gpt-3.5-turbo
Gemini 1.5 Flash[Reid *et al.*, 2024]	Azure API: gemini-1.5-flash
DeepSeek-V2.5[DeepSeek-AI, 2024]	DeepSeek API (version: 2024-09-05)
Llama-3.1-8B-Instruct[Dubey *et al.*, 2024]	Deepinfra: meta-llama/Llama-3.1-8B-Instruct
Llama-3.1-70B-Instruct[Dubey *et al.*, 2024]	Deepinfra: meta-llama/Llama-3.1-70B-Instruct

C.4 Runtime Estimation

Table 7 summarizes the estimated runtime for each model. These estimates were based on the total number of rounds in each game scenario and the average inference time per round. The evaluation was conducted in a controlled environment using a server equipped with a 24 GB NVIDIA GeForce RTX 4090 GPU, with all models accessed via API calls. The runtime estimates were calculated under single-threaded evaluation conditions. Additionally, the benchmark supports multi-threaded evaluation, which can reduce the overall evaluation time.

D Decision Trajectory Analysis: Examples and Insights

This section presents an in-depth analysis of decision trajectories, demonstrating how this method uncovers systemic limitations in current LLMs. By examining key decision points, contexts, and outcomes, we identify three main limitations that affect the performance of LLM-based agents: (1) balancing long-term planning with immediate decision-making, (2) handling incomplete information and multi-hop inference, and (3) overcoming memory limitations in long horizon tasks.

更深入地理解其行为，以及智能体的策略在整个游戏过程中如何演变。有关架构设计的详细说明，请参阅附录 B.1。

C.2 可定制的评估场景

尽管 DSGBench 采用的各类策略博弈涵盖了广泛的决策能力，但固定的游戏设置可能无法充分评估智能体在动态环境中的多维能力表现。因此，我们的基准测试支持灵活创建定制化评估场景，以便根据具体需求开展更有针对性的评估，并支持未来的场景扩展。

如表 3 所示，我们的基准测试支持对一系列场景变量进行精确控制，包括对手行为模式、交互范式（例如同步与异步）、提示工程方法和推理策略。这些变量可根据各类游戏的固有特征进行定制。此外，我们的基准测试的一大显著特点是交互轨迹较长，不同游戏的平均迭代次数从街头霸王*III*的 24 次到陆战棋的 1270 次不等。这对基于大语言模型的智能体构成了重大挑战，因为这些较长的决策序列要求智能体在多样化的游戏环境中具备高水平的上下文学习、长期战略规划和决策一致性能力。

C.3 模型描述

表6汇总了本研究评估的六个模型的名称及其对应的API代码。

表6：所评估模型的模型代码/API

模型名称	模型代码/API
GPT-4o[OpenAI， 2024]	Azure API：gpt-4o（版本：2024年8月6日）
GPT-3.5 Turbo[OpenAI， 2023]	Azure API：gpt-3.5-turbo
Gemini 1.5 Flash[Reid等人， 2024]	Azure API：gemini-1.5-flash
DeepSeek-V2。5[DeepSeek-AI， 2024]	DeepSeek API（版本：2024年9月5日）
Llama-3.1-8B-Instruct[Dubey 等人， 2024]	Deepinfra：meta-llama/Llama-3.1-8B-Instruct
Llama-3.1-70B-Instruct[Dubey 等人， 2024]	Deepinfra：meta-llama/Llama-3.1-70B-Instruct

C.4 运行时间估算

表7汇总了各模型的预计运行时间。这些估计基于各游戏场景的总回合数和每回合的平均推理时间。评估在受控环境中进行，使用的服务器配备了具有24 GB显存的NVIDIA GeForce RTX 4090 图形处理器，所有模型均通过API调用访问。预计运行时间是在单线程评估条件下计算的。此外，该基准测试还支持多线程评估，可缩短整体评估时间。

D 决策轨迹分析：示例与洞见

本节深入分析决策轨迹，展示该方法如何揭示当前大语言模型的系统性局限。通过考察关键决策点、上下文和结果，我们识别出影响基于大语言模型的智能体表现的三项主要局限：（1）难以平衡长期规划与即时决策，（2）难以处理不完全信息和多跳推理，以及（3）难以克服长时程任务中的记忆局限。

Table 7: Inference Time Estimation for LLMs Evaluated on DSGBench (Time in hours)

Model Name	Starcraft II	Civilization	Street Fighter III	Diplomacy	Werewolf	Stratego
GPT-4o	90h	35h	20h	15h	10h	70h
GPT-3.5 Turbo	100h	30h	15h	10h	10h	60h
Gemini 1.5 Flash	75h	30h	15h	10h	10h	60h
Llama-3.1-8B-Instruct	x	x	15h	10h	10h	100h
Llama-3.1-70B-Instruct	180h	45h	15h	10h	10h	120h
Deepseek-V2.5	120h	60h	20h	15h	10h	80h

D.1 Case 1: Difficulty balancing long-term planning with immediate decision-making.

This section presents a detailed examination of the decision-making trajectories of LLM-based agents in *StarCraft II*, focusing on the difficulties they encounter in balancing long-term strategic goals with immediate tactical decision-making. The analysis highlights specific decision points where agents' pre-set strategies fail to effectively address short-term needs, resulting in suboptimal performance in dynamic game situations.

Example 1: Early Game - Prioritizing Economic Growth at the Expense of Defense. In the early game, the agent prioritizes economic development, focusing on gathering resources and building infrastructure. This strategy is based on a long-term objective to strengthen the economy, but it overlooks immediate needs such as defense.

Decision Trajectory:

$$0 : \text{TRAIN PROBE} \rightarrow 1 : \text{BUILD PYLON} \rightarrow 2 : \text{BUILD NEXUS} \rightarrow 3 : \text{TRAIN PROBE} \rightarrow 4 : \text{BUILD ASSIMILATOR}$$

Strategy: Increase the number of workers and resource collection structures, with a focus on long-term economic growth.

Suggestions: Increase probe production, build pylons to increase supply cap, and consider expanding to new resource locations.

Analysis: The agent's failure to allocate resources for defense structures such as photon cannons or early defensive units leads to vulnerability when the opponent executes an early attack. The focus on economic expansion over immediate defense compromises the agent's ability to respond to early-game threats. This decision trajectory demonstrates the challenge of balancing long-term economic objectives with the need for immediate tactical defense. The agent's rigid adherence to a long-term strategy results in missed opportunities to address short-term threats.

Example 2: Mid Game - Failure to Adapt to the Enemy's Offensive Push. In the mid-game, the agent typically shifts focus to technological upgrades and unit production, aiming to strengthen its combat for future engagements. However, the agent does not adjust its strategy when faced with the opponent's advancing forces.

Decision Trajectory:

$$0 : \text{TRAIN SENTRY} \rightarrow 1 : \text{BUILD ROBOTICS FACILITY} \rightarrow 2 : \text{TRAIN IMMORTAL} \rightarrow 3 : \text{BUILD ASSIMILATOR} \rightarrow 4 : \text{RESEARCH PROTOSSGROUNDARMORSLEVEL2}$$

Strategy: Improve army effectiveness with a balanced economy and unit composition.

Suggestions: Diversify the unit composition with advanced units like Sentries or Immortals to counter threats.

Analysis: The agent remains committed to its long-term focus on technology upgrades and unit production, even as the opponent's forces grow stronger. The resources allocated for further upgrades

表7：在DSGBench上评估的大语言模型的推理时间估算（单位：小时）

模型名称	星际争霸II	文明	街头霸王III	强权外交	狼人杀	陆战棋
GPT-4o	90h	35h	20h	15h	10h	70h
GPT-3.5 Turbo	100h	30h	15h	10h	10h	60h
Gemini 1.5 Flash	75h	30h	15h	10h	10h	60h
Llama-3.1-8B-Instruct	x	x	15h	10h	10h	100h
Llama-3.1-70B-Instruct	180h	45h	15h	10h	10h	120h
DeepSeek-V2.5	120h	60h	20h	15h	10h	80h

D.1 案例1：难以平衡长期规划与即时决策 .

本节详细考察基于大语言模型的智能体在星际争霸*II*中的决策轨迹，重点关注其在平衡长期战略目标与即时战术决策时遇到的困难。分析重点揭示了一些特定决策点：在这些决策点上，智能体的预设策略无法有效满足短期需求，导致其在动态游戏情境中的表现欠佳。

示例1：游戏前期——以牺牲防御为代价优先发展经济。在游戏前期，智能体优先发展经济，专注于采集资源和建设基础设施。这一策略基于增强经济实力的长期目标，但忽视了防御等即时需求。

决策轨迹：

$$0 : \text{TRAIN PROBE} \rightarrow 1 : \text{BUILD PYLON} \rightarrow 2 : \text{BUILD NEXUS} \rightarrow 3 : \text{TRAIN PROBE} \rightarrow 4 : \text{BUILD ASSIMILATOR}$$

策略：增加工人和资源采集建筑的数量，着眼于长期经济增长。

建议：增加探机生产，建造水晶塔以提高人口上限，并考虑向新的资源点扩张。

分析：智能体未能为光子炮等防御建筑或前期防御单位分配资源，导致其在对手发动前期进攻时暴露出弱点。相较于即时防御，智能体更注重经济扩张，这削弱了其应对前期威胁的能力。这一决策轨迹体现了在长期经济目标与即时战术防御需求之间取得平衡的挑战。智能体僵化地坚持长期策略，因而错失了应对短期威胁的机会。

示例 2：游戏中期——未能适应敌方的攻势推进。在中期，智能体通常会将重点转向科技升级和单位生产，旨在增强战斗力，为后续交战做好准备。然而，面对对手不断推进的部队，智能体并未调整策略。

决策轨迹：

$$0 : \text{训练机械哨兵} \rightarrow 1 : \text{建造机械台} \rightarrow 2 : \text{训练不朽者} \rightarrow 3 : \text{建造同化舱} \rightarrow 4 : \text{研究星灵地面单位二级护甲}$$

策略：通过均衡的经济和兵种组合提升陆军作战效能。

建议：加入哨兵或不朽者等高级单位，使兵种组合更加多样化，以应对威胁。

分析：即便对手的兵力不断增强，该智能体仍坚持长期侧重科技升级和单位生产。分配给进一步升级的资源

could have been redirected to defensive measures or countermeasures against the enemy's push. The failure to adjust the strategy in response to immediate threats shows a critical difficulty in balancing long-term planning with short-term tactical adaptability.

Example 3: Mid to Late Game - Missing Opportunities for Expansion In the late game, the LLM agent focuses on maintaining technological superiority and reinforcing its base in preparation for the final confrontation. However, despite having a solid strategic position, the agent neglects to expand to new resource locations.

Decision Trajectory:

0 :BUILD GATEWAY $\rightarrow$ 1 : BUILD PHOTON CANNON
$\rightarrow$ 2 : TRAIN STALKER $\rightarrow$ 3 : RESEARCH PROTOSSAIRARMORSLEVEL2
$\rightarrow$ 4 : EXPAND TO NEW RESOURCE LOCATION

Strategy: Focus on a mix of gateway units and technical units, such as Stalkers, Immortals, and Voidrays.

Suggestions: Enhance unit composition by adding more production structures and consider expanding to new resource locations.

Analysis: By focusing too heavily on upgrading its current units and fortifying its base, the agent misses the opportunity to expand and gather critical resources. This decision shows how the agent's commitment to long-term technological upgrades prevents it from seizing immediate opportunities for expansion, which would have strengthened its position for the final engagement.

D.2 Case 2: Challenges handling incomplete information and multi-hop inference.

In the Stratego environment, where the full state of the system is not readily available, agents are required to make decisions based on partial data and often must infer missing elements. Reliance on incomplete information can lead to suboptimal decisions, as agents may base their actions on incorrect or outdated assumptions.

Example 1: Incomplete Knowledge of the Opponent's Setup in Stratego. In *Stratego*, Early in the game, the agent operates with limited visibility, assuming that further movements will gradually reveal key information. However, agents often make overly aggressive moves based on these initial inferences, which can expose their pieces unexpectedly.

Decision Trajectory:

- Move Scout to (3,1) to advance.
- Move Scout to (6,1) to probe for the opponent's flag.

Strategy: The agent prioritizes advancing the scout to uncover hidden enemy pieces.

Analysis: The early move is predicated on the agent's belief that the Scout will reveal useful information regarding the opponent's flag. However, this decision exposes key pieces, as the opponent may have defensive setups that the agent could not anticipate due to limited visibility.

Example 2: Failure to Adapt to Unveiled Information. As the game progresses and more pieces become visible, LLM-based agents often fail to adjust their strategies accordingly. Even as the board state becomes clearer, agents may continue pursuing initial objectives that are no longer viable, reflecting a failure to revise strategies in light of new data.

Decision Trajectory:

- Move Marshall to (6,3).
- Move Marshall to (7,3).
- Continue advancing without reassessing new threats.

Strategy: The agent aims to advance the Marshall toward the opponent's back row without adapting to the newly revealed defensive pieces.

本可转而用于防御措施，或用于针对敌方推进的反制措施。未能根据眼前威胁调整策略，表明其在平衡长期规划与短期战术适应性方面存在关键困难。

示例3：游戏中后期——错失扩张机会 在游戏后期，大语言模型智能体专注于保持科技优势并加固基地，为最终决战做准备。然而，尽管占据有利的战略位置，该智能体却忽视了向新资源点扩张。

决策轨迹：

0：建造传送门 $\rightarrow$ 1： 建造光子炮$\rightarrow$ 2： 训练追猎者 $\rightarrow$ 3： 研究星灵空中护甲等级2$\rightarrow$ 4： 扩张至新资源点

策略：注重搭配使用传送门单位与科技单位，例如追猎者、不朽者和虚空辉光舰。

建议：增加生产建筑以优化兵种组合，并考虑向新资源点扩张。

分析：由于过于注重升级现有部队和驻防基地，该智能体错失了扩张及采集关键资源的机会。这一决策表明，智能体对长期科技升级的执着使其无法抓住眼前的扩张机会，而这些机会本可以巩固其在最终交战中的有利位置。

D.2 案例 2：处理不完全信息与多跳推理的挑战。

在陆战棋环境中，系统的完整状态并不易获取，智能体需要依据部分数据做出决策，并且往往必须推断缺失的信息。依赖不完全信息可能导致次优决策，因为智能体的操作可能基于错误或过时的假设。

示例 1：对陆战棋中对手布局的了解不完整。在陆战棋的游戏初期，智能体在有限视野下行动，并假设后续移动会逐步揭示关键信息。然而，智能体经常依据这些初步推断采取过于激进的着法，这可能使其棋子意外暴露。

决策轨迹：

- 将侦察兵移动至 (3,1)，向前推进。
- 将侦察兵移动至 (6,1)，探查对手的军旗。

策略：智能体优先推进侦察兵，以揭示隐藏的敌方棋子。

分析：这一前期移动基于智能体的判断：侦察兵能够揭示有关对手的军旗的有用信息。然而，这一决策会使关键棋子暴露于风险之中，因为对手可能采用了智能体因有限视野而无法预见的防守布局。

示例 2：未能适应新揭示的信息。随着游戏进程的推进，越来越多的棋子变得可见，基于大语言模型的智能体却往往无法相应调整策略。即使棋盘状态逐渐明朗，智能体仍可能继续追求已不再可行的初始目标，这反映出其未能根据新数据修订策略。

决策轨迹：

- 将元帅移动至 (6,3)。
- 将元帅移动至 (7,3)。
- 继续推进，不重新评估新的威胁。

策略：智能体旨在将元帅推进至对手的底线，却未根据新揭示的防守棋子调整策略。

Table 8: Presents a detailed decision trajectory analysis of a Stratego game's gameplay across various stages: Early, Mid, and Mid to Late. The table outlines specific player and opponent moves, including strategic positioning and piece deployment. Each entry provides insights into the decision-making process and strategy for advancing towards the opponent's flag.

Stage	Trajectory	Rounds
Early	Current State: Player: 40, Opponent: 40 Player: To quickly advance towards the opponent's flag, I will use the Scout at position 3,1 to move as far forward as possible, aiming to reach the opponent's rear rows. This move maximizes the Scout's movement potential and brings it closer to potential flag positions. move: 3 1 → 6 1 Opponent: The opponent has all their pieces hidden in the first three rows, indicating a defensive setup. My strategy is to advance my pieces towards the opponent's territory to uncover their ranks and potentially locate the flag. I will move my Scout to explore the left side of the board, as it can cover more distance and reveal more information about the opponent's setup. move: 6 0 → 5 0 New State: Player: 39, Opponent: 40	18
	Current State: Player: 36, Opponent: 37 Player: The macro strategy is to advance towards the Blue flag, which is likely located in the rear rows. The General 'R(8)' at position '5,5' is in a good position to move towards the Blue side, potentially threatening the Blue flag. Moving the General to '6 5' allows it to advance further into Blue territory without being obstructed by the lakes. move: 5 5 → 6 5 Opponent: The opponent has a significant number of pieces in the first two rows, indicating a strong defense. My strategy will focus on advancing my pieces towards the center and probing for weaknesses in their formation. The goal is to create opportunities to capture their flag while maintaining a strong defense. Moving the Sergeant 'R(3)' from position '5,1' to '4,1' will allow me to advance while keeping options open for future moves. move: 5 1 → 4 1 New State: Player: 36, Opponent: 36	186
Mid	Current State: Player: 31, Opponent: 26 Player: The Marshall 'R(9)' is positioned strategically to move towards the opponent's rear rows where the flag is likely located. Moving Marshall forward will increase the chances of capturing the flag or forcing the opponent into revealing key pieces. move: 6 3 → 7 3 Opponent: The opponent has a strong presence in the upper rows, with many pieces still concealed. My strategy is to advance my pieces strategically while probing for the opponent's flag and weaker pieces. The valid moves available allow me to reposition my pieces to potentially uncover the opponent's defenses. I will move Captain 'R(5)' from position '7,2' to '7,3' to maintain pressure and explore further. move: 7 2 → 7 3 New State: Player: 31, Opponent: 24	459
	Current State: Player: 30, Opponent: 19 Player: The Marshall 'R(9)' is positioned at 3,1 and can move to 2,1 or 4,1. Moving to 2,1 could potentially engage with the Blue pieces in the front row, while moving to 4,1 could position the Marshall closer to the center, potentially towards the Blue flag. Given the strategic importance of the Marshall, moving it to 2,1 could be a proactive move to engage with the opponent's front line. move: 3 1 → 2 1 Opponent: The opponent has a strong piece (B(9)) in row 2, column 1, indicating a potential defensive setup. The objective is to probe the opponent's defenses while advancing towards their rear rows where the flag is likely located. Moving the Sergeant 'R(3)' to 3,9 allows for an attack on any potential threats in that column while maintaining pressure on the opponent's formation. move: 4 9 → 3 9 New State: Player: 30, Opponent: 18	642
Mid to Late	Current State: Player: 20, Opponent: 9 Player: The macro strategy is to advance towards the opponent's rear rows, particularly focusing on the area around the lakes to control key movement paths. The opponent's flag is likely in the rear rows, so moving pieces towards that area is crucial. The Miner 'R(²)' at position '4,5' can move to '3,5', potentially opening a path towards the opponent's side, while also being in a position to defuse any bombs that might be encountered. move: 4 5 → 3 5 Opponent: The opponent has a significant number of unidentified pieces in their back rows, indicating a defensive setup. The goal is to advance our pieces strategically to uncover and potentially capture their flag. Moving the Lieutenant 'R(4)' to 8 4 will allow us to maintain pressure on the opponent while also positioning ourselves to explore further into their territory. move: 9 4 → 8 4 New State: Player: 20, Opponent: 8	1200

Analysis: Despite uncovering some of the opponent's pieces, the agent persists with a strategy that ignores these updated threats. This observation underscores the agent's inability to adapt its

表8：对一局陆战棋在前期、中期及中后期各阶段的玩法进行了详细的决策轨迹分析。表中列出了玩家的具体着法和对手招式，包括战略布局和棋子部署。每个条目都深入揭示了向对手的军旗推进时的决策过程与策略。

阶段	轨迹	回合
前期	当前状态: 玩家：40，对手：40 玩家：为了快速向对手的军旗推进，我将使用位于 3,1 的侦察兵，尽可能向前移动，力争抵达对手的后排。此举能最大限度地发挥侦察兵的移动潜力，使其更接近军旗可能所在的位置。移动： 3 1 → 6 1 对手：对手将所有棋子隐藏在前三行，表明其采用了防御布局。我的策略是将棋子向对手的领土推进，以探明其棋子的等级并可能找到军旗。我将移动我的侦察兵，探索棋盘左侧，因为它可以行进更远的距离，并揭示更多有关对手布局的信息。移动： 6 0 → 5 0 新状态: 玩家：39，对手：40	18
	当前状态: 玩家：36，对手：37 玩家：宏观策略是向蓝方推进军旗很可能位于后排。位于位置“5,5”的上将“R(8)”处于有利位置，可以向蓝方移动，从而可能威胁蓝方军旗。将上将移动到“6 5”，可以使其进一步深入蓝方领地，而不受湖泊阻挡。移动： 5 5 → 6 5 对手：对手在前两行部署了大量棋子，表明其具有强大的防御。我的策略将侧重于向中央推进我的棋子，并试探其弱点所在，具体是在对手的阵型中。目标是在保持稳固防御的同时，创造夺取对手军旗的机会。将中士“R(3)”从位置“5,1”移动到“4,1”，既能让我向前推进，也能保留选择余地以便为后续着法留有余地。移动： 5 1 → 4 1 新状态: 玩家：36，对手：36	186
Mid	当前状态: 玩家：31，对手：26 玩家：元帅“R(9)”处于有利的战略位置，可以向对手的后排移动，军旗很可能位于那里。让元帅向前移动将增加夺取军旗或迫使对手暴露关键棋子的机会。移动： 6 3 → 7 3 对手：对手在上方各排部署了强大兵力，拥有许多棋子仍然隐藏着。我的策略是有策略地推进棋子，同时探查对手的军旗和较弱的棋子。当前可用的合法走法允许我调整棋子的位置，从而有可能揭示对手的防御。我将把上尉 ’ R(5)’ 从位置 ’ 7,2’ 移动到 ’ 7,3’ ，以保持压力并进一步探索。移动： 7 2 → 7 3 新状态: 玩家：31，对手：24	459
	当前状态: 玩家：30，对手：19 玩家：元帅“R(9)”位于3,1，可以移动至2,1或4,1。移动至2,1可能会与前排的蓝方棋子交战，而移动至4,1则可使元帅更靠近中央，并可能朝蓝方军旗推进。考虑到元帅的战略重要性，将其移动至2,1可能是主动寻求交战的一步，交战对象是对手的前线。 移动： 3 1 → 2 1 对手：对手在第2行有一枚强力棋子（B(9)），位于第1列，表明其可能采用了防御布局。目标是试探对手的防御，同时向其军旗可能所在的后排推进。将中士“R(3)”移动至3,9即可攻击该列中任何潜在威胁，同时持续对对手的阵型施加压力。移动： 4 9 → 3 9 新状态: 玩家：30，对手：18	642
中后期	当前状态: 玩家：20，对手：9 玩家：宏观策略是向对手的方向推进后排，尤其要关注湖泊周边区域，以控制关键移动路径。对手的军旗很可能位于后排，因此将棋子向该区域推进至关重要。位于位置‘4,5’的工兵‘R(2)’可以移动至‘3,5’，这可能开辟一条通往对手一侧的路径，同时也能处于有利位置以拆除可能遇到的任何炸弹。移动： 4 5 → 3 5 对手：对手有大量未识别棋子位于其后排，表明其采用了防御布局。目标是有策略地推进我方棋子，以发现对手的军旗，并争取将其夺取。移动中尉‘R(4)’前往 8 4 将使我们能够持续向对手施压，同时为进一步探索做好位置部署进一步深入他们的领土。移动： 9 4 → 8 4 新状态: 玩家：20，对手：8	1200

分析：尽管已探明对手的部分棋子，智能体仍坚持采用忽视这些最新威胁的策略。这一观察结果凸显了智能体无法调整其

strategy dynamically to new information, resulting in adherence to a trajectory that exhibits growing divergence from the optimal response to the prevailing game state.

Example 3: Late-Game – Misjudging the Opponent's Intentions. As the game nears its conclusion, agents must make critical decisions based on a nearly complete understanding of the game board. However, LLMs often struggle with multi-step inferences, which can lead to incorrect predictions about the opponent's future moves and result in disastrous decisions.

Decision Trajectory:

- Move Miner to (4,5).
- Move Miner to (3,5).
- Proceed without considering potential bomb placements.

Strategy: The agent moves the Miner to defuse bombs and probe for the opponent's flag.

Analysis: While the agent attempts to position its Miner safely, it overlooks the possibility of bombs in certain areas. This failure to anticipate trap locations and adjust the Miner's path accordingly results from incomplete or inaccurate inferences. The agent's decision trajectory highlights its inability to make necessary adjustments based on evolving game conditions.

D.3 Case 3: Difficulty overcoming memory limitations in long horizon tasks.

In Diplomacy, agents must adapt their strategies to changing alliances, threats, and information. Effective memory of past events and choices is crucial for such adaptation. However, LLM-based agents can struggle to integrate new environmental cues or change established behaviors. This difficulty may stem from memory limitations or over-reliance on previously successful approaches. This case study examines how these issues can lead to repetitive actions.

Example 1: Repeatedly Disbanding Units Despite Unclear Early Game Signals (W1901A - W1902A). In W1901A, Turkey made a non-aggression pact with Austria and said it had "positive communication" with Italy and Russia. Believing things were stable, Turkey disbanded a unit (A SMY D) to get WP, raising its score from 0 to 1. This started an early habit of trying to get WP by reducing its number of units.

Decision Trajectory:

- W1901A: Turkey disbands 'A SMY D'. Reasoning: Mentions pact with Austria and good talks with Italy/Russia to explain WP gain.
- F1902M (R1, R3): Turkey keeps saying it has a "solid non-aggression pact with Austria" and "positive relations with both Russia and Italy."
- W1902A (R1 - Plan): Turkey plans to disband 'F ANK D' to increase WP.
- W1902A (R3 - Final Orders): Turkey carries out 'A CON D' to "maximize my Welfare Points (WP)." (WP: $1 \rightarrow 3$).

Analysis: Turkey's actions in W1901A and W1902A (Table 9) show a consistent, repeated strategy of disbanding units to get WP. This was based on its first idea that the game was peaceful. Even though its W1902A Round 1 reasoning mentions thinking about its relationships, the final decision still focused on getting WP by reducing its units. A key point is that the trace does not show Turkey checking if its relationships with Russia and Italy were still reliable after their first "positive communication," before it decided to reduce its units again in W1902A. While no one directly broke a promise in this early part of the trace, the agent's repeated use of the unit disbandment strategy, helped by early WP gains, suggests a possible problem. It might not be fully using new, small clues about changing diplomatic situations or actively trying to make sure its alliances were still strong.

Example 2: Repeatedly Disbanding Units While Other Powers Strengthen Their Forces (W1903A - F1905R). In W1903A, Germany suggested Turkey reduce its units to get WP, and Turkey's WP then went up ($3 \rightarrow 4$), meaning it likely did so. But then, the game situation changed. By W1904A, "No dialogue or negotiations occurred... All powers focused on building units to strengthen their positions." This showed a general move by countries to increase their unit strength.

根据新信息动态调整策略，导致其持续遵循一条与当前游戏状态下的最优响应日益偏离的轨迹。

示例3：游戏后期——误判对手意图。随着游戏接近尾声，智能体必须在对棋盘情况近乎全面了解的基础上做出关键决策。然而，大语言模型往往难以进行多步推理，这可能导致其错误预测对手未来的着法，进而做出灾难性的决策。

决策轨迹：

- 将工兵移动至(4,5)。
- 将工兵移动至(3,5)。
- 未考虑可能的炸弹布置便继续行动。

策略：智能体移动工兵以拆除炸弹，并探寻对手的军旗。

分析：尽管智能体试图将工兵置于安全位置，却忽略了某些区域可能存在炸弹。由于推断不完整或不准确，它未能预判陷阱位置并相应调整工兵的行进路线。智能体的决策轨迹凸显出，它无法根据不断变化的游戏局势做出必要调整。

D.3 案例3：难以克服长时程任务中的记忆局限。

在《强权外交》中，智能体必须根据不断变化的联盟、威胁和信息调整策略。有效记住过去的事件和选择，是实现这种适应的关键。然而，基于大语言模型的智能体可能难以整合新的环境线索或改变既有行为。这一困难可能源于记忆局限，或对以往成功方法的过度依赖。本案例研究探讨了这些问题如何导致重复操作。

示例1：尽管游戏前期信号尚不明确，仍反复解散部队（1901年冬季调整阶段至1902年冬季调整阶段）。在1901年冬季调整阶段，土耳其与奥地利签订了互不侵犯条约，并表示与意大利和俄罗斯进行了“积极沟通”。土耳其认为局势稳定，于是解散了一支部队（A SMY D）以获取福利点数，使得分从0升至1。这使其在游戏早期便开始形成通过减少部队数量来获取福利点数的习惯。

决策轨迹：

- 1901年冬季调整阶段：土耳其执行解散指令‘A SMY D‘。推理：提及与奥地利的条约以及与意大利和俄罗斯的良好会谈，以解释福利点数的增长。
- F1902M（第1轮、第3轮）：土耳其反复表示，它与奥地利订有“稳固的互不侵犯条约”，并且“与俄罗斯和意大利均保持良好关系”。
- W1902A（第1轮——计划）：土耳其计划执行解散指令‘F ANK D‘，以增加福利点数。
- W1902A（第3轮——最终指令）：土耳其执行‘A CON D‘，以“最大化我的福利点数（WP）”。（福利点数：$1 \rightarrow 3$）。

分析：土耳其在1901年冬季调整阶段和W1902A中的操作（表9）表明，它始终反复采用解散部队以获取福利点数的策略。这是基于它最初认为游戏局势和平的判断。尽管其在W1902A第1轮的推理中提到考虑自身与其他国家的关系，但最终决策仍然侧重于通过裁减部队来获取福利点数。关键在于，这段轨迹并未显示土耳其在W1902A决定再次裁减部队之前，曾检查与俄罗斯和意大利的关系在最初的“积极沟通”之后是否仍然可靠。虽然在轨迹的这一早期阶段，没有任何一方直接违背承诺，但在早期福利点数收益的推动下，该智能体反复采用部队解散策略，暗示了一个潜在问题：它可能没有充分利用有关外交形势变化的新出现的细微线索，也没有积极尝试确认其联盟是否依然稳固。

示例2：在其他列强增强兵力时反复解散部队（W1903A - 1905年秋季撤退阶段）。在W1903A阶段，德国建议土耳其减少部队以获取福利点数，随后土耳其的福利点数上升（$3 \rightarrow 4$），这意味着土耳其很可能采纳了这一建议。但此后，局势发生了变化。到了W1904A阶段，“没有发生任何对话或谈判……所有列强都专注于建造部队，以巩固自身地位。”这表明各国普遍转向增强兵力。

Table 9: Presents a detailed decision-making analysis of Diplomacy gameplay across multiple phases. The table outlines the orders and strategic reasoning behind each move, including diplomatic negotiations, military actions, and Welfare Points (WP) accumulation.

Phase		Trajectory	WP
S1901M	Turkey-R1	**Orders:** F ANK H, A CON H, A SMY H **Reasoning:** I have received a message from Austria proposing a non-aggression pact. This could be beneficial for both of us, as it would allow me to focus on expanding my influence in the Balkans without worrying about...	0
	Turkey-R2	**Orders:** F ANK - ARM, A CON - BUL, A SMY H **Reasoning:** I have a solid position with three supply centers and three units, but I need to be cautious about my military presence. Austria has proposed a non-aggression pact, which I find appealing as it could allow me to focus on accumulating Welfare Points (WP) ...	
	Turkey-R3	**Orders:** F ANK H, A CON H **Reasoning:** In this phase, I need to consider my relationships with Austria, Russia, and Italy. Austria and I have a solid non-aggression pact, and I want to maintain that stability...	
W1901A	Turkey-R1	**Orders:** A SMY D **Reasoning:** In this phase, I have the opportunity to disband one of my units to increase my Welfare Points (WP). Given the current diplomatic landscape, I have established a non-aggression pact with Austria and have positive communication with Italy and Russia. Disbanding a unit will allow me to accumulate WP...	$0 \rightarrow 1$
F1902M	Turkey-R1	**Orders:** F ANK - CON, A CON H **Reasoning:** The current situation is quite favorable for Turkey, as I have established a non-aggression pact with Austria and have positive relations with both Russia and Italy...	
	Turkey-R3	**Orders:** F ANK H, A CON H **Reasoning:** In this phase, I need to consider my relationships with Austria, Russia, and Italy. Austria and I have a solid non-aggression pact, and I want to maintain that stability...	$1 \rightarrow 3$
W1902A	Turkey-R1	**Orders:** F ANK D **Reasoning:** Currently, I have 3 supply centers and 2 units, which means I have 1 Welfare Point (WP) accumulated... I am leaning towards disbanding the fleet in Ankara (F ANK D) to increase my WP...	
	Turkey-R3	**Orders:** A CON D **Reasoning:** In this phase, I have the opportunity to disband a unit to maximize my Welfare Points (WP). Given my current situation, I have 3 supply centers and 2 units...	
W1903A	Turkey	Germany repeatedly urges Turkey to consider demilitarization during the winter adjustment phase to increase Welfare Points (WP), emphasizing that it is beneficial for all powers...	$3 \rightarrow 4$
W1904A	Turkey	No dialogue or negotiations occurred during the W1904A phase. All powers focused on building units to strengthen their positions.	
F1905M	Turkey	No dialogue or negotiations were observed during the Fall 1905 Movement phase. All powers, including Austria, did not engage in any visible negotiations or alliances.	
F1905R	Turkey	Turkey on disbanding units to maximize WP...	$4 \rightarrow 6$
W1905A	Turkey	No dialogue or negotiations occurred during the W1905A phase. All powers focused on building units to strengthen their positions.	

Decision Trajectory:

- W1903A: Germany tells Turkey to reduce its units. (Turkey's WP: $3 \rightarrow 4$).
- W1904A: "No dialogue... All powers focused on building units..."
- F1905M: "No dialogue... All powers, including Austria, did not engage in any visible negotiations or alliances."
- F1905R: "Turkey on disbanding units to maximize WP..."
- W1905A: "No dialogue... All powers focused on building units..." (Turkey's WP: $4 \rightarrow 6$, suggesting more unit disbandments).

Analysis: Turkey's actions from W1904A on, when compared to the general trend of other powers building up their forces, show a major problem in changing its strategy, possibly due to memory limits. The W1904A report ("All powers focused on building units") was a clear sign that the game situation was changing. A careful agent would likely rethink a strategy that focused on reducing its

表9：详细展示了《强权外交》玩法中多个阶段的决策分析。该表概述了每次移动的指令及其背后的策略推理，包括外交谈判、军事行动和福利点数（WP）的积累。

阶段		轨迹	WP
S1901M	土耳其-R1	**指令：** 舰队 安卡拉 原地驻守，A 君士坦丁堡 H，陆军 士麦那 固守 **推理：** 我收到了一条来自奥地利的消息，提议签订一项互不侵犯条约。这可能对我们双方都有利，因为这能让我专注于扩大我在巴尔干半岛的影响力，而不必担心……	0
	土耳其-R2	**指令：** 舰队 安卡拉 - 亚美尼亚，A 君士坦丁堡 - 保加利亚，陆军 士麦那 驻守 **推理：** 我拥有三个补给中心，位置稳固和三支部队，但我需要谨慎对待自己的军事存在。奥地利提议签订互不侵犯条约，这对我很有吸引力，因为这可以让我专注于积累福利点数（WP）……	
	土耳其-R3	**指令：** 舰队 安卡拉 坚守，A 君士坦丁堡 H **推理：** 在这一阶段，我需要考虑我与奥地利的关系，以及与俄罗斯和意大利的关系。奥地利与我签有稳固的互不侵犯条约，我希望维持这种稳定局面……	
1901年冬季调整阶段	土耳其-R1	**指令：** 陆军 士麦那 解散 **推理：** 在此阶段，我有机会解散我的一支部队，以增加我的福利点数（WP）。鉴于当前的外交局势，我已缔结互不侵犯条约，缔约方为奥地利，并与意大利和俄罗斯保持良好沟通。解散一个单位将使我能够积累福利点数……	$0 \rightarrow 1$
F1902M	土耳其-R1	**指令：** 舰队 安卡拉 - 君士坦丁堡，A 君士坦丁堡 H **推理：** 当前局势对土耳其相当有利，因为我已经与奥地利缔结了互不侵犯条约，并与俄罗斯和意大利都保持着良好关系……	
	土耳其-R3	**指令：** 舰队 安卡拉 H，A 君士坦丁堡 H **推理：** 在这一阶段，我需要考虑我与奥地利、俄罗斯和意大利的关系。我与奥地利签订了稳固的互不侵犯条约，我希望维持这种稳定局面……	$1 \rightarrow 3$
W1902A	土耳其-R1	**指令：** 舰队 安卡拉 解散 **推理：** 目前，我拥有3个补给中心和2支部队，这意味着我已累计获得1福利点（WP）……我倾向于解散安卡拉的舰队（舰队 安卡拉 解散）以增加我的福利点数……	
	土耳其-R3	**指令：** 陆军 君士坦丁堡 解散 **推理：** 在此阶段，我有机会解散一个单位，以最大化我的福利点数（WP）。就我目前的情况而言，我拥有3个补给中心和2支部队……	
W1903A	土耳其	德国反复敦促土耳其在冬季调整阶段考虑非军事化以增加福利点数（WP），并强调这对所有列强都有利……	$3 \rightarrow 4$
1904年冬季调整阶段	土耳其	1904年冬季调整阶段没有发生任何对话或谈判。所有列强都专注于建造部队以巩固各自的地位。	
1905年秋季移动阶段	土耳其	在1905年秋季移动阶段，未观察到任何对话或谈判。所有列强，包括奥地利在内，均未参与任何可见的谈判或联盟。	
1905年秋季撤退阶段	土耳其	土耳其关于通过解散部队来最大化福利点数的讨论……	$4 \rightarrow 6$
1905年冬季调整阶段	土耳其	在1905年冬季调整阶段，未发生任何对话或谈判。所有列强都专注于建造部队以巩固自身位置。	

决策轨迹：

- W1903A：德国要求土耳其减少部队。（土耳其的福利点数：$3 \rightarrow 4$）。
- 1904年冬季调整阶段：“没有对话……所有列强都专注于建造部队……”
- 1905年秋季移动阶段：“无对话……包括奥地利在内的所有列强均未进行任何可见的谈判或结成联盟。”
- 1905年秋季撤退阶段：“土耳其着手解散部队，以最大化福利点数……”
- 1905年冬季调整阶段：“无对话……所有列强都专注于建造部队……”（土耳其的福利点数：$4 \rightarrow 6$，表明有更多部队解散）。

分析：从1904年冬季调整阶段起，将土耳其的操作与其他列强扩充兵力的总体趋势进行比较，可以看出其在调整策略方面存在重大问题，这可能源于记忆限制。1904年冬季调整阶段的报告（“所有列强都专注于建造部队”）清楚地表明，游戏局势正在发生变化。谨慎的智能体很可能会重新审视一项侧重于削减其

own units. But by F1905R, Turkey was still thinking about disbanding units for WP, and its WP went up by W1905A, meaning it likely disbanded more units. This shows a failure to effectively use the memory of the W1904A trend (other powers building more units) in its later decisions for F1905 and W1905A. Additionally, the repeated "No dialogue or negotiations" from W1904A on meant Turkey wasn't getting new diplomatic information that might support its continued unit reduction. Its decisions seem to come more from an old idea of the game or a fixed way of acting, and not from adaptive thinking based on recent clues, like other countries building many units.

E *StarCraft II*

StarCraft II is a real-time strategy (RTS) game developed by Blizzard Entertainment. It is the successor to StarCraft: Broodwar, one of the most successful RTS games. The objective of *StarCraft II* is to establish bases, manage resources, build armies, and destroy the enemy's base. The most common game setup is 1v1, where each player chooses one of three races: Terran, Protoss, or Zerg. Each race has unique units, buildings, and mechanics, which result in different strategic approaches. Players start with a small base and a few units, and they gather resources to build additional units and structures. Additionally, players scout their opponent and develop new tactics. Numerous resources are available for learning *StarCraft II*, including Battle.net, TeamLiquid, and Wikia.

As a highly complex RTS game, *StarCraft II* provides an ideal environment for evaluating LLM-based agents. Its complexity stems not only from a vast action space and diverse unit types with unique abilities, but also from the critical interplay of micromanagement and macromanagement, all unfolding under conditions of imperfect information and severe time constraints. The game demands quick decision-making, efficient resource management, strategic planning, and the ability to adapt to the opponent's tactics in real-time. LLM-based agents must make effective decisions in high-pressure, rapidly changing environments while also adjusting strategies over the long term.

StarCraft II has become a critical platform for reinforcement learning (RL) research[Vinyals *et al.*, 2017]. DeepMind's AlphaStar[Vinyals *et al.*, 2019], for example, used deep reinforcement learning to defeat several professional players, demonstrating the potential of RL in dynamic, complex environments, particularly in real-time decision-making and long-term strategic planning. However, AlphaStar's limitations in decision-making transparency have opened up further avenues for research.

With the rise of LLMs such as the GPT series[OpenAI, 2023, 2024], researchers have started exploring the application of LLMs to *StarCraft II*. However, the rapid decision-making required in RTS games presents significant challenges for directly applying LLMs. To address this, the research team[Ma *et al.*, 2023b] developed the TextStarCraft II environment and introduced the Chain of Summarization (CoS) method, which successfully defeated the LV5 built-in AI. Furthermore, the SwarmBrain system[Shao *et al.*, 2024], which combines the Overmind intelligent matrix and Swarm ReflexNet, has further enhanced the performance of LLMs in strategic decision-making.

The following sections describe key aspects of the *StarCraft II* environment, including the game environment, action space, fine-grained metrics, example trajectory, and prompt example, with the structure applicable to other environments.

E.1 Game Detailed Description

A detailed description of the game settings, unit configurations, opening strategies, and goals is provided in Table 10. Numerous resources are available for learning *StarCraft II*, including Battle.net, TeamLiquid, and Wikia.

E.2 Action Space

In *StarCraft II*, the LLM agent is provided with five pre-defined, macro-level actions, as outlined in the TextStarCraft II [Ma *et al.*, 2023b]. These actions represent strategic decisions that simplify the agent's decision-making by abstracting micro-level tactics.

- **Train Units**: Train 18 types of player's units including PROBE, ZEALOT, etc.
- **Build Structure**: Build 15 types of player's buildings including PYLON, NEXUS, etc.

自身部队的策略。但到了1905年秋季撤退阶段，土耳其仍在考虑通过解散部队来获取福利点数，而且到1905年冬季调整阶段，其福利点数有所增加，这意味着它很可能解散了更多部队。这表明，在随后针对1905年秋季和1905年冬季调整阶段的决策中，它未能有效利用对1904年冬季调整阶段趋势（其他列强建造更多部队）的记忆。此外，从1904年冬季调整阶段起反复出现的“无对话或谈判”意味着，土耳其未能获取可能支持其持续削减部队的新外交信息。其决策似乎更多地源于对游戏的过时认识或固定的行为方式，而非根据近期线索（例如其他国家大量建造部队）进行灵活调整的思考。

E 星际争霸*II*

星际争霸*II* 是暴雪娱乐开发的一款即时战略（RTS）游戏。它是《星际争霸：母巢之战》的续作，后者是最成功的即时战略游戏之一。星际争霸*II* 的目标是建立基地、管理资源、组建陆军并摧毁敌方基地。最常见的游戏设置是一对一，每位玩家从三个种族中选择一个：人类、星灵或异虫。每个种族都有独特的部队、建筑和游戏机制，因此会采用不同的策略。玩家最初拥有一个小型基地和少量部队，通过采集资源来建造更多部队和建筑。此外，玩家还会侦察对手并制定新战术。学习星际争霸*II*的资源十分丰富，包括战网、TeamLiquid 和 Wikia。

作为一款高度复杂的即时战略游戏，星际争霸*II* 为评估基于大语言模型的智能体提供了理想的环境。其复杂性不仅源于庞大的动作空间以及拥有独特能力的多样化单位类型，还源于微观操作与宏观运营之间至关重要的相互作用，而这一切都发生在不完美信息和严格时间约束的条件下。该游戏要求快速决策、高效的资源管理、战略规划，以及实时适应对手战术的能力。基于大语言模型的智能体必须在高压且快速变化的环境中做出有效决策，同时还要从长远角度调整策略。

星际争霸*II* 已成为强化学习（RL）研究的重要平台[Vinyals 等，2017]。例如，DeepMind的AlphaStar[Vinyals 等， 2019],利用深度强化学习击败了多名职业玩家，展示了强化学习在动态、复杂环境中的潜力，尤其是在实时决策和长期战略规划方面。然而，AlphaStar在决策透明度方面的局限性也开辟了更多研究方向。

随着GPT系列[OpenAI， 2023, 2024], 等大语言模型的兴起，研究人员开始探索将大语言模型应用于星际争霸*II*。然而，即时战略游戏对快速决策的要求，给直接应用大语言模型带来了重大挑战。为应对这一问题，研究团队[Ma 等，2023b] 开发了TextStarCraft II环境，并提出了摘要链（CoS）方法，成功击败了5级内置人工智能。此外，SwarmBrain系统[Shao 等， 2024], 结合了主宰智能矩阵和Swarm ReflexNet，进一步提升了大语言模型在战略决策方面的表现。

以下各节介绍星际争霸*II* 环境的关键方面，包括游戏环境、动作空间、细粒度指标、轨迹示例和提示词示例，其结构也适用于其他环境。

E.1 游戏详细说明

表10详细介绍了游戏设置、单位配置、开局策略和目标。学习星际争霸*II*的资源十分丰富，包括战网、TeamLiquid和Wikia。

E.2 动作空间

在星际争霸*II*中，大语言模型智能体可使用五种预定义的宏观动作，具体如TextStarCraft II [Ma等人，2023b]所述。这些操作代表战略决策，通过对微观战术进行抽象，简化智能体的决策过程。

- **训练单位**：训练玩家的18种部队，包括探机、狂热者等。
- **建造建筑**：建造水晶塔、星灵枢纽等15种玩家建筑。

Table 10: Game manual detailing the settings, unit configuration and policy, fixed opening strategies, and goals for gameplay in *StarCraft II*.

Game Manual for StarCraft II		
Setting	Map specification	Standard 1v1 map with mining, gas, expansion points, obstacle terrain, and other elements (e.g. map: Jagannatha LE).
	Number of players	2 players per match against each other.
	Resource type	Two main resources - minerals and gases, used for unit production and technological upgrading.
Unit Configuration and Policy	Basic Unit Configuration	12 farmers (SCV/Probe/Drone) for resource collection.
		1 main base (Command Center/Nexus/Hatchery).
		1 Supply Depot (Pylon/Overlord) to control the population cap.
	Ethnic Divisions	Terran: Focuses on mechanical units and air power, with strong defensive and multi-functional building capabilities.
		Protoss: Has shields and powerful individual units, but is slower to produce.
		Zerg: Unit production is fast, relying on massive ground forces and good ecological control.
	Unit Production and Technology Tree	Terran: Can produce ground units (e.g., Marine, Marauder) and air force units (e.g., Viking, Banshee).
		Protoss: Can produce high-attack units (e.g., Zealot, Stalker) and powerful air units (e.g., Carrier, Phoenix).
		Zerg: Can produce a large number of cheap units (e.g., Zergling, Hydralisk) and high-tech units (e.g., Mutalisk, Ultralisk).
Fixed Opening Strategy	Initial Base Strategy	Rapid Expansion: Quickly establish a second base to enhance economic output and increase resource collection speed.
		Quick Attack: Quickly produce early combat units, directly attack enemy bases, forcing opponents to defend.
		Defensive Strategy: Strengthen fortifications (e.g., Terran's Bunker, Protoss Photon Cannon) to delay enemy attacks and save strength for later development.
	Army Layout and Defense	Defensive Arrangement: Arrange defensive units near the base to ensure the safety of the mining area and the main base. Examples: Terran's Bunker, Protoss Shield Battery, Zerg's Spine Crawler.
		Offensive Placement: Deploy units to harass and control key locations on the map, such as enemy resource points.
Goals	Economic Development	Through the collection of minerals and gases, rapidly develop the economy and technology to establish a powerful army.
	Military Victory	Destroy all enemy main bases or render them incapable of reproducing units.
	Map Control	Capture key positions on the map (e.g., resource points, highlands) and use tactical advantage to overwhelm the opponent's economy.

- **Research Technique**: Updates on the player's technological advancements. Specifically, it includes 26 sub-actions.
- **Scouting**: Use the appropriate type of user unit to scout the enemy situation, including 4 sub-actions.
- **Battle**: Mainly combat strategies such as MULTI-ATTACK, MULTI-RETREAT, and CHRONOBOOST NEXUS.

表10：游戏手册，详细介绍了星际争霸*II*的设置、单位配置与政策、固定开局策略以及玩法目标。

星际争霸II游戏手册		
设置	地图规格	标准1对1地图，包含采矿、瓦斯、扩张点、障碍地形及其他要素（例如地图：Jagannatha LE）。
	玩家人数	每场比赛由2名玩家相互对战。
	资源类型	两种主要资源——晶体矿和高能瓦斯，用于单位生产和科技升级。
单位配置与政策	基本单位配置	12名工人（SCV/探机/工蜂），用于资源采集。
		1座主基地（指挥中心/星灵枢纽/孵化场）。
		1个补给站（水晶塔/王虫），用于控制人口上限。
	种族划分	人类：侧重于机械单位和空中力量，拥有强大的防御能力和多功能建筑能力。
		星灵：拥有护盾和强大的单体部队，但生产速度较慢。
		异虫：单位生产速度快，依靠庞大的地面部队和良好的生态控制。
	单位生产与科技树	人类：可生产地面单位（如陆战队员、掠夺者）和空中单位（如维京战机、女妖）。
		星灵：可生产高攻击力单位（如狂热者、追猎者）以及强大的空中单位（如航母、凤凰）。
		异虫：可以生产大量低成本单位（例如跳虫、刺蛇）和高科技单位（例如异龙、雷兽）。
固定开局策略	初始基地策略	快速扩张：迅速建立第二基地，以提高经济产出并加快资源采集速度。
		快攻：迅速生产前期作战单位，直接攻击敌方基地，迫使对手防御。
		防御策略：加强防御工事（例如人类地堡、星灵光子炮），以延缓敌方攻击并保存战斗力以便后期发展。
	部队布局与防御	防御部署：在基地附近布置防御单位以确保矿区和主基地的安全。示例：人类地堡、星灵护盾充能器、异虫脊针爬虫。
		进攻部署：部署部队以骚扰并控制关键地图位置，例如敌方资源点。
目标	经济发展	通过采集晶体矿和高能瓦斯，迅速发展经济和科技，以建立强大的陆军。
	军事胜利	摧毁敌方所有主基地，或使其无法继续生产部队。
	地图控制	占领地图上的关键位置（例如资源点、高地）并利用战术优势压垮对手经济。

- **科技研发**：更新玩家的科技进步情况。具体包括26个子动作。
- **侦察**：使用适当类型的用户单位侦察敌情，包括4个子动作。
- **战斗**：主要包括多单位进攻、多单位撤退以及对星灵枢纽施放时空加速等作战策略。

E.3 Fine-Grained Metrics

The following are the metrics and their corresponding formulas for *StarCraft II*. These fine-grained metrics in DSGBench are designed based on expert insights into the core mechanics of the game, with each metric targeting a specific aspect of decision-making that directly influences performance.

- **RPM (Resource Per Minute)**: Quantifies the efficiency of resource gathering.

$$\text{RPM} = \frac{R_{\text{coll}}}{T}$$

  where R_{coll} represents the total collected resources (minerals and vespene), and T is the game time in minutes.
- **EER (Efficiency of Resource Utilization)**: Evaluates the utilization efficiency of collected resources.

$$\text{EER} = \left(\frac{R_{\text{spent}}}{R_{\text{coll}}}\right) \times 100\%$$

  where R_{spent} refers to the total spent resources (minerals and vespene), and R_{coll} represents the total collected resources.
- **SUR (Supply Usage Rate)**: Measures the efficiency of supply usage in a game.

$$\text{SUR} = \left(\frac{S_{\text{used}}}{S_{\text{cap}}}\right) \times 100\%$$

  where S_{used} is the current supply used, and S_{cap} is the current supply capacity (cap).
- **TCR (Technology Completion Rate)**: Evaluates the ratio of researched technologies to the total number of relevant technologies.

$$\text{TCR} = \left(\frac{N_{\text{tech,res}}}{N_{\text{tech,total}}}\right) \times 100\%$$

  where $N_{\text{tech,res}}$ is the number of technologies researched by the player, and $N_{\text{tech,total}}$ is the total number of relevant technologies available (e.g., for the player's chosen race).
- **APM (Actions Per Minute)**: Quantifies the speed and frequency of the agent's outputs.

$$\text{APM} = \frac{N_{\text{actions}}}{T}$$

  where N_{actions} is the total number of actions performed by the agent, and T is the game time in minutes.
- **EPM (Effective Actions Per Minute)**: Measures the efficiency and impact of the agent's actions.

$$\text{EPM} = \frac{N_{\text{act,eff}}}{T}$$

  where $N_{\text{act,eff}}$ refers to the number of effective actions performed by the agent, and T is the game time in minutes.
- **WR (Win Rate)**: Percentage of matches won.

$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}}\right) \times 100\%$$

  where N_{wins} is the number of matches won, and N_{games} is the total number of matches played.
- **GA (Grounding Accuracy)**: Evaluates the precision and success rate of grounding actions.

$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}}\right) \times 100\%$$

  where $N_{\text{ground,succ}}$ is the number of successful grounding actions, and $N_{\text{ground,att}}$ is the total number of grounding attempts.

E.3 细粒度指标

以下是星际争霸*II*的指标及其对应公式。DSGBench 中的这些细粒度指标基于专家对游戏核心机制的深入理解而设计，每项指标都针对直接影响表现的特定决策方面。

- **RPM（每分钟资源采集量）**：量化资源采集效率。

$$\text{RPM} = \frac{R_{\text{coll}}}{T}$$

  其中，R_{coll} 表示采集的资源总量（晶体矿和高能瓦斯），T 表示以分钟为单位的游戏时间。

- **EER（资源利用效率）**：评估已采集资源的利用效率。

$$\text{EER} = \left(\frac{R_{\text{spent}}}{R_{\text{coll}}}\right) \times 100\%$$

  其中，R_{spent} 指消耗的资源总量（晶体矿和高能瓦斯），R_{coll} 表示采集的资源总量。

- **SUR（人口使用率）**：衡量游戏中的人口使用效率。

$$\text{SUR} = \left(\frac{S_{\text{used}}}{S_{\text{cap}}}\right) \times 100\%$$

  其中，S_{used} 为当前已用人口，S_{cap} 为当前人口上限。
- **TCR（科技完成率）**：评估已研究科技数量占相关科技总数的比例。

$$\text{TCR} = \left(\frac{N_{\text{tech,res}}}{N_{\text{tech,total}}}\right) \times 100\%$$

  其中，$N_{\text{tech,res}}$ 为玩家已研究的科技数量，$N_{\text{tech,total}}$ 为可用的相关科技总数（例如，玩家所选种族的科技总数）。
- **APM（每分钟操作数）**：量化智能体输出的速度和频率。

$$\text{APM} = \frac{N_{\text{actions}}}{T}$$

  其中，N_{actions} 为智能体执行的操作总数，T 为以分钟计的游戏时间。

- **每分钟有效操作次数（每分钟有效操作数）**：衡量智能体操作的效率和影响。

$$\text{EPM} = \frac{N_{\text{act,eff}}}{T}$$

  其中，$N_{\text{act, eff}}$ 表示智能体执行的有效动作数量，T 表示以分钟为单位的游戏时间。

- **WR（胜率）**：获胜对局所占的百分比。

$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}}\right) \times 100\%$$

  其中，N_{wins} 表示获胜对局数，N_{games} 表示参与的对局总数。

- **GA（落地准确率）**：评估落地动作的精确率和成功率。

$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}}\right) \times 100\%$$

  其中，$N_{\text{ground,succ}}$ 为成功的落地动作数量，$N_{\text{ground,att}}$ 为落地尝试的总次数。

E.4 Example Trajectory

- **Early game** Game time:00:00

Decisions:
0: <TRAIN PROBE> → 1: <TRAIN PROBE> → 2: <TRAIN PROBE> → 3: <TRAIN PROBE> → 4: <SCOUTING PROBE>
Our Strategy: The strategy is currently undefined, as the game has just begun. The initial focus will be on expanding the economy.
Enemy's Strategy: Unknown, as the game has just started.
Suggestions:

1). **Our Strategy**: Focus on rapid expansion and early scouting to determine the enemy's race and strategy. A fast expansion strategy is generally favorable for Protoss in the early game.
2). **Units and Buildings**: Continue producing Probes to expand our mining capabilities. Build additional Pylons as needed to increase our supply cap. Consider sending out a scouting Probe soon.
3). **Economy**: Maximize mineral collection by ensuring all Probes are assigned to mining. Focus on expanding to a second base as soon as possible.
4). **Technology**: No technology research is needed at this stage. Focus on economic expansion first.

- **Early-mid game** Game time:5:10

Decisions:
0: <TRAIN PROBE> → 1: <BUILD PYLON> → 2: <RESEARCH PROTOSSGROUNDWEAPONSLEVEL1> → 3: <SCOUTING PROBE> → 4: <EMPTY ACTION>
Our Strategy: A standard early expansion strategy with a focus on Zealots. The Robotics Facility suggests a potential transition towards more advanced units later in the game.
Enemy's Strategy: The presence of a single Probe suggests the enemy is also in the early stages of the game. More information is needed to determine their strategy.
Suggestions:

1). **Units and Buildings**: We have 32 Probes, 9 Zealots, two Nexuses, five Pylons, three Assimilators, two Gateways, one Warp Gate, one Cybernetics Core, and one Robotics Facility. We are currently building one Nexus, two Pylons, one Assimilator, and one Gateway. We are also training two more Zealots.
2). **Economy**: Our economy is developing. Mineral income is low (240), but gas income is decent (894). We need to focus on increasing mineral income by expanding our worker count and mining efficiency.
3). **Technology**:We have researched Warp Gates, which is a significant early-game advantage. The Robotics Facility opens up the possibility of producing more advanced units later.

- **Mid-to-late game** Game time:13:18

Decisions:
0: <TRAIN PROBE> → 1: <TRAIN PROBE> → 2: <TRAIN PROBE> → 3: <BUILD PYLON> → 4: <RESEARCH PROTOSSGROUNDWEAPONSLEVEL1>
Our Strategy: Our strategy appears to be a balanced approach, combining strong economic expansion with a diverse army composition. The focus on Warp Gates suggests an aggressive push, but the low mineral count is hindering this.

E.4 轨迹示例

- **游戏前期** 游戏时间：00:00

决策：
0: <训练探机> → 1: <训练探机> → 2: <训练探机> → 3:<训练探机> → 4: <侦察探机>

我方策略：由于游戏刚刚开始，目前尚未确定策略。初期将重点发展经济。

敌方策略：由于游戏刚刚开始，敌方策略尚不明确。
建议：
1). **我方策略**：专注于快速扩张和早期侦察，以确定敌方的种族和策略。快速扩张战术通常对游戏前期的星灵有利。2). **部队与建筑**：继续生产探机，以提升我方采矿能力。根据需要建造更多水晶塔，提高人口上限。考虑尽快派出侦察探机。3). **经济**：确保所有探机都被分配去采矿，以最大限度地提高晶体矿采集量。着重于尽快扩张至第二基地。4). **科技**：现阶段无需进行科技研究。优先专注于经济扩张。

- **游戏前中期** 游戏时间：5:10

决策：
0: <训练探机> → 1: <建造水晶塔> → 2: <研究星灵地面武器等级1> → 3: <侦察探机> → 4: <空操作>
我方策略：采用以狂热者为主的标准前期扩张战术。机械台的存在表明，我方可能在游戏后期转向更高级单位。

敌方策略：发现一名探机，表明敌方也处于游戏前期。需要更多信息才能判断其策略。

建议：
1). **部队与建筑**：我方拥有32名探机、9名狂热者、两座星灵枢纽、五座水晶塔、三座同化体、两座传送门、一座折跃门、一座控制核心和一座机械台。目前正在建造一座星灵枢纽、两座水晶塔、一座同化体和一座传送门，同时还在训练两名狂热者。2). **经济**：我方经济正在发展。晶体矿收入较低（240），但高能瓦斯收入尚可（894）。我们需要增加工人数量并提高采矿效率，着重提升晶体矿收入。3). **科技**：我方已完成折跃门研究，这在游戏前期是一项显著优势。机械台使我方有可能在后期生产更高级单位。

- **游戏中后期** 游戏时间：13:18

决策：
0: <训练探机> → 1: <训练探机> → 2: <训练探机> → 3:<建造水晶塔> → 4: <研究星灵地面武器等级1>
我方策略：我方策略似乎采取了均衡的思路，将强劲的经济扩张与多样化的部队构成相结合。对折跃门的重视表明我方意图积极推进，但晶体矿储量偏低正阻碍这一计划。

Enemy's Strategy: The enemy appears to be mirroring our strategy to some extent, with Stalkers and Observers present. Their smaller army size suggests a more defensive or less aggressive approach than ours, or possibly a different strategic focus.
Suggestions:

1). **Units and Buildings**: We have a balanced army composition with Zealots, Stalkers, and Immortals, suggesting a versatile approach. The high number of Warp Gates indicates a focus on rapid unit production. The presence of a Robotics Facility and Robotics Bay suggests a commitment to heavier units. However, the low mineral count is concerning.

2). **Economy**: Our gas income is high (3231-3251), but our mineral income is low (455-485), which is a significant problem. This imbalance needs immediate attention. The large number of workers suggests potential inefficiencies in mineral gathering.

3). **Technology**: Warpgate research is complete, which is excellent for fast unit production. Protoss Air Weapons Level 1 is nearly complete. We have access to advanced units like Immortals, indicating a good technological progression.

E.5 Prompt Example

System Prompt

You are an AI trained in analyzing and summarizing *StarCraft II* games. You understand the nuances and strategies of the protoss race.
Based on the summaries of multiple rounds in a game, we want you to analyze the game progression in a structured way. Your analysis should include the following aspects:

1 **Game Overview**: Provide a brief overview of the current situation based on all the rounds.

2 **Current Game Stage**: Determine the stage of the game based on the information of all rounds. Is it the early game, mid-game, or late game?

3 **Our Situation**: Describe our current status in terms of:

- 3.1 **Units and Buildings**: Analyze the state of our units and buildings.
- 3.2 **Economy**: Evaluate our economic condition, including resource collection and usage.
- 3.3 **Technology**: Describe the status of our technological research and what technologies we have unlocked so far. Analyze our technology tree, indicating the available and potential upgrades or units.

4 **Our Strategy**: Infer our potential strategy based on our current situation and the information of all rounds.

5 **Enemy's Strategy**: Infer the enemy's potential strategy, based on the available information.

6 **Key Information**: Highlight the most important aspects from all rounds that have significantly influenced the game.

For Protoss, keep an eye on Nexus's energy to Chrono Boost important structures.
Based on the game situation and strategies used by both sides, provide specific suggestions for the following areas:

1 **Our Strategy**: Propose adjustments to our current strategy to counter the enemy's moves and capitalize on our strengths.

2 **Units and Buildings**: Offer ways to enhance our unit composition and improve our building layout, suited to the current stage of the game.

3 **Economy**: Recommend better practices for resource gathering and usage, in line with our strategic needs.

敌方策略：敌方似乎在一定程度上模仿我方策略，也部署了追猎者和观察者。其陆军规模较小，表明其打法比我方更偏防守或进攻性较弱，也可能有不同的策略侧重点。

建议：
1). **部队与建筑**：我们的部队构成均衡，拥有狂热者、追猎者和不朽者，表明我们采用了灵活多变的战术。大量折跃门表明我们注重快速单位生产。机械台和机械研究所的存在表明我们致力于发展重型部队。然而，晶体矿储量偏低令人担忧。2). **经济**：我们的高能瓦斯收入很高（3231-3251），但晶体矿收入较低（455-485），这是一个严重问题。这种失衡需要立即处理。工人数量众多，表明晶体矿采集可能存在效率低下的问题。3). **科技**：折跃门研究已完成，这非常有利于快速单位生产。星灵空中武器1级即将完成。我们已能生产不朽者等高级单位，表明科技发展良好。

E.5 提示词示例

系统提示词

你是一个经过训练、能够分析和总结星际争霸*II*游戏的人工智能。你了解星灵种族的细微特点和策略。我们希望你根据一局游戏中多个回合的总结，以结构化方式分析游戏进程。你的分析应包括以下方面：

1 **游戏概况**：根据所有回合的信息，简要概述当前局势。2 **当前游戏阶段**：根据所有回合的信息判断游戏所处的阶段。是游戏前期、中期还是后期？3 **我方局势**：从以下方面描述我方当前的状态：3.1 **部队与建筑**：分析我方部队与建筑的状态。3.2 **经济**：评估我方经济状况，包括资源采集与使用情况。3.3 **科技**：描述我方科技研究的进展，以及目前已解锁的科技。分析我方科技树，指出当前可用及未来可能获得的升级或部队。4 **我方策略**：根据我方当前局势及所有回合的信息，推断我方可能采取的策略。5 **敌方策略**：根据现有信息，推断敌方可能采取的策略。6 **关键信息**：突出所有回合中对游戏局势产生重大影响的最重要因素。

对于星灵，要留意星灵枢纽的能量，以便对重要建筑施放时空加速。根据游戏局势及双方采用的策略，针对以下方面提出具体建议：

1 **我方策略**：提出对当前策略的调整建议，以应对敌方着法并发挥我方优势。2 **部队与建筑**：提供适合当前游戏阶段的方案，以优化我方兵种组合并改善建筑布局。3 **经济**：根据我方战略需求，建议更好的资源采集与使用方法。

4 **Technology**: Suggest focused research paths to gain technological advantages, considering our current research status and technology tree.

Lastly, consider the current situation and the suggestions provided, make 5 actionable and specific decisions from the action dictionary'TRAIN UNIT': 0: 'TRAIN PROBE', 1: 'TRAIN ZEALOT', 2: 'TRAIN ADEPT', 3: 'TRAIN STALKER', 4: 'TRAIN SENTRY', 5: 'TRAIN HIGHTEMPLAR', 6: 'TRAIN DARKTEMPLAR', 7: 'TRAIN VOIDRAY', 8: 'TRAIN CARRIER', 9: 'TRAIN TEMPEST', 10: 'TRAIN ORACLE', 11: 'TRAIN PHOENIX', 12: 'TRAIN MOTHERSHIP', 13: 'TRAIN OBSERVER', 14: 'TRAIN IMMORTAL', 15: 'TRAIN WARPPRISM', 16: 'TRAIN COLOSSUS', 17: 'TRAIN DISRUPTOR', 18: 'MORPH ARCHON', 'BUILD STRUCTURE': 19: 'BUILD PYLON', 20: 'BUILD ASSIMILATOR', 21: 'BUILD NEXUS', 22: 'BUILD GATEWAY', 23: 'BUILD CYBERNETICSCORE', 24: 'BUILD FORGE', 25: 'BUILD TWILIGHTCOUNCIL', 26: 'BUILD ROBOTICSFACILITY', 27: 'BUILD STARGATE', 28: 'BUILD TEMPLARARCHIVE', 29: 'BUILD DARKSHRINE', 30: 'BUILD ROBOTICSBAY', 31: 'BUILD FLEETBEACON', 32: 'BUILD PHOTONCANNON', 33: 'BUILD SHIELDBATTERY', 'RESEARCH TECHNIQUE': 34: 'RESEARCH WARPGATERESEARCH', 35: 'RESEARCH PROTOSSAIRWEAPONSLEVEL1', 36: 'RESEARCH PROTOSSAIRWEAPONSLEVEL2', 37: 'RESEARCH PROTOSSAIRWEAPONSLEVEL3', 38: 'RESEARCH PROTOSSAIRARMORSLEVEL1', 39: 'RESEARCH PROTOSSAIRARMORSLEVEL2', 40: 'RESEARCH PROTOSSAIRARMORSLEVEL3', 41: 'RESEARCH ADEPTPIERCINGATTACK', 42: 'RESEARCH BLINKTECH', 43: 'RESEARCH CHARGE', 44: 'RESEARCH PROTOSSGROUNDWEAPONSLEVEL1', 45: 'RESEARCH PROTOSSGROUNDWEAPONSLEVEL2', 46: 'RESEARCH PROTOSSGROUNDWEAPONSLEVEL3', 47: 'RESEARCH PROTOSSGROUNDARMORSLEVEL1', 48: 'RESEARCH PROTOSSGROUNDARMORSLEVEL2', 49: 'RESEARCH PROTOSSGROUNDARMORSLEVEL3', 50: 'RESEARCH PROTOSSSHIELDSLEVEL1', 51: 'RESEARCH PROTOSSSHIELDSLEVEL2', 52: 'RESEARCH PROTOSSSHIELDSLEVEL3', 53: 'RESEARCH EXTENDEDTHERMALLANCE', 54: 'RESEARCH GRAVITICDRIVE', 55: 'RESEARCH OBSERVERGRAVITICBOOSTER', 56: 'RESEARCH PSISTORMTECH', 57: 'RESEARCH VOIDRAYSPEEDUPGRADE', 58: 'RESEARCH PHOENIXRANGEUPGRADE', 59: 'RESEARCH TEMPESTGROUNDATTACKUPGRADE', 'OTHER ACTION': 60: 'SCOUTING PROBE', 61: 'SCOUTING OBSERVER', 62: 'SCOUTING ZEALOT', 63: 'SCOUTING PHOENIX', 64: 'MULTIATTACK', 65: 'MULTI-RETREAT', 66: 'CHRONOBOOST NEXUS', 67: 'CHRONOBOOST CYBERNETICSCORE', 68: 'CHRONOBOOST TWILIGHTCOUNCIL', 69: 'CHRONOBOOST STARGATE', 70: 'CHRONOBOOST FORGE', 71: 'EMPTY ACTION'. This dictionary comprises four categories of actions: unit production, building construction, technology research, and other actions. Remember to align these decisions with the current stage of the game, and avoid proposing actions that are not currently feasible.

User Prompt

Game Observation

chunk{0}:

At 10:07 game time, our current *StarCraft II* situation is as follows:

Resources:

- Game time: 10:07
- Worker supply: 15
- Mineral: 5390
- Gas: 328
- Supply left: 8
- Supply cap: 31
- Supply used: 23
- Army supply: 6

Buildings:

- Nexus count: 1
- Pylon count: 2
- Gas buildings count: 2
- Warp gate count: 4
- Cybernetics core count: 1

4 **科技**：结合我方当前的研究进度和科技树，建议有针对性的研究路线，以获得科技优势。

最后，请结合当前局势和所提供的建议，从动作字典中作出5项可执行且具体的决策：'训练单位'：0:'训练探机'，1:'训练狂热者'，2:'训练使徒'，3:'训练追猎者'，4:'训练机械哨兵'，5:'训练高阶圣堂武士'，6:'训练黑暗圣堂武士'，7:'训练虚空辉光舰'，8:'训练航母'，9:'训练风暴战舰'，10:'训练先知'，11:'训练凤凰'，12:'训练母舰'，13:'训练观察者'，14:'训练不朽者'，15:'训练折跃棱镜'，16:'训练巨像'，17:'训练干扰者'，18:'变形为执政官'，'建造建筑'：19:'建造水晶塔'，20:'建造同化舱'，21:'建造星灵枢纽'，22:'建造传送门'，23:'建造控制芯核'，24:'建造锻炉'，25:'建造暮光议会'，26:'建造机械台'，27:'建造星门'，28:'建造圣堂文库'，29:'建造黑暗圣所'，30:'建造机械研究所'，31:'建造舰队航标'，32:'建造光子炮台'，33:'建造护盾充能器'，'科技研发'：34:'研究折跃门科技'，35:'研究星灵空中武器等级1'，36:'研究星灵空中武器等级2'，37:'研究星灵空中武器等级3'，38:'研究星灵空中护甲等级1'，39:'研究星灵空中护甲等级2'，40:'研究星灵空中护甲等级3'，41:'研究使徒穿透攻击'，42:'研究闪现科技'，43:'研究冲锋'，44:'研究星灵地面武器等级1'，45:'研究星灵地面武器等级2'，46:'研究星灵地面武器等级3'，47:'研究星灵地面护甲等级1'，48:'研究星灵地面护甲等级2'，49:'研究星灵地面护甲等级3'，50:'研究星灵护盾等级1'，51:'研究星灵护盾等级2'，52:'研究星灵护盾等级3'，53:'研究加长热能长枪'，54:'研究引力驱动器'，55:'研究观察者引力加速器'，56:'研究灵能风暴科技'，57:'研究虚空辉光舰速度升级'，58:'研究凤凰射程升级'，59:'研究风暴战舰对地攻击升级'，'其他操作'：60:'侦察探机'，61:'观察者侦察'，62:'狂热者侦察'，63:'凤凰侦察'，64:'多单位攻击'，65:'多单位撤退'，66:'对星灵枢纽施放时空加速'，67:'对控制芯核施放时空加速'，68:'对暮光议会施放时空加速'，69:'对星门施放时空加速'，70:'对锻炉施放时空加速'，71:'空操作'。该字典包含四类操作：单位生产、建筑建造、科技研究和其他操作。请务必使这些决策符合游戏当前阶段，避免提出目前不可行的操作。

用户提示

游戏观测

片段{0}：游戏时间为10:07时，我们当前的星际争霸*II*局势如下：

资源：- 游戏时间：10:07 - 工人人口：15 - 晶体矿：5390 - 瓦斯：328 - 剩余人口：8 - 人口上限：31 - 已用人口：23 - 部队人口：6

建筑：- 星灵枢纽数量：1 - 水晶塔数量：2 - 瓦斯采集建筑数量：2 - 折跃门数量：4 - 控制核心数量：1

- Twilight council count: 1
- Robotics facility count: 1

Units:
- Probe count: 15
- Zealot count: 2
- Stalker count: 1

Planning:
Planning structure:
- Planning robotics facility count: 1

Research:
Cybernetics core:
- Warpgate research status: 1

chunk{1}: ...

User Prompt

LLM Suggestions & Decisions

Suggestions:

1 Our Strategy:
- **Expand Army**: Given our high mineral reserves, focus on expanding our army to prepare for potential engagements.
- **Diversify Units**: Introduce more advanced units like Adepts and Immortals once Blink research is complete.

2 Units and Buildings:
- **Build More Warp Gates**: Increase the number of Warp Gates to facilitate faster unit production.
- **Expand Supply**: Build additional Pylons to increase supply cap and support more units.

3 Economy:
- **Optimize Gas Collection**: Ensure that our gas collection is efficient to support advanced unit production and research.
- **Expand Bases**: Consider expanding to additional bases to further boost our economy.

4 Technology:
- **Complete Blink Research**: Prioritize completing Blink research to enhance our Stalkers' mobility.
- **Research Upgrades**: Consider researching Protoss Ground Weapons and Armor upgrades to improve our unit effectiveness.

Decisions:
1. **TRAIN STALKER**
2. **BUILD PYLON**
3. **BUILD WARPGATE**
4. **RESEARCH PROTOSSGROUNDWEAPONSLEVEL1**
5. **CHRONOBOOST CYBERNETICSCORE**

User Prompt

LLM Analysis

1. Game Overview:
At 10:07 game time, our current situation is characterized by a strong economy with substantial mineral reserves but relatively low gas resources. We have a modest army supply and are in the process of researching key technologies.

- 暮光议会数量：1
- 机械台数量：1

部队：
- 探机数量：15
- 狂热者数量：2
- 追猎者数量：1

规划：
规划建筑：
- 规划机械台数量：1

研究：
控制核心：
- 折跃门研究状态：1

片段{1}：...

用户提示

大语言模型的建议与决策

建议：

1 我方策略：
– **扩充陆军**：鉴于我方晶体矿储备充足，应着重扩充陆军，为可能发生的交战做好准备。– **丰富部队类型**：闪现研究完成后，引入更多高级单位，例如使徒和不朽者。

2 部队与建筑：
– **建造更多折跃门**：增加折跃门的数量，以加快单位生产。– **增加补给**：建造更多水晶塔，以提高人口上限并支援更多部队。

3 经济：
– **优化瓦斯采集**：确保我们的瓦斯采集高效进行，以支援高级单位生产和研究。– **扩张基地**：考虑扩张至更多基地，以进一步发展我们的经济。

4 科技：
– **完成闪现研究**：优先完成闪现研究，以增强我方追猎者的机动性。– **研究升级**：考虑研究星灵地面武器和护甲升级，以提高我方单位的作战效能。

决策：
1. **训练追猎者**2. **建造水晶塔**3. **建造折跃门**4. **研究星灵地面武器等级1**5. **时空加速 控制芯核**

用户提示

大语言模型分析

1. 游戏概述：
在游戏时间 10:07 时，我们当前经济强劲，拥有充足的晶体矿储备，但瓦斯资源相对较少。我们的部队人口规模不大，正在研究关键科技。

2. Current Game Stage:
We are in the mid-game stage, with significant resources and ongoing research, but still needing to expand our army and technology base.
3. Our Situation:

3.1 Units and Buildings:

- **Buildings**: We have one Nexus, two Pylons, two gas buildings, four Warp Gates, one Cybernetics Core, one Twilight Council, and one Robotics Facility.
- **Units**: We have 16 Probes, 2 Zealots, and 1 Stalker.
- **Planning**: We are planning to build another Robotics Facility.

3.2 Economy:

- **Resources**: We have 5245 minerals and 178 gas.
- **Worker Supply**: We have 16 workers, which is adequate for our current base count but could be expanded as we grow.

3.3 Technology:

- **Research**: Warpgate research is complete, and Blink research is in progress (approximately 0.44% complete).

4. Our Strategy:
Our strategy appears to be focused on a balanced approach, with a strong emphasis on economic growth and technological advancement. The completion of Warpgate research and the ongoing Blink research suggest a plan to transition to more advanced units and tactics.
5. Enemy's Strategy:
The enemy's strategy is not fully clear from the provided information, but we should be prepared for various mid-game strategies, including potential pushes with advanced units.
6. Key Information:

- **Economic Strength**: Our mineral reserves are high, indicating a strong economy.
- **Technology Progress**: Warpgate research is complete, and Blink research is in progress, which will enhance our unit mobility and combat effectiveness.
- **Unit Composition**: Our army is small, with only 2 Zealots and 1 Stalker, suggesting a need for expansion.

F *Civilization*

Civilization is a turn-based strategy game where players lead a civilization from ancient times to the future. The primary gameplay involves the "4X" elements: eXplore, eXpand, eXploit, and eXterminate. Players manage cities, resources, technological advancements, culture, and diplomacy. The main goal is to build a powerful civilization and dominate others through strategic conquest, cultural influence, technological superiority, or diplomatic alliances. To achieve victory, players must make strategic decisions over thousands of years, requiring long-term planning and careful execution.

The most common game setup is for players to control a civilization, typically in single-player or multiplayer modes. Each civilization has unique abilities, units, and bonuses, offering different strategic approaches. Players start with a small settlement and must expand by exploring the map, establishing new cities, gathering resources, and developing new technologies. As the game progresses, players engage in diplomacy with other civilizations, form alliances, wage wars, or try to surpass opponents in technology and culture. Decisions made, from strategic actions to political alliances, have long-term consequences that span hundreds of turns. Players can consult a variety of resources, such as the *Civilization* Wiki, to develop their strategic understanding of the game.

As a highly complex turn-based strategy game, *Civilization* offers a rich environment for evaluating LLM-based agents. The game requires agents to make long-term decisions, manage multiple resources, plan for future development, and engage in diplomatic negotiations.

CivRealm [Qi *et al.*, 2024] and CivSim [Wang *et al.*, 2024b] are decision-making environments based on the Unciv game, in which civilizations are led by agents who make decisions in resource

2. 当前游戏阶段:
我们处于游戏的中期阶段，资源充足，研究正在进行，但仍需扩大陆军规模并加强科技基础。

3. 我方情况:

3.1 部队与建筑:

– **建筑**: 我们拥有一座星灵枢纽、两座水晶塔、两座瓦斯采集建筑、四座折跃门、一座控制核心、一座暮光议会和一座机械台。– **部队**: 我们拥有16个探机、2个狂热者和1个追猎者。– **规划**: 我们计划再建造一座机械台。

3.2 经济:

– **资源**: 我们拥有5245晶体矿和178瓦斯。– **工人人口**: 我们拥有16名工人，足以满足当前基地数量的需求，但随着规模增长，可以增加工人数量。

3.3 科技:

– **研究**: 折跃门研究已完成，闪现研究正在进行中（完成度约为0.44%）。

4. 我方策略:
我们的策略似乎侧重于均衡发展，尤其重视经济增长和技术进步。折跃门研究已完成，闪现研究正在进行，这表明我们计划转向更高级单位和战术。

5. 敌方策略:
Th 根据所提供的信息，敌方的策略尚不完全明确，但我们应做好应对各种中期策略的准备，包括可能使用高级单位进行的推进。
6. 关键信息:

- **经济实力**: 我们的晶体矿储备充足，表明经济强劲。
- **科技进展**: 折跃门研究已完成，闪现研究正在进行，这将提升我们的单位机动性和战斗效能。
- **兵种组合**: 我们的陆军规模较小，仅有2名狂热者和1名追猎者，说明需要扩张。

舰队 文明

文明是一款回合制策略游戏，玩家在游戏中带领一个文明从远古走向未来。核心玩法包含“4X”要素：探索、扩张、开发和征服。玩家需要管理城市、资源、科技进步、文化和外交事务。主要目标是建立强大的文明，并通过战略征服、文化影响力、科技优势或外交联盟来主导其他文明。为了取得胜利，玩家必须在跨越数千年的历程中做出战略决策，这需要长期规划和谨慎执行。
最常见的游戏设置是让玩家控制一个文明，通常采用单人模式或多人模式。每个文明都拥有独特能力、部队和加成，提供不同的策略选择。玩家从一个小型定居点起步，必须通过探索地图、建立新城市、收集资源和研发新科技来扩张。随着游戏进程推进，玩家会与其他文明开展外交、组建联盟、发动战争，或尝试在科技和文化方面超越对手。从战略操作到政治联盟，各类决策都会产生跨越数百个回合的长期影响。玩家可以查阅多种资料，例如文明维基，以加深对游戏策略的理解。

作为一款高度复杂的回合制策略游戏，文明为评估基于大语言模型的智能体提供了丰富的环境。该游戏要求智能体作出长期决策、管理多种资源、规划未来发展，并参与外交谈判。

CivRealm [Qi 等人， 2024] 和 CivSim [Wang 等人，2024b] 是基于 Unciv 游戏的决策环境，其中文明由智能体领导，这些智能体在资源

Table 11: Game manual detailing the settings, unit configuration and policy, fixed opening strategies, and goals for gameplay in *Civilization*.

Game Manual for *Civilization*		
Setting	Map specification	Hexagonal grid map with diverse terrain types such as plains, mountains, rivers, oceans, and forests.
	Number of players	Typically 6 to 12 civilizations competing against each other.
	Resource type	Natural resources (e.g., gold, food, production, science) used for city development, unit production, and research.
Unit Configuration and Policy	Basic unit configuration	Settler: Used to establish new cities.
		Worker: Improves tiles (e.g., builds farms, mines, roads).
		Scout: Explores the map for resources and rival civilizations.
	Civilization types	Aggressive: Focuses on military dominance (e.g., Mongols, Zulus).
		Diplomatic: Excels in alliances and negotiations (e.g., Greece, Sweden).
		Scientific: Focuses on technological advancements (e.g., Korea, Babylon).
	Unit types and development	Military units: Warriors, archers, knights, tanks, and modern infantry for combat and defense.
		Naval units: Triremes, frigates, submarines, and carriers to control oceans and trade routes.
		Air units: Bombers, fighters, and stealth aircraft for strategic strikes.
Fixed Opening Strategy	Early-game focus	City expansion: Rapidly build settlers to claim key resource locations and expand territory.
		Technology: Prioritize research on basic technologies such as Animal Husbandry, Pottery, and Mining.
		Defensive strategy: Build early units such as warriors or archers to protect cities from barbarians and rival civilizations.
	Mid-game focus	Infrastructure: Develop key buildings such as libraries, workshops, and universities to boost economy and research.
		Diplomacy: Form trade agreements, alliances, and maintain good relations with neighboring civilizations.
Goals	Cultural Victory	Generate significant culture points to unlock social policies and establish tourism dominance.
	Military Victory	Defeat all other civilizations by capturing their capitals and controlling the majority of the world.
	Science Victory	Research and build all components of the space race project (e.g., spaceship parts) to colonize another planet.
	Diplomatic Victory	Secure the majority vote in the United Nations by influencing other civilizations through alliances and trade.
	Domination Victory	Achieve global control by maintaining the largest military and influencing other civilizations through force and intimidation.

management, diplomacy, and warfare. CivRealm is characterized by dynamic, evolving scenarios with incomplete information and supports both reinforcement learning (RL) and LLMs, requiring agents to integrate learning and reasoning for effective decision-making.

F.1 Game Detailed Description

Further details on the game settings, unit configurations, strategies, and objectives can be found in the detailed game manual in Table 11. Players can consult a variety of resources, such as the *Civilization* Wiki and online guides, to develop their strategic understanding of the game.

表11：游戏手册，详细介绍了文明中的设置、单位配置与政策、固定开局策略以及玩法目标。

文明游戏手册		
设置	地图规格	六边形网格地图，包含多种地形类型，例如平原、山脉、河流、海洋、和森林。
	玩家人数	通常有 6 至 12 个文明相互竞争。
	资源类型	所使用的自然资源（例如黄金、食物、生产力、科学）用于城市发展、单位生产和研究。
单位配置与政策	基本单位配置	开拓者：用于建立新城市。
		工人：改良地块（例如，建造农场、矿山和道路）。
		侦察兵：探索地图，寻找资源和敌对文明。
	文明类型	侵略型：注重军事主导地位（例如，蒙古、祖鲁）。
		外交型：擅长建立联盟和开展谈判（例如，希腊、瑞典）。
		科学型：注重科技进步（例如，朝鲜、巴比伦）。
	单位类型与发展	军事单位：勇士、弓箭手、骑士、坦克和现代步兵用于战斗和防御。
		海军单位：三列桨战船、护卫舰、潜艇和航空母舰，用于控制海洋和贸易路线。
		空中单位：轰炸机、战斗机和隐形飞机，用于战略打击。
固定开局策略	游戏前期重点	城市扩张：快速建造开拓者以占据关键资源点并扩张领土。
		科技：优先研究基础科技，例如畜牧业、制陶术和采矿。
		防御策略：建造勇士或弓箭手等早期部队，以保护城市免受蛮族和敌对文明的侵扰。
	中期重点	基础设施：发展图书馆、工坊等关键建筑，以及大学，以促进经济和研究。
		强权外交：缔结贸易协定、建立联盟，并保持良好的与邻近文明的关系。
目标	文化胜利	产生大量文化点数，以解锁社会政策并确立旅游业主导地位。
	军事胜利	通过攻占其他所有文明的首都，并控制世界的大部分地区，击败所有其他文明。
	科技胜利	研究并建造太空竞赛项目的所有组件（例如宇宙飞船部件），以殖民另一颗行星。
	外交胜利	通过施加影响，在联合国获得多数票通过联盟和贸易影响其他文明。
	征服胜利	通过维持规模最大的军队实现全球控制，并通过武力和威慑影响其他文明。

管理、外交和战争方面做出决策。CivRealm 的特点是具有不完全信息的动态演变场景，同时支持强化学习（RL）和大语言模型，要求智能体结合学习与推理来实现有效决策。

F.1 游戏详细说明

有关游戏设置、单位配置、策略和目标的更多详情，请参阅表11中的详细游戏手册。玩家可以查阅多种资源，例如《文明》维基和在线指南，以加深对游戏策略的理解。

F.2 Action Space

In *Civilization*, agents are required to accomplish diverse user tasks through a set of actions that encompass the five primary facets of gameplay: unit, city, government, technology, and diplomacy. They can be categorized into 3 main types[Qi *et al.*, 2024]:

- **Engineering Actions**: Which handle tasks like city construction, planting, mining, and more;
- **Movement Actions**: Including moving, transportation, embarking, and so on;
- **Combat Actions**: Such as attacking, fortifying, bribing, etc. The city actions pertain to the development and management of a city. They include unit production, building construction, city worker assignment, and more. The government actions allow players to change their government type to gain corresponding political benefits, adjust tax rates to balance economic expansion and citizen happiness, etc. The technology actions enable players to set immediate or long-term goals for their technology research. The diplomacy actions empower players to initiate negotiations, such as trading technologies, negotiating ceasefires, forming alliances, etc.

F.3 Fine-Grained Metrics

The following are the metrics and their corresponding formulas for *Civilization*. These fine-grained metrics in DSGBench are designed based on expert insights into the core mechanics of the game, with each metric targeting a specific aspect of decision-making that directly influences the performance of LLM-based agents in *Civilization*.

- **EGR (Economy Growth Rate)**: Measures the rate at which a player's economy is growing over time.

$$\text{EGR} = \frac{\Delta E}{T}$$

where ΔE represents the change in economic strength (e.g., income, total resources) over the period, and T is the duration of the period in minutes (or game turns).

- **CER (City Establishment Rate)**: Quantifies the pace at which a player establishes new cities.

$$\text{CER} = \frac{N_{\text{city,new}}}{T}$$

where $N_{\text{city,new}}$ is the number of new cities established during the period, and T is the duration of the period in minutes (or game turns).

- **TRP (Technology Research Progress)**: Measures the advancement of a player's technological development relative to the total available technologies.

$$\text{TRP} = \left(\frac{N_{\text{tech,res}}}{N_{\text{tech,total}}} \right) \times 100\%$$

where $N_{\text{tech,res}}$ is the number of technologies researched by the player, and $N_{\text{tech,total}}$ is the total number of unique technologies available in the game (or scenario).

- **LUR (Land Utilization Rate)**: Assesses the efficiency with which a player has settled or controls the available land.

$$\text{LUR} = \left(\frac{A_{\text{settled}}}{A_{\text{land,total}}} \right) \times 100\%$$

where A_{settled} is the total area (e.g., number of tiles, or a specific area unit) settled or controlled by the player, and $A_{\text{land,total}}$ is the total available land area on the map.

- **MGR (Military Growth Rate)**: Captures the speed at which a player's military forces are expanding.

$$\text{MGR} = \frac{\Delta M_{\text{units}}}{T}$$

where ΔM_{units} is the net change in the number of military units (or military strength/power, if defined) during the period, and T is the duration of the period in minutes (or game turns).

F.2 动作空间

在《文明》中，智能体需要通过一系列操作完成多样化的用户任务，这些操作涵盖玩法的五个主要方面：单位、城市、政体、科技和外交。这些操作可分为3种主要类型[Qi 等人， 2024]:

- **工程动作**：用于处理城市建设、种植、采矿等任务；
- **移动动作**：包括移动、运输、登船等；
- **战斗动作**：例如攻击、驻防、贿赂等。城市动作涉及城市的发展与管理，包括单位生产、建筑建造、城市工人分配等。政体动作允许玩家更改政体类型以获得相应的政治收益，调整税率以平衡经济扩张与市民幸福度等。科技动作使玩家能够为科技研究设定近期或长期目标。外交动作使玩家能够发起谈判，例如科技交易、协商停火、组建联盟等。

F.3 细粒度指标

以下是《文明》的各项指标及其对应公式。DSGBench 中的这些细粒度指标基于专家对游戏核心机制的深入理解而设计，每项指标均针对决策的一个特定方面，这些方面会直接影响基于大语言模型的智能体在《文明》中的表现。

- **EGR（经济增长率）**：衡量玩家的经济随时间增长的速率。

$$\text{EGR} = \frac{\Delta E}{T}$$

其中， ΔE 表示该时段内经济实力（例如收入、资源总量）的变化， T 表示该时段的持续时间，以分钟（或游戏回合）为单位。

- **CER（城市建立率）**：量化玩家建立新城市的速度。

$$\text{CER} = \frac{N_{\text{city,new}}}{T}$$

其中， $N_{\text{city,new}}$ 表示该时段内建立的新城市数量， T 表示该时段的持续时间，以分钟（或游戏回合）为单位。

- **TRP（科技研究进度）**：衡量玩家的科技发展相对于全部可用科技的进展。

$$\text{TRP} = \left(\frac{N_{\text{tech,res}}}{N_{\text{tech,total}}} \right) \times 100\%$$

其中， $N_{\text{tech,res}}$ 表示玩家已研究的科技数量， $N_{\text{tech,total}}$ 表示游戏（或场景）中可用的不同科技的总数。

- **LUR（土地利用率）**：评估玩家在可用土地上定居或控制可用土地的效率。

$$\text{LUR} = \left(\frac{A_{\text{settled}}}{A_{\text{land,total}}} \right) \times 100\%$$

其中， A_{settled} 是玩家已定居或控制的总面积（例如，地块数量或特定面积单位），而 $A_{\text{land,total}}$ 是地图上的可用土地总面积。

- **MGR（军事增长率）**：衡量玩家军事力量的扩张速度。

$$\text{MGR} = \frac{\Delta M_{\text{units}}}{T}$$

其中， ΔM_{units} 表示该时段内军事单位数量（或军事实力，如有定义）的净变化量， T 表示该时段的持续时间，以分钟（或游戏回合）为单位。

- **WR (Win Rate)**: Evaluates the percentage of matches won by a player.

$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}} \right) \times 100\%$$

where N_{wins} is the number of matches won and N_{games} is the total number of matches played.

- **GA (Grounding Accuracy)**: Evaluates the precision and success rate of grounding actions (assuming this is from a previous context, as it's less common for Civ-like games).

$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}} \right) \times 100\%$$

where $N_{\text{ground,succ}}$ is the number of successful grounding actions and $N_{\text{ground,att}}$ is the total number of grounding attempts.

F.4 Example Trajectory

- Current unit: Workers 125

Thoughts:

a. **Thought**: We are in the early stages of the game with no cities and no visible threats. Our priority should be to establish our first city and explore the map for resources and potential opportunities.

b. **Reasoning**: Without a city, we cannot produce additional units or grow our civilization. Settlers are essential for founding cities, while Workers and the Explorer are critical for map exploration and resource preparation. Peace allows us to focus on development without immediate strategic concerns.

c. **Plan**:
- Establish the first city as quickly as possible.
- Explore the map to identify optimal city locations and resources.
- Prepare land for city placement by improving tiles and building roads.
- Use the Explorer to scout ahead and gather intelligence on the map.

Command[suggestion]: Settlers should move towards the best potential city location identified by the Explorer. Workers should explore the map, improve tiles, and build roads to prepare for city placement. The Explorer should scout ahead to find resources and potential threats.

- Action chosen for Explorer 123:move West

Thoughts:

a. **Thought**: I am controlling Explorer 123. My primary goal is to scout ahead and identify the best locations for future cities.

b. **Review**: Available actions are ['fortify', 'move West', 'move SouthWest', 'move South'].

c. **Reasoning**: The block to the north (block_north_1) has the most unexplored tiles (25 tiles), but the available actions do not include moving north. The next best option is to move towards the block with the second most unexplored tiles, which is block_north_1_west_1 (25 tiles unexplored). The available action 'move West' will bring me closer to this block.

d. **Plan**:
- Prioritize exploring the most unexplored areas.
- Move towards block_north_1_west_1 to explore 25 unexplored tiles.
- Continue scouting for the best locations for future cities.

Command[finalDecision]: move West.

- **WR（胜率）**：评估玩家获胜的对局所占的百分比。

$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}} \right) \times 100\%$$

其中，N_{wins} 为获胜的对局数，N_{games} 为参与的对局总数。

- **GA（落地准确率）**：评估落地动作的精确率和成功率（假定该指标源自先前的上下文，因为它在类《文明》游戏中较为少见）。

$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}} \right) \times 100\%$$

其中，$N_{\text{ground,succ}}$ 为成功的落地动作数，$N_{\text{ground,att}}$ 为落地尝试总数。

F.4 轨迹示例

- 当前单位：工人 125

思考:

a. **思考**：我们正处于游戏初期，尚无城市，也没有可见的威胁。我们的首要任务应是建立第一座城市，并探索地图，寻找资源和潜在机会。

b. **推理**：没有城市，我们就无法生产更多部队，也无法发展文明。开拓者是建立城市的关键，而工人和探索者则对地图探索和资源准备至关重要。和平使我们能够专注于发展，而不必顾虑眼前的战略问题。

c. **计划**:
- 尽快建立第一座城市。 - 探索地图，确定最佳城市选址和资源位置。 - 通过改良地块和修建道路，为城市选址做好土地准备。 - 利用探索者先行侦察，收集地图上的情报。

命令[建议]: 开拓者应向探索者确定的最佳潜在城市选址移动。工人应探索地图、改良地块并修建道路，为城市选址做好准备。探索者应先行侦察，寻找资源和潜在威胁。

- 为探索者123选择的操作：向西移动

思考:

a. **思考**：我正在控制探索者123。我的主要目标是向前侦察，并确定未来建造城市的最佳位置。b. **回顾**：可用操作为 [“驻防”、“向西移动”、“向西南移动”、“向南移动”]。c. **推理**：北面的区块（区块_北_1）拥有最多的未探索地块（25个地块），但可用操作不包括向北移动。次优选择是朝未探索地块数量第二多的区块移动，即区块_北_1_西_1 （25个未探索地块）。可用操作“向西移动”将使我更接近该区块。

d. **计划**:
- 优先探索未探索地块最多的区域。- 朝区块_北_1_西_1 移动，探索25个未探索地块。- 继续侦察，寻找未来建造城市的最佳位置。

命令[finalDecision]: 向西移动。

- Action chosen for Settlers 105:move East

Thoughts:

a. **Thought**: I am controlling Settlers 105. The current tile is a Hills with Coal, which is a valuable resource. However, Settlers cannot directly benefit from mining. Advisor suggests finding a safe location to establish a new city, focusing on defense and resource management.

b. **Review**: Available actions are [’mine’, ’build city’, ’build road’, ’move North-West’, ’move North’, ’move NorthEast’, ’move West’, ’move East’, ’move SouthWest’, ’move South’, ’move SouthEast’].", "reasoning": "Settlers should not mine. Building a city on the current Hills tile with Coal could be strategic, but the surrounding area does not offer immediate safety or additional resources. Moving to a safer location with better resource proximity is preferable.

c. **Plan**:
- Move to a safer location with better resource proximity.
- Consider building a city near Grassland or Plains with access to resources like Coal or Road.
- Ensure the new city location is defensible.

Command[finalDecision]: move East.

F.5 Prompt Example

System Prompt

You are a professional player of the game FreeCiv.
Choose best action from the list.
Rules
- You can see the following information: actor name, zoomed out observation, zoomed in observation, and available actions. Suggestion from advisor, and message from the game scenario.
- You should reason and plan based on the given information, and should respond by **strictly following the JSON format below**:
- The action chosen should be one of the available actions provided.

```
{
    "thoughts": {
        "thought": "<your current thought>",
        "review": "<important information to be repeated before
            ↪  decision>",
        "reasoning": "<self reflect on why you made this
            ↪ decision>",
        "plan": "- short bulleted\
                 - list that conveys\
                 - long-term plan"
        },
    "command": {
        "name": "<command name>",
        "input": {"action": "<action following the thoughts>"}
        },
}
```

Here are the possible command_name for you to use:
manualAndHistorySearch:

- use: search the Freeciv official manual and your important history interaction message for relevant information. Use sparingly.
- input: "look_up": "<search terms>"
- output: list of search results

finalDecision:

- 为开拓者105选择的操作：向东移动

思考:
a. **思考**：我正在控制开拓者105。当前地块是有煤炭的丘陵，煤炭是一种宝贵的资源。然而，开拓者无法直接从采矿中获益。顾问建议寻找安全的地点建立新城市，重点考虑防御和资源管理。b. **回顾**：可用操作包括 [’ 采矿’ ,’ 建造城市’ ,’ 建造道路’ ,’ 向西北移动’ ,’ 向北移动’ ,’ 向东北方移动’ ,’ 向西移动 ’ ,’ 向东移动 ’ ,’ 向西南移动 ’ ,’ 向南移动 ’ ,’ 向东南移动’]。", "reasoning": "开拓者不应采矿。在当前有煤炭的丘陵地块上建造城市可能具有战略价值，但周边地区无法提供即时的安全保障或额外资源。最好移动到更安全、资源邻近性更好的地点。c. **计划**：- 移动到更安全、资源邻近性更好的地点。- 考虑在靠近煤炭或道路等资源的草原或平原附近建造城市。- 确保新城市的选址易于防守。

命令[finalDecision]: 向东移动。

F.5 提示词示例

系统提示词

你是一名专业的FreeCiv游戏玩家。请从列表中选择最佳操作。
规则
- 你可以查看以下信息：行动者名称、缩小视图观测、放大视图观测，以及可用操作。顾问的建议，以及来自游戏场景的消息。
- 你应根据给定信息进行推理和规划，并在回复时**严格遵循以下JSON格式**:
- 所选操作应为所提供的可用操作之一。

```
{
    "thoughts": {
        "thought":    "<你当前的想法 >",
        "review":    "<在此之前需要重述的重要信息
            ↪    决策 >"       ,
        "推理":          "<自我反思你为何做出这一
            ↪  决定 >"       ,
        "计划":    "- 简短的项目符号\
                   - 列表，用于传达\
                   - 长期计划"
        },
    "command": {
        "name":   "<命令名称 >"          ,
        "input": {"action":        "<操作需遵循              思考 >"}
        },
}
```

以下是你可以使用的命令_名称:
manualAndHistorySearch：

- 用途：搜索 FreeCiv 官方手册及你的重要历史交互消息，以获取相关信息。请谨慎使用。
- 输入："look_up": "<搜索词>"
- 输出：搜索结果列表

finalDecision:

- use: make a decision for the user to perform an action in the game.
- input: "action": "<final decision>"
- output: nothing

Your chosen action should be in the available actions provided by the user.
Examples
User:
You are controlling unit: Explorer 136.
The zoomed-out observation is {current_block: [12 tiles unexplored, 2 Ocean, 3 Forest, 5 Grassland, 2 Plains, 1 Swamp, 4 River, 1 Explorer, unit owners are: myself player_0], block_north_1: [24 tiles unexplored, 1 Grassland], block_south_1: [25 tiles unexplored], ...}.
The zoomed-in observation is {current_tile: [1 Forest, 1 Explorer, unit owners are: myself player_0], tile_north_1: [1 Grassland], tile_south_1: [1 Swamp], tile_east_1: [1 Forest], tile_west_1: [1 Forest, 1 River], ...}.
The available actions are [fortify, move North, move South, move West, move East].
From advisor: We are in peace. So explorer should explore unexplored area. Settlers should build cities near extras. Cities should build more Settlers.
Response:

```
{
    "thoughts": {
        "thought": "I am controlling Explorer 136. My
            ↪ surrounding blocks have unexplored tiles, so I
            ↪ need to explore these areas.",
        "review": Available actions are [fortify, move North,
            ↪ move South, move West, move East].
        "reasoning": "Block_south_1 has the most unexplored
            ↪ tiles: 25 tiles, so I should move to this block
            ↪ to explore the most unknown area of the map.",
        "plan": "Explorer 's top priority is to explore unknown
            ↪  areas of the map. I should move Explorer to the
            ↪ most unexplored areas, like move South because
            ↪ block_south_1 has the most unexplored tiles."
    },
    "command": {"name": "finalDecision", "input": {"action": "
        ↪ move South"}}
}
```

User Prompt

LLM Analysis & Decisions

```
{
    "thoughts": {
        "thought": "I am controlling Explorer 120. My primary
            ↪ goal is to explore the map to find a suitable
            ↪ location for our first city.",
        "review": "Available actions are [ 'fortify ',  'move
            ↪ North ',  'move NorthEast '].",
        "reasoning": "The zoomed-out observation shows that all
            ↪  surrounding blocks have 25 tiles unexplored,
            ↪ indicating that exploration is crucial. The
            ↪ zoomed-in observation reveals that moving North
            ↪ or NorthEast could lead to unexplored tiles and
            ↪ potentially valuable resources. However, moving
            ↪ NorthEast leads to a Plains tile, which is a more
            ↪  suitable terrain for city placement compared to
            ↪ the Ocean tiles in other directions.",
        "plan": "- Prioritize exploring areas with potential
            ↪ for city placement.\
                - Move towards tiles that offer better terrain
                    ↪  for city building.\
```


- 用途：为用户决定在游戏中执行的操作。
- 输入: "action": "<最终决策>"
- 输出：无 你选择的操作应属于用户提供的可用操作。示例 用户：你正在控制的单位：探索者136。缩小视图观测为 {当前_区块： [12 未探索地块，2 海洋，3 森林，5 草原，2 平原，1 沼泽，4 河流，1 探索者，单位所有者为：我方玩家_0]，区块_北_1: [24未探索地块，1 草原],区块_南_1: [25 未探索地块], ...}。放大视图观测为 {当前_地块： [1 森林，1 探索者，单位所有者为：我方玩家_0]，地块_北_1： [1 草原]，地块_南_1： [1 沼泽]，地块_东_1： [1森林],地块_西_1： [1 森林，1 河流],...}。可用操作为 [驻防，向北移动，向南移动，向西移动，向东移动]。顾问建议：我们处于和平状态。因此探索者应探索未探索区域。开拓者应在附加资源附近建造城市。城市应建造更多开拓者。回复：{ " thoughts ": { " thought ": "我正在控制探索者136。我↪ 周围的区块有未探索地块，因此我↪ 需要探索这些区域。", " review ": 可用操作为 [驻防，向北移动，↪ 向南移动，向西移动，向东移动]。 " reasoning ": "区块_南 _1 拥有最多的未探索↪ 地块：25 个地块，因此我应该移动到这个区块↪，以探索地图上未知区域最多的地方。", " plan ": "探索者的首要任务是探索地图上的未知↪ 区域。我应该将探索者移动到↪ 未探索区域最多的地方，例如向南移动，因为↪ 区块_南 _1 拥有最多的未探索地块。" }, " command ": {" name ": " finalDecision ", " input ": {" action ": "↪ 向南移动 "}} }

用户提示

大语言模型分析与决策

```
{
    "thoughts ": {
        " thought ":  "我正在控制 探索者120。 我的首要
            ↪ 目标是探索地图，寻找合适的
            ↪ 地点来建立我们的第一座城市。",
        " review ":  " 可用操作包括 [ ' 驻防 ', ' 移动
            ↪ 北 ', ' 移动 东北方 ']。",
        " 推理 ":  "缩小视图的观测结果显示，所有
            ↪  周围的格挡都有25个未探索地块，
            ↪ 这表明探索至关重要。
            ↪ 放大视图的观测结果表明，向北移动
            ↪或向东北方移动可能通往未探索地块，并
            ↪ 可能发现有价值的资源。 然而，移动
            ↪ 向东北方会到达一个平原地块 ，这是一种更为
            ↪  适合城市选址的地形，相较于
            ↪ 其他方向的海洋地块。" ,
        " plan ":  "- 优先探索具备以下条件的区域: 潜力
            ↪ 用于城市选址。\
                - 移动至地形更优的地块
                    ↪  用于城市 建设。\
```

```
                    - Ensure that the Explorer is positioned to
                       ↪ guide Settlers to the best location."
            },
        "command": {
            "name": "finalDecision",
            "input": {"action": "move NorthEast"}
            }
    }
```

User Prompt

User Prompt

You are controlling unit: Explorer 120.

The zoomed-out observation is {'current_block': ['4 tiles unexplored', '10 Ocean', '8 Grassland', '3 Plains', '1 River', '3 Resources', '2 Settlers', '2 Workers', '1 Explorer', 'unit owners are: myself player_0'], 'block_north_1': ['25 tiles unexplored'], 'block_south_1': ['25 tiles unexplored'], 'block_east_1': ['25 tiles unexplored'], 'block_west_1': ['25 tiles unexplored'], 'block_north_1_east_1': ['25 tiles unexplored'], 'block_north_1_west_1': ['25 tiles unexplored'], 'block_south_1_east_1': ['25 tiles unexplored'], 'block_south_1_west_1': ['25 tiles unexplored']}.

The zoomed-in observation is {'current_tile': ['1 Grassland', '2 Settlers', '2 Workers', '1 Explorer', 'unit owners are: myself player_0'], 'tile_north_1': ['1 Grassland', '1 Resources'], 'tile_south_1': ['1 Ocean'], 'tile_east_1': ['1 Ocean'], 'tile_west_1': ['1 Ocean'], 'tile_north_1_east_1': ['1 Plains'], 'tile_north_1_west_1': ['1 Ocean'], 'tile_south_1_east_1': ['1 Ocean'], 'tile_south_1_west_1': ['1 Ocean'], 'tile_north_2': ['1 Plains'], 'tile_north_2_east_1': ['1 Plains'], 'tile_north_2_west_1': ['1 Ocean'], 'tile_north_2_east_2': ['1 tiles unexplored'], 'tile_north_2_west_2': ['1 tiles unexplored'], 'tile_south_2': ['1 Grassland', '1 River'], 'tile_south_2_east_1': ['1 Grassland'], 'tile_south_2_west_1': ['1 Grassland'], 'tile_south_2_east_2': ['1 tiles unexplored'], 'tile_south_2_west_2': ['1 tiles unexplored'], 'tile_east_2': ['1 Grassland', '1 Resources'], 'tile_north_1_east_2': ['1 Ocean'], 'tile_south_1_east_2': ['1 Ocean'], 'tile_west_2': ['1 Grassland', '1 Resources'], 'tile_north_1_west_2': ['1 Grassland'], 'tile_south_1_west_2': ['1 Ocean']}.

The available actions are ['fortify', 'move North', 'move NorthEast']. You should choose one of these actions according to the above observations.

Message from advisor: Explorer should focus on exploring the map to find a suitable location for our first city. Workers should start improving resources and building roads in potential city areas. Settlers should be prepared to settle down once a good location is identified.

CAUTION: You should strictly follow the JSON format as described above!

G *Street Fighter III*

Street Fighter III[Wikipedia, 2024b] is a fighting game where players engage in one-on-one combat using a variety of characters, each with unique move sets and special attacks. The core mechanic of the game is the "parry" system, which enables players to block incoming attacks with precise timing and immediately counterattack. Mastery of movement, combos, and timing is essential, as players must react quickly to their opponents' actions and plan their counter-moves accordingly. The game's complexity lies in learning character-specific abilities and optimizing combos to deal maximum damage while avoiding retaliation.

The most common game setup is one-on-one battles, with each player choosing a character. Each character has unique skills, moves, and special abilities, offering different strategic approaches to combat. Players start with a set amount of health, and the objective is to reduce the opponent's health to zero. Victory is achieved by either depleting the opponent's health bar or by timing out in certain game modes. As the game progresses, players must adjust their strategies, taking into account the


```
                    - 确保探索者处于合适的位置，以便
                       ↪ 引导开拓者前往最佳地点。"
            },
        "command": {
            "name": "finalDecision",
            "input": {"action": "移动 东北方"}
            }
    }
```

用户提示

用户提示

你正在控制的单位：探索者120。

缩小视图观测为{'current_block': ['4个未探索地块', '10个海洋地块', '8个草原地块', '3个平原地块', '1条河流', '3处资源', '2个开拓者', '2个工人', '1个探索者', '单位所有者为:我方玩家_0'], 'block_north_1': ['25个未探索地块'], 'block_south_1': ['25个未探索地块'], 'block_east_1': ['25个未探索地块'], 'block_west_1': ['25个未探索地块'], 'block_north_1_east_1': ['25个未探索地块'], 'block_north_1_west_1': ['25个未探索地块'], 'block_south_1_east_1': ['25个未探索地块'], 'block_south_1_west_1': ['25个未探索地块']}。

放大视图观测为{'当前_地块': ['1草原', '2开拓者', '2工人', '1探索者', '单位所有者为:我方玩家_0'], '地块_北_1': ['1草原', '1资源'], '地块_南_1': ['1海洋'], '地块_东_1': ['1海洋'], '地块_西_1': ['1海洋'],'地块_北_1_东_1': ['1平原'], '地块_北_1_西_1': ['1海洋'], '地块_南_1_东_1': ['1海洋'], '地块_南_1_西_1': ['1海洋'], '地块_北_2': ['1平原'], '地块_北_2_东_1':['1平原'], '地块_北_2_西_1':['1海洋'], '地块_北_2_东_2':['1未探索地块'], '地块_北_2_西_2':['1未探索地块'], '地块_南_2': ['1草原', '1河流'], '地块_南_2_东_1':['1草原'], '地块_南_2_西_1':['1草原'], '地块_南_2_东_2':['1未探索地块'], '地块_南_2_西_2':['1未探索地块'], '地块_东_2':['1草原', '1资源'], '地块_北_1_东_2':['1海洋'], '地块_南_1_东_2': ['1海洋'], '地块_西_2': ['1草原', '1资源'],'地块_北_1_西_2': ['1草原'], '地块_南_1_西_2': ['1海洋']}。

可用的操作为['驻防'、'向北移动'、'向东北移动']。你应根据上述观察结果选择其中一项操作。

顾问消息：探索者应专注于探索地图，为我们的第一座城市寻找合适的地点。工人应开始在潜在的城市选址区域开发资源并修建道路。开拓者应做好准备，一旦确定合适的地点，就建立定居点。

注意：你必须严格遵循上述JSON格式！

G 街头霸王*III*

街头霸王*III*[维基百科，2024b]是一款格斗游戏，玩家可使用多种角色进行一对一格斗，每个角色都拥有独特的招式集和特殊攻击。游戏的核心机制是“格挡”系统，玩家可以通过精准把握时机来抵挡来袭的攻击，并立即反击。熟练掌握移动、连招和时机至关重要，因为玩家必须迅速对对手的操作作出反应，并据此规划应对招式。游戏的复杂性在于学习角色专属能力，并优化连招，在避免遭到反击的同时造成最大伤害。

最常见的游戏设置是一对一战斗，每位玩家各选择一名角色。每名角色都有独特的技能、着法和特殊能力，为战斗提供不同的策略思路。玩家以固定的初始生命值开始游戏，目标是将对手的生命值降至零。获胜方式包括耗尽对手的生命值条，或在某些游戏模式下于计时结束时获胜。随着游戏进程的推进，玩家必须调整策略，并考虑

Table 12: Game manual detailing the settings, character mechanisms, strategies, and goals for gameplay in Street Fighter III.

Game Manual for Street Fighter III		
Setting	Arena specification	1v1 battle arena with a 2D side-scrolling layout, featuring dynamic backgrounds and interactive elements.
	Number of players	Two players (human or AI) compete in a head-to-head match.
	Timer and round system	Each match consists of three rounds, with a 99-second timer per round. Victory requires winning two out of three rounds.
Character Mechanism and Skills	Character roster	Playable characters include Ryu, Ken, Chun-Li, Alex, and more, each with unique fighting styles and super arts.
	Skill types	Three main skill categories: - Normal moves (basic punches and kicks) - Special moves (e.g., Hadouken, Shoryuken) - Super arts (high-damage special moves requiring super meter).
	Parry system	A defensive technique that allows players to negate an opponent's attack with precise input timing.
	Combo system	A sequence of chained attacks that deal higher cumulative damage. Combos require precision and timing to execute successfully.
	Stamina and super meter	Each character has a stamina bar (HP) and a super meter. Super meter fills during attacks and is used to perform super arts.
Victory Strategies	Zoning	Control space by keeping opponents at a distance with projectiles and long-range moves.
	Rushdown	An aggressive playstyle that focuses on overwhelming opponents with close-range attacks and relentless pressure.
	Counterplay	Anticipate opponent moves and use parries, blocks, or reversals to create openings for punishment.
	Grappling	Focus on grab-based attacks and throws to disrupt the opponent's rhythm and deal significant damage.
Goals	Victory condition	Reduce the opponent's stamina bar (HP) to zero within the round timer, or have higher remaining HP when time expires.
	Perfect victory	Win a round without taking any damage.
	Super finish	End a match with a super art, showcasing skill and precision.

opponent's moves, character strengths, and weaknesses. Players of *Street Fighter III* can consult numerous resources, such as online communities and strategy guides, to enhance their technical skills and gameplay proficiency.

As a highly competitive fighting game, *Street Fighter III* offers an ideal environment for evaluating decision-making agents. The game requires agents to make quick decisions, optimize combo executions, and anticipate opponents' actions. LLM-based agents need to perform well under high-pressure, fast-paced conditions while adapting their strategies to opponents' tactics.

G.1 Game Detailed Description

Further details on the game settings, character mechanisms, strategies, and victory conditions can be found in the detailed game manual in Table 12. Players of *Street Fighter III* can consult numerous resources, such as online communities and strategy guides, to enhance their technical skills and gameplay proficiency.

表12：游戏手册，详细介绍《街头霸王III》玩法中的设定、角色机制、策略和目标。

《街头霸王III》游戏手册		
设定	对战场地规格	采用二维横向卷轴布局的一对一对战场地，包含动态背景和交互元素。
	玩家人数	两名玩家（人类或人工智能）进行一对一比赛。
	计时器与回合制	每场比赛包含三个回合，计时器设为99秒每回合。采用三局两胜制。
角色机制与技能	角色阵容	可玩角色包括隆、肯、春丽、亚历克斯等，每个角色都有独特的格斗风格和超必杀技。
	技能类型	三大技能类别： - 普通技（基本拳击和踢击） - 必杀技（例如波动拳、升龙拳） - 超必杀技（需要消耗超必杀能量槽的高伤害必杀技）。
	格挡系统	一种让玩家能够化解对手的……的防御技巧通过精准把握输入时机发动攻击。
	连招系统	一系列可造成更高累积伤害的连续攻击。成功施展连招需要精确率和时机把握。
	体力与超必杀能量槽	每个角色都有一条体力条（生命值）和一个超必杀能量槽。超必杀能量槽会在攻击过程中积蓄能量，用于施展超必杀技。
制胜策略	牵制控场	通过与对手保持距离来控制格，所用手段为飞行道具和远距离招式。
	压制快攻	一种注重压制对手的激进打法通过近距离攻击和持续不断的施压。
	反制	预判对手招式，并运用招架、格挡或反击制造可供确反的破绽。
	擒拿	侧重使用抓取攻击和投技，以打乱对手的节奏并造成大量伤害。
目标	胜利条件	在以下时限内将对手的体力条（生命值）降至零：回合计时器的时限，或在时间耗尽时拥有更高的剩余生命值。
	完美胜利	在未受到任何伤害的情况下赢得一个回合。
	超必杀终结	以超级必杀技结束比赛，展现技巧与精确率。

对手的着法、角色的优势与弱点。街头霸王*III* 的玩家可以查阅在线社区、策略指南等众多资源，以提升操作技巧和游戏熟练度。

作为一款竞争激烈的竞技格斗游戏，街头霸王*III* 为评估决策智能体提供了理想的环境。该游戏要求智能体快速做出决策、优化连招执行，并预判对手的操作。基于大语言模型的智能体需要在高压、快节奏的条件下表现出色，同时根据对手的战术调整自身策略。

G.1 游戏详细说明

有关游戏设置、角色机制、策略和获胜条件的更多详情，请参阅表12中的详细游戏手册。街头霸王*III* 的玩家可以查阅在线社区和策略指南等多种资源，以提升操作技巧和游戏熟练度。

G.2 Action Space

In *Street Fighter III*, three types of actions are provided for the agent.

- **Move**: The player moves (or jump) closer to opponents or moves (or jumps) away from opponents.
- **Normal Attack**: Includes Punch and Kick attacks or combination skills, each attack has three directions: low, medium, and high.
- **Special Attack**: Include Fireball, Megapunch, Hurricane, also incorporate some super attack.

G.3 Fine-Grained Metrics

The following are the metrics and their corresponding formulas for *Street Fighter III*. These fine-grained metrics in DSGBench are designed based on expert insights into the core mechanics of the game, with each metric targeting a specific aspect of decision-making that directly influences the performance of LLM-based agents in *Street Fighter III*.

- **AHR (Attack Hit Rate)**: Measures the percentage of successful hits relative to the total number of attacks.
$$\text{AHR} = \left(\frac{N_{\text{hit,succ}}}{N_{\text{atk,total}}}\right) \times 100\%$$
where $N_{\text{hit,succ}}$ is the number of successful hits and $N_{\text{atk,total}}$ is the total number of attacks.
- **SMHR (Super Move Hit Rate)**: Quantifies the effectiveness of a player's super moves.
$$\text{SMHR} = \left(\frac{N_{\text{sm,succ}}}{N_{\text{sm,total}}}\right) \times 100\%$$
where $N_{\text{sm,succ}}$ is the number of successful super move hits and $N_{\text{sm,total}}$ is the total number of super moves attempted.
- **HCR (Health Change Rate)**: Measures the rate at which a player's health changes.
$$\text{HCR} = \frac{H_{\text{final}} - H_{\text{init}}}{T_{\text{fight}}}$$
where H_{final} is the player's health at the end of the period, H_{init} is the health at the start, and T_{fight} is the duration of the observation period in seconds (or other consistent unit).
- **WR (Win Rate)**: Percentage of matches won.
$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}}\right) \times 100\%$$
where N_{wins} is the number of matches won and N_{games} is the total number of matches played.
- **GA (Grounding Accuracy)**: Evaluates the precision of grounding actions.
$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}}\right) \times 100\%$$
where $N_{\text{ground,succ}}$ is the number of successful grounding actions and $N_{\text{ground,att}}$ is the total number of grounding attempts.

G.4 Example Trajectory

Step k+1. **Current score : +17.0** Current health: 158, Ennemy current health : 141

1). **Move Closer**
2). **Fireball**
3). **Move Closer**

G.2 动作空间

在街头霸王*III*中，智能体可以使用三种类型的操作。

- **移动**：玩家通过移动（或跳跃）接近或远离对手。
- **普通攻击**：包括拳击和踢击攻击或组合技能，每种攻击均有低、中、高三个方向。
- **特殊攻击**：包括火球、强力拳、旋风，也包含一些超级攻击。

G.3 细粒度指标

以下是街头霸王*III*的指标及其对应公式。DSGBench 中的这些细粒度指标基于专家对游戏核心机制的深入理解而设计，每个指标都针对决策的某个特定方面，该方面直接影响基于大语言模型的智能体在街头霸王*III*中的表现。

- **AHR（攻击命中率）**：衡量成功命中次数占攻击总次数的百分比。
$$\text{AHR} = \left(\frac{N_{\text{hit,succ}}}{N_{\text{atk,total}}}\right) \times 100\%$$
其中，$N_{\text{hit,succ}}$ 为成功命中次数，$N_{\text{atk,total}}$ 为攻击总次数。
- **SMHR（超级招式命中率）**：量化玩家超级招式的有效性。
$$\text{SMHR} = \left(\frac{N_{\text{sm,succ}}}{N_{\text{sm,total}}}\right) \times 100\%$$
其中，$N_{\text{sm,succ}}$ 为超级招式成功命中的次数，$N_{\text{sm,total}}$ 为尝试使用超级招式的总次数。
- **HCR（生命值变化率）**：衡量玩家生命值变化的速率。
$$\text{HCR} = \frac{H_{\text{final}} - H_{\text{init}}}{T_{\text{fight}}}$$
其中，H_{final} 为玩家在观测时段结束时的生命值，H_{init} 为开始时的生命值，T_{fight} 为观测时段的持续时间，以秒（或其他统一的时间单位）计。
- **WR（胜率）**：获胜对局所占的百分比。
$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}}\right) \times 100\%$$
其中，N_{wins} 为获胜对局数，N_{games} 为进行的对局总数。
- **GA（落地准确率）**：评估落地动作的精确率。
$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}}\right) \times 100\%$$
其中，$N_{\text{ground,succ}}$ 为成功的落地动作数，$N_{\text{ground,att}}$ 为落地尝试总数。

G.4 轨迹示例

步骤 k+1. **当前得分：** **+17.0** 当前生命值：158，敌方当前生命值：141

1). **靠近**2). **火球**3). **靠近**

4). **Medium Punch**
5). **Low Kick**
6). **Move Closer**
7). **Fireball**

Step k+2. **Current score :** **-17.0** Current health: 141, Ennemy current health : 158

1). **Move Closer**
2). **High Punch**
3). **Low Kick**

Step k+3. **Current score :** **+17.0** Current health: 158, Ennemy current health : 141

1). **Move Closer**
2). **Fireball**
3). **Move Closer**

Step k+4. **Current score :** **-31.0** Current health: 127, Ennemy current health : 158

1). **Move Closer**
2). **Medium Kick**
3). **Low Punch**

Step k+5. **Current score :** **-45.0** Current health: 113, Ennemy current health : 158

1). **Move Closer**
2). **Low Punch**
3). **Medium Kick**

G.5 Prompt Example

System Prompt

You are the best and most aggressive *Street Fighter III* 3rd strike player in the world.
Your character is Ken. Your goal is to beat the other opponent. You respond with a bullet point list of moves.
You are very far from the opponent. Move closer to the opponent.Your opponent is on the left.
Your current health is 128, and ennemy current health is 93.
You can now use a powerfull move. The names of the powerful moves are: Megafireball, Super attack 2.
Your last action was No-Move. The opponent's last action was Right.
Your current score is 35.0. You are winning. Keep attacking the opponent.
To increase your score, move toward the opponent and attack the opponent. To prevent your score from decreasing, don't get hit by the opponent.
The moves you can use are:
- Move Closer
- Move Away
- Fireball
- Megapunch
- Hurricane
- Megafireball
- Super attack 2
- Super attack 3
- Super attack 4
- Low Punch
- Medium Punch
- High Punch

4). **中拳**5). **下段踢**6). **靠近**7). **火球**

步骤 k+2. **当前得分：** **-17.0** 当前生命值：141，敌方当前生命值：158

1). **靠近**2). **重拳**3). **轻踢**

步骤 k+3. **当前得分：** **+17.0** 当前生命值：158，敌方当前生命值：141

1). **靠近**2). **火球**3). **靠近**

步骤 k+4. **当前得分：** **-31.0** 当前生命值：127，敌方当前生命值：158

1). **靠近**2). **中踢**3). **轻拳**

步骤 k+5. **当前得分：** **-45.0** 当前生命值：113，敌方当前生命值：158

1). **靠近**2). **轻拳**3). **中踢**

G.5 提示词示例

你是世界上最优秀、最具攻击性的街头霸王*III* 三度冲击玩家。你的角色是肯。你的目标是击败对手。请以项目符号列表的形式回复着法。你离对手很远。靠近对手。你的对手在左侧。你当前的生命值为128，敌方当前生命值为93。你现在可以使用强力着法。强力着法的名称为：超级火球、超级攻击2。你上一次的操作是不移动。对手上一次的操作是向右。你当前的得分为35.0。你正处于领先。继续攻击对手。要提高得分，请向对手移动并攻击对手。要防止得分下降，请不要被对手击中。你可以使用的着法有：- 靠近 - 远离 - 火球 - 强力拳 - 旋风 - 超级火球 - 超级攻击2 - 超级攻击3 - 超级攻击4 - 轻拳 - 中拳 - 重拳

- Low Kick
- Medium Kick
- High Kick
- Low Punch+Low Kick
- Medium Punch+Medium Kick
- High Punch+High Kick
- Jump Closer
- Jump Away

- - - -

Reply with a bullet point list of moves. The format should be: '\<name of the move>' separated by a new line.

Example if the opponent is close:
- Move closer
- Medium Punch

Example if the opponent is far:
- Fireball
- Move closer

User Prompt

Game observation

Your next moves are:

User Prompt

LLM Analysis & Decisions

- Move Closer
- Medium Punch
- Low Kick

H *Diplomacy*

Diplomacy is a multiplayer strategy board game. Unlike traditional games, it relies heavily on negotiation, alliance-building, and backstabbing among players. Each player controls a country, and the objective is to expand territory through strategic positioning and diplomatic agreements. There are no random elements such as dice; all actions, including strategic maneuvers and alliances, are decided by the players and executed simultaneously. Success in *Diplomacy* is determined by strategic foresight, persuasion, and the ability to predict and outsmart opponents diplomatically.

In a standard game of *Diplomacy*, seven players each assume control of one of the Great Powers of early 20th-century Europe. Unlike games with asymmetric factions, these powers begin with a roughly equivalent number of home "supply centers" and a fixed set of army and fleet units, though their geographical starting positions present unique strategic challenges and opportunities. The game unfolds on a map of Europe divided into named provinces, some of which are designated as supply centers crucial for maintaining and building units. Throughout the game, which proceeds in biannual turns (Spring and Fall), players simultaneously submit written orders for their units to move, support other units (their own or allied), hold position, or convoy armies. The resolution of these orders determines territorial control and unit survival.

The highly interactive and competitive nature of *Diplomacy*, coupled with its emphasis on unstructured negotiation, makes it an ideal testbed for evaluating advanced decision-making agents. The game requires agents to negotiate, build alliances, and anticipate opponents' moves. LLM-based agents need to make strategic decisions based on evolving alliances, manage long-term plans, and adapt quickly to the changing dynamics of the game.

[Mukobi *et al.*, 2023] introduced Welfare Diplomacy, a general-sum variant of the traditional Diplomacy game, which balances strategic conquest and domestic welfare, providing a better framework for evaluating cooperative capabilities in multi-agent systems.

- 轻踢 - 中踢 - 重踢 - 轻拳+轻踢 - 中拳+中踢 - 重拳+重踢 - 向前跳 - 向后跳 - - - - 请以项目符号列表的形式回复着法。格式应为： '\<着法名称>'，每项之间以换行分隔。对手距离较近时的示例：- 靠近 - 中拳 对手距离较远时的示例：- 火球 - 靠近

用户提示

游戏观测

你的下一步着法是：

用户提示

大语言模型分析与决策

- 靠近 - 中拳 -
轻踢

H 强权外交

强权外交是一款多人策略桌游。与传统游戏不同，它高度依赖玩家之间的谈判、联盟构建和背刺。每位玩家控制一个国家，目标是通过战略布局和外交协议扩张领土。游戏中没有骰子等随机元素；包括战略机动和联盟在内的所有操作均由玩家决定，并同时执行。在强权外交中，成功取决于战略远见、说服能力，以及在外交上预判对手并以智取胜的能力。

在一局标准的强权外交游戏中，七位玩家各自控制20世纪初欧洲列强中的一个。与采用非对称阵营的游戏不同，这些列强在开局时拥有数量大致相同的本土"补给中心"，以及固定配置的陆军和舰队单位，不过各自的地理起始位置带来了独特的策略挑战与机遇。游戏在一张欧洲地图上展开，地图划分为多个有名称的省份，其中一些被指定为补给中心，对于维持和建造部队至关重要。游戏以每年两次的回合（春季和秋季）推进，玩家在整个游戏过程中同时提交书面命令，指示己方部队移动、支援其他部队（己方或盟友的部队）、驻守原位置，或海运陆军。这些指令的战斗结算决定了领土控制和单位存续。

强权外交具有高度互动性和竞争性，并且强调非结构化谈判，因此成为评估高级决策智能体的理想测试平台。该游戏要求智能体进行谈判、建立联盟并预判对手的着法。基于大语言模型的智能体需要根据不断演变的联盟关系作出战略决策，管理长期计划，并迅速适应游戏中不断变化的局势。

[Mukobi 等人， 2023] 提出了福利外交风云，这是传统强权外交游戏的一般和变体，在战略征服与国内福利之间取得平衡，为评估多智能体系统的合作能力提供了更好的框架。

H.1 Game Detailed Description

Further details on the game settings, unit configurations, mechanics, strategies, and victory conditions can be found in the detailed game manual in Table 13. While in-game tutorials provide foundational knowledge, players frequently turn to online communities, character-specific guides, and match video analyses to study advanced techniques and improve their competitive play.

Table 13: Game manual detailing the settings, unit configurations, mechanics, strategies, and goals for gameplay in *Diplomacy*.

Game Manual for Diplomacy		
Setting	Map specification	A map of pre-World War I Europe divided into 75 land and sea territories, including 34 supply centers critical for unit production.
	Number of players	2 to 7 players, each controlling one of the seven Great Powers of Europe.
	Game turns	The game is turn-based, alternating between negotiation phases and order resolution phases (Spring and Fall turns per year).
Unit Configuration and Mechanics	Unit types	Two unit types: Armies (land territories) and Fleets (sea and coastal territories).
	Unit movement	Units can move to adjacent territories, support other units' moves, or hold their current position.
	Supply centers	Supply centers determine unit production and maintenance. Players gain or lose units based on control of these centers at the end of the year.
	Order types	Four types of orders: - Move: Relocate a unit to an adjacent territory. - Support: Assist another unit's move or hold action. - Hold: Maintain position in the current territory. - Convoy: Use fleets to transport armies across sea territories.
	Conflict resolution	Territory conflicts are resolved through numerical superiority; higher combined support wins, with ties resulting in no movement.
Strategies	Negotiation	Form alliances and make promises with other players during the negotiation phase to achieve mutual goals.
	Deception	Use diplomacy to mislead opponents about your true intentions, creating opportunities for betrayal.
	Long-term planning	Develop strategies to secure supply centers and position your units for future dominance while anticipating opponents' moves.
	Tactical positioning	Use support and convoy actions to outmaneuver opponents, maximize control of key territories, and defend critical supply centers.
Goals	Domination	Control 18 of the 34 supply centers to achieve victory and dominate Europe.
	Survival	Ensure the survival of your Great Power by maintaining enough supply centers and units to stay in the game.

H.2 Action Space

In *Diplomacy*, game engine provide 4 types of actions for each turn, each Great power can order all, some, or none of its units.

- **Hold**: Keep a unit in place, following is an example of a hold order: F London Holds.
- **Move**: Units move to other location, if the target location is occupied, it is referred to as attacking.
- **Support**: Since all units have equal strength, one unit cannot attack and advance against another without support. An army or fleet can provide support to another army or fleet.

H.1 游戏详细描述

有关游戏设置、单位配置、游戏机制、策略和获胜条件的更多细节，请参阅表13中的详细游戏手册。虽然游戏内教程提供了基础知识，但玩家经常会借助在线社区、角色专属攻略和对局视频分析来学习进阶技巧，提升竞技对战水平。

表13：游戏手册，详细介绍强权外交玩法中的设定、单位配置、游戏机制、策略和目标。

强权外交游戏手册		
设定	地图规格	一张第一次世界大战前的欧洲地图，划分为75个陆地和海洋区域，包括34个对单位生产至关重要的补给中心。
	玩家人数	2至7名玩家，每名玩家控制欧洲七大列强之一。
	游戏回合	游戏采用回合制，交替进行谈判阶段和命令结算阶段（每年分为春季和秋季回合）。
单位配置与游戏机制	单位类型	两种单位类型：陆军（陆地领土）和舰队（海域与沿海领土）。
	单位移动	部队可以移动至相邻领土，支援其他部队的着法，或驻守当前位置。
	补给中心	补给中心决定单位生产和维持。玩家根据年末对这些中心的控制情况增加或减少部队。
	命令类型	四种类型的指令： - 移动：将一个单位调往相邻领土。 - 支援：协助另一个单位的移动或驻守行动。 - 驻守：在当前领土保持位置不变。 - 海运：使用舰队将陆军运送过海域。
	冲突解决	领土冲突通过数量优势来解决；合计支援较高的一方获胜，平局则不发生移动。
策略	谈判	在此期间与其他玩家结成联盟并作出承诺在谈判阶段实现共同目标。
	欺骗	运用外交手段，让对手误判你的真实意图，创造背叛的机会。
	长期规划	制定策略，确保控制补给中心并部署你的部队以便在未来占据主导地位，同时预判对手的着法。
	战术部署	运用支援和护送行动智胜对手，最大限度地控制关键领土，并保卫重要的补给中心。
目标	统治	控制34个补给中心中的18个，以取得胜利并统治欧洲。
	生存	通过维持足够数量的资源，确保你的列强生存，这些资源包括补给中心和部队，以继续留在游戏中。

H.2 动作空间

在强权外交中，游戏引擎每回合提供4种操作，每个列强都可以向其全部、部分部队下达命令，也可以不向任何部队下达命令。

- **驻守**：让一个单位留在原地，以下是驻守命令的示例：舰队 伦敦 驻守。
- **移动**：部队移动至其他地点；如果目标地点已被占据，则称为攻击。

- **支援**：由于所有部队的战斗力相同，一个单位在没有支援的情况下无法攻击另一个单位并向前推进。陆军或舰队可以为另一支陆军或舰队提供支援。

Support can be offensive or defensive. By supping each other, attacking or defending units gain increased strength.

- **Convoy**: A fleet in a water province can convoy an army from any costal province adjacent to that water province to any other coastal province adjacent to that province.

H.3 Fine-Grained Metrics

The following are the metrics and their corresponding formulas for *Civilization*. These fine-grained metrics in DSGBench are designed based on expert insights into the core mechanics of the game, with each metric targeting a specific aspect of decision-making that directly influences the performance of LLM-based agents in *Civilization*.

- **CCC (Control Center Count)**: Measures the number of control centers (or key strategic locations) held by the player.
$$\text{CCC} = N_{\text{cc}}$$
where N_{cc} is the number of control centers currently held by the player.
- **WS (Welfare Score)**: Represents the player's welfare score relative to a potential maximum or average.
$$\text{WS} = \left(\frac{S_{\text{welfare,player}}}{S_{\text{welfare,max}}} \right) \times 100\%$$
where $S_{\text{welfare,player}}$ is the welfare score accumulated by the player, and $S_{\text{welfare,max}}$ is the maximum possible welfare score (or a relevant benchmark/total welfare score across all players, depending on the game's mechanics).
- **BIR (Betrayal Rate)**: Measures the frequency of betrayal actions performed by the player relative to their total diplomatic actions or total actions.
$$\text{BIR} = \left(\frac{N_{\text{act,betray}}}{N_{\text{act,total}}} \right) \times 100\%$$
where $N_{\text{act,betray}}$ is the number of betrayal actions performed by the player, and $N_{\text{act,total}}$ is the total number of relevant actions performed by the player (e.g., total diplomatic actions or all game actions, this needs to be specified).
- **ASR (Alliance Stability Rate)**: Measures the proportion of game time the player has spent in stable alliances.
$$\text{ASR} = \left(\frac{T_{\text{alliance}}}{T_{\text{game}}} \right) \times 100\%$$
where T_{alliance} is the total duration the player has maintained alliances, and T_{game} is the total game duration.
- **AD (Alliance Duration)**: Represents the total duration for which the player has been in alliances during the game.
$$\text{AD} = T_{\text{alliance}}$$
where T_{alliance} is the total duration (e.g., in minutes or game turns) the player has been part of one or more alliances.

H.4 Example Trajectory

- **Round1/3** Round 2

> **Reasoning:** Russia's aggression in S1904M and F1904M has significantly altered the strategic landscape. My initial plan of maximizing WP through complete demilitarization is no longer feasible. The alliance with Austria, England, and France remains crucial, but we need to rebuild our defenses and prepare for a counter-offensive to retake BUD. Holding my units this Spring is essential to assess Russia's next moves and consolidate our defensive positions. For W1905A, the focus will shift to rebuilding, prioritizing key defensive locations in the Baltic and North Sea while

支援可以是进攻性的，也可以是防御性的。通过相互支援，攻击或防御的部队可以增强战斗力。

- **海运**：位于海域省份的舰队可以将陆军从与该海域省份相邻的任意沿海省份运送至与该海域省份相邻的任何其他沿海省份。

H.3 细粒度指标

以下是文明的指标及其对应公式。DSGBench 中的这些细粒度指标基于专家对游戏核心机制的深入理解而设计，每项指标都针对决策的一个特定方面，该方面直接影响基于大语言模型的智能体在文明中的表现。

- **CCC（控制中心数量）**：衡量玩家占据的控制中心（或关键战略要地）的数量。
$$\text{CCC} = N_{\text{cc}}$$
其中，N_{cc} 是玩家当前占据的控制中心数量。
- **WS（福利得分）**：表示玩家的福利得分相对于潜在最高值或平均值的水平。
$$\text{WS} = \left(\frac{S_{\text{welfare,player}}}{S_{\text{welfare,max}}} \right) \times 100\%$$
其中，$S_{\text{welfare,player}}$ 为玩家累积的福利得分，$S_{\text{welfare,max}}$ 为可能达到的最高福利得分（或相关基准测试值／所有玩家的福利总得分，具体取决于游戏机制）。
- **BIR（背叛率）**：衡量玩家实施的背叛行为相对于其外交行动总数或操作总数的频率。
$$\text{BIR} = \left(\frac{N_{\text{act,betray}}}{N_{\text{act,total}}} \right) \times 100\%$$
其中，$N_{\text{act,betray}}$ 为玩家实施的背叛行为次数，$N_{\text{act,total}}$ 为玩家执行的相关操作总数（例如，外交行动总数或所有游戏操作总数，需明确指定）。
- **ASR（联盟稳定率）**：衡量玩家处于稳定联盟中的时间占游戏时间的比例。
$$\text{ASR} = \left(\frac{T_{\text{alliance}}}{T_{\text{game}}} \right) \times 100\%$$
其中，T_{alliance} 为玩家维持联盟的总持续时间，T_{game} 为游戏总时长。
- **AD（联盟持续时间）**：表示玩家在游戏中处于联盟中的总持续时间。
$$\text{AD} = T_{\text{alliance}}$$
其中，T_{alliance} 是玩家加入一个或多个联盟的总持续时间（例如，以分钟或游戏回合为单位）。

H.4 轨迹示例

- **回合1/3** 回

> **推理：**俄罗斯在1904年春季移动阶段和1904年秋季移动阶段的侵略已显著改变了战略格局。我最初通过完全非军事化来实现福利点数最大化的计划已不再可行。与奥地利、英格兰和法国的联盟仍然至关重要，但我们需要重建防御，并准备发动反攻以夺回布达佩斯。今年春季，让我的部队驻守对于评估俄罗斯的下一步着法并巩固我们的防御阵地至关重要。到1905年冬季调整阶段，重点将转向重建，优先考虑波罗的海和北海的关键防御位置，同时

maintaining enough units to launch a counter-offensive against Russia. The balance between WP maximization and strategic strength will be crucial. I need to coordinate closely with my allies to ensure a unified response to Russia's aggression. England's proposed rebuild plan is a good starting point, but we need to finalize it after assessing the Fall movements.
orders:

1). **A BER H**

2). **A KIE H**

Messages

1). **<France>** Agreed. Holding units this Spring. For W1905A, let's prioritize NTH and HOL for defense, and consider additional units in MUN and KIE. We need to coordinate with Austria and England to ensure a strong combined force.

2). **<Austria>** Holding units this Spring. Let's discuss specific unit placement for W1905A after the Fall movements. We need to coordinate our rebuild to maximize both defense and offensive capabilities against Russia.

3). **<England>** I agree with your proposed rebuild plan. Let's finalize it after observing the Fall movements. We need to ensure we have sufficient units to retake BUD and maintain a strong defense against Russia.

- **Round2/3** Round 2

Reasoning: The current situation is relatively peaceful, with a focus on maximizing WP through coordinated disbandments. Austria and England have proposed a joint disbandment plan, which I'm inclined to join. This will significantly boost our collective WP while maintaining a reasonable defensive posture. Russia's cooperation is crucial, and I need to ensure they're on board with a similar strategy. Italy remains a wildcard, but their recent actions haven't been overtly aggressive. Maintaining good relations with France is also important, as they are a significant power and their cooperation in disbandments will be beneficial. My primary goal for this Spring is to maintain the status quo and lay the groundwork for a successful Winter disbandment. I will hold my units this Spring to avoid any unnecessary conflict or misinterpretations.
orders:

1). **F KIE H**

Messages

1). **<Austria>** I agree to a coordinated disbandment with you and England. Let's aim for a plan that leaves us with at least one unit each in key locations for defense. Perhaps we disband one unit each this winter?

2). **<England>** I agree to a coordinated disbandment with Austria and Germany. Let's finalize the details of our disbandment plan after we hear back from Austria and Russia. I propose we each disband one unit this winter.

3). **<Russia>** Maintaining peace and maximizing WP remains my top priority. I propose a coordinated disbandment plan for the Winter adjustment phase. Let's discuss the specifics to ensure we all benefit. What is your proposed disbandment strategy?

- **Round3/3** Round 2

Reasoning: In this early phase, I need to establish a strong diplomatic foundation while also considering my strategic positioning. I have received positive responses from Austria, Turkey, and France regarding non-aggression pacts, which is encour-

维持足够的部队以对俄罗斯发动反攻。福利点数最大化与战略实力之间的平衡将至关重要。我需要与盟友密切协调，确保一致应对俄罗斯的侵略。英格兰提出的重建计划是一个良好的起点，但我们需要在评估秋季移动后最终确定该计划。

指令：

1). **陆军 柏林 驻守**

2). **陆军 基尔 驻守**

消息

1). **<法国>** 同意。今年春季让部队驻守。关于1905年冬季调整阶段，我们优先在北海和荷兰部署防御，并考虑在慕尼黑和基尔增派部队。我们需要与奥地利和英格兰协调，确保组建强大的联合部队。2). **<奥地利>**今年春季让部队驻守。等秋季移动结束后，我们再讨论1905年冬季调整阶段的具体部队部署。我们需要协调重建，最大限度地增强对俄罗斯的防御和进攻能力。3). **<英格兰>** 我同意你提出的重建计划。等观察完秋季移动后，我们再最终确定。我们需要确保有足够的部队夺回布达佩斯，同时保持对俄罗斯的强大防御。

- **第2/3回合**

推理： 当前局势相对和平，重点是通过协调解散来最大化福利点数。奥地利和英格兰提出了一项联合解散计划，我倾向于加入。这将在维持合理防御态势的同时，大幅提高我们的总体福利点数。俄罗斯的合作至关重要，我需要确保他们也认同类似的策略。意大利仍是一个不确定因素，但其近期操作并未表现出明显的攻击性。与法国保持良好关系也很重要，因为法国是一个实力强大的国家，其在裁军方面的合作将带来益处。今年春季，我的首要目标是维持现状，并为成功实施冬季解散奠定基础。我会让部队在今年春季驻守，以避免任何不必要的冲突或误解。

指令：

1). **舰队 基尔 原地驻守**

消息

1). **<奥地利>** 我同意与你和英格兰协调解散事宜。我们争取制定一个方案，让我们各自在关键位置至少保留一个单位用于防御。也许我们可以在今年冬季各解散一个单位？ 2). **<英格兰>**我同意与奥地利和德国协调解散事宜。等收到奥地利和俄罗斯的回复后，我们再敲定解散计划的细节。我提议我们在今年冬季各解散一个单位。 3). **<俄罗斯>** 维持和平并最大化福利点数仍是我的首要任务。我提议为冬季调整阶段制定一项协调解散计划。让我们讨论具体细节，确保各方都能受益。你提议采用什么解散策略?

- **第3/3回合** 第2回合

推理： 在这一早期阶段，我需要建立牢固的外交基础，同时考虑自身的战略布局。奥地利、土耳其和法国对互不侵犯条约均给予了积极回应，这令人鼓舞——

aging. I want to maintain peace with Austria and France, as they are my immediate neighbors, and I don't want to provoke any conflicts that could jeopardize my position. Turkey seems open to cooperation, which could be beneficial for controlling the Mediterranean. I should consider moving my units to positions that allow for flexibility and potential future expansion without overcommitting militarily. I will move A VEN to APU to secure a position that can either support an advance into the Balkans or defend against any potential threats. I will hold F NAP to maintain a defensive posture in the Mediterranean while keeping options open for future moves. A ROM will move to VEN to support my overall strategy of maintaining a strong presence in the region. This way, I can maximize my WP in the upcoming adjustments phase while still having the combat presence needed to enforce my agreements.
orders:

1). **A VEN - APU**

2). **A ROM - VEN**

3). **F NAP H**

Messages

1). **<Austria>** I appreciate your commitment to peace, Austria. Let's keep communication open as we navigate this phase together.

2). **<Turkey>** I'm glad to hear you're considering a non-aggressive approach, Turkey. Let's keep the lines of communication open as we navigate this phase together.

3). **<France>** I'm on board with a non-aggression pact, France. Let's work together to ensure a peaceful start to the game.

H.5 Prompt Example

System Prompt

You are an expert AI playing the game *Diplomacy* as the power Germany. This is a variant called Welfare *Diplomacy* with the following rules:

- In the build/adjustments phase (but not movement or retreats phases), you can freely disband or build any number of units (but not both building and disbanding), so long as your total unit count is less than or equal to your supply center count.
- At the end of each build/adjustments phase, your power accumulates Welfare Points (WP) equal to the difference between your power's supply center count and unit count. WP continually add up each year—you can never lose them. WP represent how much your power has invested in the welfare of its citizens.
- The game is on a turn timer and ends after W1910A. At the end of the game (determined by this fixed number of years), the winner is not the power with the greatest supply center count (this is very different from Classic *Diplomacy*). Instead, your goal is to maximize the total WP your power accumulates by the end of the game. You're not trying to get the most WP, you're trying to maximize your own WP, making Welfare *Diplomacy* very unlike typical games.
- This means there's a tradeoff between investing in combat unit power and WP. You won't always do well without combat, as you will need some power to enforce agreements and appropriately defend you or your allies from invasion. But if you have strong peaceful alliances, you might do well to actively disband some of your militaries to accumulate more WP.

You are in an interactive setting where, at each time step, you are given the game history as text. You will then be able to exchange up to 2 rounds of messages with the other players per phase (each of your completions will send out a set of messages), except in RETREATS phases when no messaging occurs and orders are submitted in a single round. It is currently the W1903A phase and message round 2 of 2 (the game will end in 8 years). Given this information, respond in the following JSON format to interact with the game and other players:

备受鼓舞。我希望与奥地利和法国保持和平，因为它们是我的近邻，我不想挑起任何可能危及自身位置的冲突。土耳其似乎愿意合作，这可能有利于控制地中海。我应考虑将部队调动到既能保持灵活性、又有利于未来潜在扩张的位置，同时避免过度投入军事力量。我将把威尼斯的陆军移动至阿普利亚，占据一个既可支援向巴尔干半岛推进、又可防御潜在威胁的位置。我将让那不勒斯的舰队驻守，在地中海保持防御态势，同时为未来的着法保留选择。罗马的陆军将移动至威尼斯，以支援我在该地区保持强大存在的整体策略。这样，我就能在即将到来的调整阶段最大化福利点数，同时仍保有落实协议所需的作战力量存在。

指令：

1). **陆军 威尼斯 - 阿普利亚**2). **陆军 罗马 - 威尼斯**3). **舰队 那不勒斯 原地驻守**

消息

1). **<奥地利>** 奥地利，我很感谢你对和平的承诺。让我们在共同应对这一阶段时保持沟通畅通。 2). **<土耳其>**土耳其，很高兴听到你正在考虑采取互不侵犯的方针。让我们在共同应对这一阶段时保持沟通畅通。 3). **<法国>**法国，我赞同签订互不侵犯条约。让我们携手合作，确保游戏有一个和平的开局。

H.5 提示词示例

系统提示词

你是一名专家级人工智能，正在扮演德国这一势力，游玩强权外交。这是一个名为“福利强权外交”的变体，规则如下：

- 在建造／调整阶段（而非移动或撤退阶段），你可以自由解散或建造任意数量的部队（但不能同时进行建造和解散），只要你的部队数量不超过补给中心数量即可。
- 在每个建造／调整阶段结束时，你的势力会获得福利点数（WP），数值等于该势力的补给中心数量与部队数量之差。福利点数每年持续累积，永远不会减少。福利点数代表你的势力为公民福利投入的程度。
- 游戏设有回合计时器，并在1910年冬季调整阶段结束后终止。游戏结束时（由这一固定年限决定），获胜者并非补给中心数量最多的势力（这一点与经典版强权外交截然不同）。相反，你的目标是在游戏结束时，尽可能提高你的势力累积的福利点数总量。你要追求的不是福利点数超过其他势力，而是让自己的福利点数最大化，因此福利强权外交与一般游戏大不相同。
- 这意味着，你需要在投入资源增强作战部队实力与积累福利点数之间进行权衡。不进行战斗并不总能取得好成绩，因为你需要一定的实力来确保协议得到履行，并妥善保护自己或盟友免遭入侵。不过，如果你拥有稳固的和平联盟，主动解散部分军队以积累更多福利点数，或许会取得不错的效果。

你处于一个交互式环境中，在每个时间步，你都会收到以文本形式呈现的游戏历史。随后，在每个阶段，你最多可以与其他玩家交换2轮消息（你的每次回复都会发送一组消息），但撤退阶段除外，该阶段不进行消息交流，且只用一个回合提交指令。当前为1903年冬季调整阶段，处于第2轮消息轮次，共2轮（游戏将在8年后结束）。请根据这些信息，按以下JSON格式回复，以便与游戏及其他玩家互动：

```
{
    "reasoning": "A string of your private thoughts about your
        ↪ situation as natural language in under 500 words.
        ↪ This is for your own strategic planning and won't be
        ↪  shared. Examples of things you might consider
        ↪ include: your relationships with other powers, what
        ↪ significant changes have happened recently,
        ↪ predictions about the other powers' orders and
        ↪ alliances, how much defence/offence/support/peace you
        ↪  plan to make, and how you might improve any of that.
        ↪  Do not romanticize things, be realistic.",
    "orders": ["List of strings of orders to your units in the
        ↪ same abbreviated format as the history. Because this
        ↪ is the last message round, these most recent orders
        ↪ will be executed."],
    "messages": "A dictionary mapping from power names (or "
        ↪ Global" for all) to messages that will be sent to
        ↪ them in the current round, or empty if nothing to
        ↪ send (you do not need to send any messages if you don
        ↪  't want to). Communicate like a human player would,
        ↪ and don't send repetitive or long messages. Do not
        ↪ simply communicate your orders or state useless
        ↪ platitudes. Instead, use messaging to ask for
        ↪ information from other powers, coordinate deals about
        ↪  specific territories or units (e.g. demilitarizing
        ↪ location X, order unit Y), make and enforce larger
        ↪ commitments, or reply to your recently received
        ↪ messages. Do not repeat information you've already
        ↪ sent unless there is some good reason for another to
        ↪ doubt you."
}
```

Respond with just this JSON object and nothing else.
Here are examples showing the format for orders:
A LON H
A WAL - LVP
F SPA/NC - MAO
A WAL S F LON
A WAL S F IRI - LVP
F NTH C A YOR - NWY
A YOR - NWY VIA
F IRI R MAO
F IRI D
A LON B

User Prompt

Game observation

Your Dialogue History
S1901M (summary)
I initiated discussions with Russia and Austria to establish mutual non-aggression pacts and coordinate movements to avoid conflicts. Russia and Austria both agreed to hold their units in place, showing commitment to stability. I also agreed to a mutual non-aggression agreement with England to ensure peaceful coexistence. These agreements are crucial for maintaining a peaceful start and potentially allowing me to focus on accumulating Welfare Points later.
F1901M (summary)
I emphasized mutual non-aggression and cooperation with all powers, particularly with Austria, England, Italy, and Russia. I proposed holding positions to avoid early conflicts and gather more information. Austria and Russia confirmed their commitment to our non-aggression pacts. England and Italy expressed appreciation for our peaceful stance and desire for continued support.
W1901A (summary)

{"reasoning": "用自然语言描述你对自身↪ 局势的私下想法，字符串长度不超过500词。↪这仅用于你自己的战略规划，不会↪ 被分享。你可以考虑的事项↪ 包括：你与其他列强的关系、最近↪ 发生了哪些重大变化、↪对其他列强的指令和↪ 联盟的预测、你计划在防御／进攻／支援／和平方面↪ 投入多少，以及你可以如何改进这些方面。↪ 不要将事情理想化，要现实一些。", "orders": ["向你的部队下达的指令字符串列表，采用与游戏历史↪ 相同的缩写格式。由于这↪ 是最后一个消息轮次，这些最新的指令↪ 将被执行。"], "messages": "一个字典，将列强名称（或用"↪ 全体"表示所有列强）映射到本回合将发送给↪ 他们的消息；如果没有要↪ 发送的内容，则留空（如果你不↪ 想发送消息，就不必发送）。像人类玩家一样交流，↪ 不要发送重复或冗长的消息。不要↪只是通报你的指令，或说些无用的↪ 空话。相反，应利用消息向其他列强↪ 询问信息，协调有关↪ 特定领土或部队的协议（例如，将↪ 地点X非军事化、向单位Y下达指令），作出并落实更大范围的↪ 承诺，或回复你最近收到的↪ 消息。不要重复你已经↪发送过的信息，除非对方有充分理由↪ 怀疑你。"}仅回复此JSON对象，不要包含任何其他内容。以下示例展示了指令格式：A 伦敦 H A 威尔士 - 利物浦 舰队 西班牙/NC - MAO A 威尔士 S 舰队 伦敦 A 威尔士 S 舰队 IRI - 利物浦 舰队 北海 C A 约克郡 - 挪威 A 约克郡 - 挪威 VIA 舰队 IRI R MAO 舰队 IRI D A 伦敦 B

用户提示

游戏观测

你的对话历史
S1901M（摘要）
我主动与俄罗斯和奥地利展开讨论，以缔结互不侵犯条约，并协调移动以避免冲突。俄罗斯和奥地利均同意让各自部队原地驻守，表明了维护稳定的承诺。我还同意与英格兰达成互不侵犯协议，以确保和平共处。这些协议对于维持和平的开局至关重要，也可能让我之后能够专注于积累福利点数。F1901M（摘要）

我强调与所有列强互不侵犯并开展合作，尤其是与奥地利、英格兰、意大利和俄罗斯。我提议驻守现有位置，以避免过早发生冲突，并收集更多信息。奥地利和俄罗斯确认将恪守我们之间的互不侵犯条约。英格兰和意大利对我们的和平立场表示赞赏，并希望继续获得支援。

1901年冬季调整阶段（摘要）

I disbanded two units to invest in welfare, following the trend of other powers who also disbanded units for the same purpose. There is a strong commitment to peace and non-aggression, with discussions focusing on long-term alliances and cooperative strategies. The general sentiment is to maintain stability and ensure the welfare of citizens.

S1902M (summary)

I reaffirmed our mutual non-aggression pact with Austria and Russia, emphasizing the importance of stability and welfare. Both Austria and Russia echoed my commitment to peace and suggested discussing joint actions to enhance welfare points. I reiterated my stance on holding units in place for stability and focusing on long-term welfare goals.

F1902M (summary)

I communicated with Austria, Russia, and England about maintaining stability and considering further disbandments to increase WP. Austria and Russia are both considering disbanding units, and we agreed to discuss joint actions in the next adjustment phase. England is also committed to peace and open to discussing future disbandments.

W1902A (summary)

I disbanded my fleet in Kiel twice to boost welfare points, aligning with Austria, Russia, and England who also disbanded units. Austria disbanded in Vienna twice, Russia in Moscow and Sevastopol, and England in a fleet. Turkey disbanded in Ankara. We all emphasized continued coordination for mutual security and WP maximization.

S1903M (summary)

I communicated with Austria, Russia, and England about maintaining stability and maximizing Welfare Points (WP). Austria and I discussed potential coordinated disbandments, while Russia and England reaffirmed mutual non-aggression. I am considering building units to balance influence and welfare, but I need to further discuss this with allies to ensure coordinated actions. England is considering disbanding a unit to accumulate more WP, which could influence my decision.

F1903M (summary)

I discussed potential coordinated disbandments with Austria to maximize WP, emphasizing the need to balance security. Austria is receptive and willing to finalize plans. I also engaged with Russia and England about building units to maintain influence and balance of power, with both powers expressing interest in maintaining stability and discussing strategies further in the next adjustment phase.

W1903A (current phase all messages)

England → Germany: I'm disbanding my unit in London to focus on accumulating WP. I appreciate our mutual commitment to peace and stability. Let's keep in touch about our future strategies.

England → Global: Continuing our collective effort to maximize Welfare Points, I'm disbanding my unit in London. Peace and cooperation remain our guiding principles.

France → Global: Continuing our collective effort to maximize Welfare Points, I'm disbanding my units in Marseilles and Paris. Peace and cooperation remain our guiding principles.

Austria → Germany: I'm disbanding my unit in TRI to continue our focus on maximizing WP. Let's discuss how we can balance this with maintaining influence in the region.

Germany → Austria: Given our mutual focus on maximizing WP, I'm considering building units to maintain influence. Let's discuss how we can balance this with our WP goals.

Germany → Russia: I'm planning to build units to maintain balance of power. How are you balancing your WP accumulation with combat presence?

Germany → England: I appreciate your disbandment for WP. I'm considering building units to maintain influence. How do you see us balancing WP and combat presence?

France → Global: Continuing our collective effort to maximize Welfare Points, I'm disbanding my unit in Marseilles. Peace and cooperation remain our guiding principles.

Austria → Germany: I have disbanded my unit in TRI to continue our focus on maximizing WP. I understand you are considering building units to maintain influence. Let's discuss how we can balance these objectives effectively.

England → Germany: I've disbanded my unit in London to focus on accumulating WP. I appreciate our mutual commitment to peace and stability. Let's keep in touch about our future strategies.

England → Global: Continuing our collective effort to maximize Welfare Points, I've disbanded my unit in London. Peace and cooperation remain our guiding principles.

我解散了两支部队，将资源投入福利，其他列强也纷纷出于同样目的解散部队。各方都坚定致力于和平与互不侵犯，讨论主要围绕长期联盟和合作策略展开。总体共识是维持稳定并保障公民福利。

S1902M（摘要）

我重申了我们与奥地利和俄罗斯之间的互不侵犯条约，强调稳定与福利的重要性。奥地利和俄罗斯都响应了我对和平的承诺，并建议讨论旨在增加福利点数的联合行动。我重申了让部队原地驻守以维持稳定、着眼于长期福利目标的立场。F1902M（摘要）

我与奥地利、俄罗斯和英格兰沟通了维持稳定以及考虑进一步裁军以增加福利点数的事宜。奥地利和俄罗斯都在考虑解散部队，我们同意在下一个调整阶段讨论联合行动。英格兰也致力于和平，并愿意讨论未来的裁军事宜。

W1902A（摘要）

我两次解散了驻扎在基尔的舰队，以增加福利点数，与同样解散了部队的奥地利、俄罗斯和英格兰保持一致。奥地利两次解散了驻扎在维也纳的部队，俄罗斯解散了驻扎在莫斯科和塞瓦斯托波尔的部队，英格兰则解散了一支舰队。土耳其解散了驻扎在安卡拉的部队。我们都强调要继续协调，以实现共同安全和福利点数最大化。

S1903M（摘要）

我与奥地利、俄罗斯和英格兰就维持稳定及最大化福利点数（WP）进行了沟通。我与奥地利讨论了协调解散的可能性，而俄罗斯和英格兰则重申了互不侵犯的承诺。我正在考虑建造部队，以兼顾影响力与福利，但我需要与盟友进一步讨论此事，确保行动协调一致。英格兰正在考虑解散一个单位，以积累更多福利点数，这可能会影响我的决定。

F1903M（摘要）

我与奥地利讨论了协调解散的可能性，以最大化福利点数，同时强调需要兼顾安全。奥地利对此持开放态度，并愿意敲定计划。我还与俄罗斯和英格兰讨论了通过建造部队来维持影响力和势力均衡，两国均表示有意维持稳定，并在下一个调整阶段进一步讨论策略。

W1903A（当前阶段全部消息）

英格兰 → 德国：我正在解散驻扎在伦敦的单位，以专注于积累福利点数。我很珍视我们对和平与稳定的共同承诺。让我们就未来的策略保持联系。

英格兰 → 全局：为继续共同努力，实现福利点数最大化，我将解散我在伦敦的单位。和平与合作仍是我们的指导原则。

法国 → 全局：为继续共同努力，实现福利点数最大化，我将解散我在马赛和巴黎的部队。和平与合作仍是我们的指导原则。

奥地利 → 德国：我将解散我在的里雅斯特的单位，以继续专注于最大化WP。让我们讨论一下，如何在实现这一目标与维持该地区的影响力之间取得平衡。

德国 → 奥地利：鉴于我们都专注于实现福利点数最大化，我正在考虑建造un部队以维持影响力。让我们讨论一下，如何在这一点与我们的福利点数目标之间取得平衡。

德国 → 俄罗斯：我正计划建造部队以维持力量均衡。你如何在WP积累与作战力量存在之间取得平衡?

德国 → 英格兰：我赞赏你为获取福利点数而解散部队的做法。我正在考虑建造部队以维持影响力。你认为我们该如何在福利点数与作战力量存在之间取得平衡?

法国 → 全体：为继续共同努力，实现福利点数最大化，我将解散我在马赛的单位。和平与合作仍是我们的指导原则。

奥地利 → 德国：我已解散我在的里雅斯特的单位，以继续专注于实现福利点数最大化。我理解你正在考虑建造部队以维持影响力。让我们讨论一下如何有效平衡这些目标。

英格兰 → 德国：我已解散我在伦敦的单位，以专注于积累福利点数。我赞赏我们对和平与稳定的共同承诺。让我们就未来的策略保持沟通。

英格兰 → 全体：为继续共同努力，实现福利点数最大化，我已解散我在伦敦的单位。和平与合作仍是我们的指导原则。

Recent Order History
W1902A
Austria: A VIE D
England: F EDI D
France: F BRE D
Germany: F KIE D
Italy: F NAP D
Russia: A MOS D, F SEV D
Turkey: F ANK D
S1903M
Austria: F TRI H
England: F LON H
France: A MAR H
Germany: None
Italy: A VEN - TRI
Russia: F STP/SC - BOT
Turkey: A SMY - CON
F1903M
Austria: F TRI H
England: F LON H
France: A MAR H
Germany: None
Italy: A VEN - TRI
Russia: F BOT - SWE
Turkey: A CON - BUL
Current Supply Center Ownership
Austria: BUD, TRI, VIE
England: EDI, LON, LVP
France: BRE, MAR, PAR
Germany: BER, KIE, MUN
Italy: NAP, ROM, VEN
Russia: MOS, SEV, STP, WAR, SWE
Turkey: ANK, CON, SMY, BUL
Unowned: BEL, DEN, GRE, HOL, NWY, POR, RUM, SER, SPA, TUN
Current Supply Center Ownership
Austria: BUD, TRI, VIE
England: EDI, LON, LVP
France: BRE, MAR, PAR
Germany: BER, KIE, MUN
Italy: NAP, ROM, VEN
Russia: MOS, SEV, STP, WAR, SWE
Turkey: ANK, CON, SMY, BUL
Unowned: BEL, DEN, GRE, HOL, NWY, POR, RUM, SER, SPA, TUN
Current Unit Ownership State - With reachable destinations to help you choose valid orders (VIA denotes convoy needed)
Austria:
F TRI - ADR, ALB, VEN
England:
F LON - ENG, NTH, WAL, YOR
France:
A MAR - BUR, GAS, PIE, SPA
Germany:
No units
Italy:
A VEN - APU, PIE, ROM, TRI, TUS, TYR
Russia:
F SWE - BAL, BOT, DEN, FIN, NWY, SKA
Turkey:

近期指令历史
W1902A
奥地利：陆军 维也纳 解散
英格兰：舰队 爱丁堡 解散
法国：舰队 布雷斯特 解散
德国：舰队 基尔 解散
意大利：舰队 那不勒斯 解散
俄罗斯：陆军 莫斯科 解散，舰队 塞瓦斯托波尔 解散
土耳其：舰队 安卡拉 解散

S1903M
奥地利：舰队 的里雅斯特 原地待命
英格兰：舰队 伦敦 原地驻守
法国：陆军 马赛 原地驻守
德国：无
意大利：陆军 威尼斯 - 的里雅斯特
俄罗斯：舰队 圣彼得堡南岸 - 波的尼亚湾
土耳其：陆军 士麦那 - 君士坦丁堡

F1903M
奥地利：舰队 的里雅斯特 原地驻守
英格兰：舰队 伦敦 原地驻守
法国：陆军 马赛 原地驻守
德国：无
意大利：陆军 威尼斯 - 的里雅斯特
俄罗斯：舰队 波的尼亚湾 - 瑞典
土耳其：陆军 君士坦丁堡 - 保加利亚
当前补给中心归属
奥地利：布达佩斯, TRI, VIE
英格兰：爱丁堡、伦敦、利物浦
法国：布雷斯特, MAR, PAR
德国：柏林、基尔、慕尼黑
意大利：那不勒斯、罗马、威尼斯
俄罗斯：莫斯科, SEV, STP, WAR, SWE
土耳其：安卡拉、君士坦丁堡、士麦那、保加利亚
无归属：比利时, DEN, GRE, HOL, NWY, POR, RUM, SER, SPA, TUN
当前补给中心归属
奥地利：布达佩斯, TRI, VIE
英格兰：爱丁堡、伦敦、利物浦
法国：布雷斯特, MAR, PAR
德国：柏林、基尔、慕尼黑
意大利：那不勒斯、罗马、威尼斯
俄罗斯：莫斯科, SEV, STP, WAR, SWE
土耳其：安卡拉、君士坦丁堡、士麦那、保加利亚
无归属：比利时, DEN, GRE, HOL, NWY, POR, RUM, SER, SPA, TUN
当前部队归属状态 - 附有可达目的地，帮助你选择有效指令（VIA 表示需要海运）
奥地利：
舰队 的里雅斯特 - 亚得里亚海, ALB, VEN
英格兰：
舰队 伦敦 - 英吉利海峡, NTH, WAL, YOR
法国：
陆军 马赛 - 勃艮第, GAS, PIE, SPA
德国：
无部队
意大利：
陆军 威尼斯 - 阿普利亚, PIE, ROM, TRI, TUS, TYR
俄罗斯：
舰队 瑞典 - 波罗的海, BOT, DEN, FIN, NWY, SKA
土耳其：

A BUL - CON, GRE, RUM, SER

Current Supply, Unit, and WP Count (Supply Centers/Units/Welfare Points)

Austria: 3/1/3
England: 3/1/3
France: 3/1/3
Germany: 3/0/5
Italy: 3/1/3
Russia: 5/1/4
Turkey: 4/1/3

Phase Order Instructions

It is currently WINTER 1903 ADJUSTMENTS which is a ADJUSTMENTS phase. The possible types of orders you can submit (with syntax in parentheses) are: Build (B), Disband (D) (note you must choose one type or issue no orders, you cannot both build and disband). You cannot build units in occupied home centers (see Current Unit Ownership State). If you don't want to change your number of units, submit an empty list for your orders. The only possible orders you can make for this phase are thus:

A BER B
F BER B
F KIE B
A KIE B
A MUN B

User Prompt

LLM Analysis & Decisions

```
{
    "reasoning": "Given the current state of the game, it is clear
        ↪ that the focus is on maximizing Welfare Points (WP) while
        ↪  maintaining a balance of power. The recent disbandments
        ↪ by England, France, and Austria indicate a strong
        ↪ commitment to this strategy. However, I need to ensure
        ↪ that Germany does not become too vulnerable. Building
        ↪ units now will help maintain influence and deter any
        ↪ potential aggression. I will build two armies in my home
        ↪ supply centers to balance the need for WP accumulation
        ↪ with the need for military presence. I will also continue
        ↪  to communicate with Austria, Russia, and England to
        ↪ ensure coordinated actions and maintain our mutual non-
        ↪ aggression pacts.",
    "orders": ["A BER B", "A MUN B"],
    "messages": {
        "Austria": "I've decided to build two units to maintain
            ↪ balance of power while still focusing on WP. Let's
            ↪ continue our discussions on how we can coordinate our
            ↪  strategies effectively.",
        "Russia": "I'm building units to maintain balance of power.
            ↪  How are you planning to balance your WP accumulation
            ↪  with military presence?",
        "England": "I've decided to build units to maintain
            ↪ influence. How do you see us balancing WP and
            ↪ military presence moving forward?"
}
```

I *Werewolf*

Werewolf is a multiplayer party game that revolves around social deduction, set in a fictional village where players are secretly assigned roles. Some players are werewolves, while others are villagers, and the goal is for the werewolves to eliminate the villagers or for the villagers to identify and eliminate the werewolves. The game is played in alternating night and day phases, where during the

A 保加利亚 - 君士坦丁堡, GRE, RUM, SER

当前补给、单位及福利点数统计（补给中心/部队/福利点数）

奥地利：3/1/3
英格兰：3/1/3
法国：3/1/3
德国：3/0/5
意大利：3/1/3
俄罗斯：5/1/4
土耳其：4/1/3

阶段命令说明

当前为1903年冬季调整阶段，属于调整阶段。你可以提交的指令类型包括（括号内为语法）：建造（B）、解散（D）（注意，你必须选择其中一种类型，或不下达任何指令，不能同时建造和解散）。你不能在被占据的本土补给中心建造部队（参见当前部队归属状态）。如果你不想改变部队数量，请提交空列表作为指令。因此，你在本阶段可以下达的指令仅有：

A 柏林 B 舰
队 柏林 B 舰
队 基尔 B A
基尔 B A 慕
尼黑 B

用户提示

大语言模型分析与决策

```
{
    "推理": "鉴于当前的游戏状态, 显而易见
        ↪重点在于最大化福利点数（福利点数），同时
        ↪  维持力量均衡。最近的裁军
        ↪ 由英格兰实施, 法国和奥地利表明了坚定的
        ↪ 践行这一策略的决心。 然而, 我需要确保
        ↪ 确保德国不会变得过于脆弱。建造
        ↪部队现在将有助于维持影响力，并遏制任何
        ↪ 潜在的侵略。我将在本土建造两支陆军，地点是
        ↪补给中心，以平衡WP积累的需求
        ↪ 与军事存在的需求。我还将继续
        ↪  与奥地利沟通, 俄罗斯和英格兰，以
        ↪ 确保协调操作并维持我们的互不 -
        ↪ 侵略 条约。",
    "orders": ["A 柏林 B", "A 慕尼黑 B"],
    "消息": {
        "奥地利": "我决定建造两支部队，以维持
            ↪ 力量 均衡，同时仍专注于福利点数。 让我们
            ↪继续讨论如何有效协调我们的
            ↪ 策略。",
        "俄罗斯": "我正在建造部队，以维持力量 均衡。
            ↪  你打算如何平衡你的WP积累
            ↪  与军事存在？",
        "英格兰": "我已决定建造部队，以维持
            ↪ 影响力。你认为我们该如何平衡福利点数与
            ↪ 今后的军事存在？"
}
```

I 狼人杀

狼人杀是一款以社交推理为核心的多人聚会游戏，背景设定在一个虚构的村庄中，玩家被秘密分配不同的角色。一些玩家是狼人，其他玩家则是村民。狼人的目标是淘汰村民，而村民的目标是找出并淘汰狼人。游戏在夜晚与白天阶段交替进行，在

Table 14: Game manual detailing the settings, role configurations, abilities, strategies, and goals for gameplay in *Werewolf*.

Game Manual for Werewolf		
Setting	Number of players	Typically 8 to 20 players, each assigned a secret role at the start of the game.
	Game structure	The game alternates between two phases: night and day. - Night: Special roles act in secret. - Day: Players discuss and vote to eliminate a suspect.
	Victory conditions	Victory is team-based: - Villagers win by eliminating all werewolves. - Werewolves win by outnumbering or equaling the villagers.
Role Configuration and Abilities	Villagers	Basic villagers have no special abilities and rely on discussion and deduction to identify werewolves.
		Special villagers: - Seer: Can identify a player's role each night. - Doctor: Can save one player from elimination each night. - Hunter: Eliminates a player if they are voted out.
	Werewolves	Werewolves secretly collaborate at night to eliminate one player and deceive villagers during the day.
		Alpha werewolf: A stronger werewolf role with extra abilities, such as immunity to the Seer's detection.
	Neutral roles	Neutral roles have their own unique objectives: - Jester: Wins if they are voted out. - Serial Killer: Eliminates players independently to be the last player standing.
Strategies	Bluffing	Players may lie about their roles to mislead others or protect their true identity.
	Deduction	Villagers use logical reasoning and discussion to identify inconsistencies in player behavior and vote out werewolves.
	Collaboration	Villagers and special roles must work together to maximize their chances of eliminating werewolves.
	Misdirection	Werewolves use deception and manipulation to confuse villagers and avoid suspicion.
Goals	Team victory	The primary objective is for your team (villagers or werewolves) to achieve its victory condition.
	Individual victory	Neutral roles (e.g., Jester, Serial Killer) aim to fulfill their own unique win conditions.

night, the werewolves secretly choose a villager to eliminate, and during the day, the players debate and vote on who they believe the werewolves are. The game requires careful observation, persuasion, and the ability to deceive or detect lies.

The most common setup is for 8 to 20 players, with a mix of werewolves, villagers, and special characters such as the seer, who can reveal a player's true identity, or the doctor, who can protect a player from being eliminated. Players must use social deduction, communication, and strategy to

表14：详细介绍狼人杀玩法中的设定、角色配置、技能、策略和目标的游戏手册。

狼人杀游戏手册		
设定	玩家人数	通常为8至20名玩家，每位玩家都会在开始时被分配一个隐藏身份（游戏开始时）。
	游戏流程	游戏在夜晚和白天两个阶段之间交替进行。 - 夜晚：特殊角色秘密行动。 - 白天：玩家进行讨论，并通过投票淘汰一名嫌疑人。
	获胜条件	胜负以团队为单位判定： - 村民通过消灭所有狼人获胜。 - 狼人数量超过或等于村民数量时，狼人获胜。
角色配置与技能	村民	普通村民没有特殊能力，依靠讨论并通过推理识别狼人。
		特殊村民： - 预言家：每个夜晚可以查验一名玩家身份。 - 医生：每个夜晚可以保护一名玩家免遭淘汰。 - 猎人：被投票淘汰时，可以淘汰一名玩家。
	狼人	狼人在夜晚秘密合作，淘汰一名玩家，并在白天欺骗村民。
		狼王：一种更强大的狼人角色，拥有额外技能，例如免疫预言家的查验。
	中立角色	中立角色有各自独特的目标： - 小丑：被投票淘汰即可获胜。 - 连环杀手：独立淘汰其他玩家，力争成为最后的存活玩家。
策略	虚张声势	玩家可以谎报自己的角色来误导他人或保护其真实身份。
	推理	村民通过逻辑推理和讨论来识别玩家行为中的矛盾之处，并通过投票淘汰狼人。
	协作	村民和特殊角色必须共同协作，以最大限度地提高他们消灭狼人的机会。
	误导	狼人利用欺骗和操纵来迷惑村民并避免受到怀疑。
目标	团队胜利	主要目标是让你的团队（村民或狼人）达成其胜利条件。
	个人胜利	中立角色（例如小丑、连环杀手）的目标是达成各自独特的获胜条件。

夜晚，狼人秘密选择一名村民将其淘汰；在白天，玩家进行辩论，并投票选出他们认为是狼人的人。游戏需要细致的观察力、说服能力，以及欺骗他人或识破谎言的能力。

最常见的布局适用于8至20名玩家，角色包括狼人、村民以及特殊角色，例如能够查验玩家真实身份的预言家，或能够保护玩家免遭淘汰的医生。玩家必须运用社会推理、沟通和策略来

identify who the werewolves are while avoiding being misled or eliminated. Success in *Werewolf* relies on the players' ability to read social cues, form alliances, and strategically vote out potential werewolves while protecting key villagers.

As a highly interactive social deduction game, *Werewolf* [Bailis *et al.*, 2024b] provides an ideal environment for evaluating agents that simulate social reasoning and decision-making. The game requires agents to make decisions based on limited information, assess the trustworthiness of other players, and adapt to shifting dynamics. LLM-based agents must manage interactions, detect deception, and navigate complex social situations to achieve their objectives.

I.1 Game Detailed Description

Further details on the game settings, role configurations, abilities, strategies, and victory conditions can be found in the detailed game manual in Table 14.

I.2 Action Space

In *Werewolf* [Bailis *et al.*, 2024b], game engine provide 2 types of actions for each round.

- **Core Actions**: All agents engage in voting to determine player exiles, debating to influence others and gather information, reflecting the dynamic nature of group discussions.
- **Special Role Actions**: Agents assigned as Werewolves, Doctors, or Seers execute nighttime actions of eliminating a villager, protecting a player, and investigating a player's true role, respectively.

I.3 Fine-Grained Metrics

The following are the metrics and their corresponding formulas for *Werewolf*. These fine-grained metrics in DSGBench are designed based on expert insights into the core mechanics of the game, with each metric targeting a specific aspect of decision-making that directly influences the performance of LLM-based agents in *Werewolf*.

- **IRP (Identification Precision)**: Quantifies the precision with which a player deduces the roles of other participants in Werewolf.

$$\text{IRP} = \left(\frac{N_{\text{id,correct}}}{N_{\text{id,attempts}}} \right) \times 100\%$$

  where $N_{\text{id,correct}}$ is the number of correct role identifications made by the player, and $N_{\text{id,attempts}}$ is the total number of role identification attempts made by the player.
- **KSR (Key Role Survival Rate)**: Evaluates the likelihood of specific key roles (e.g., Seer, Werewolf) surviving until the end of the game.

$$\text{KSR} = \left(\frac{N_{\text{keyrole,survived}}}{N_{\text{keyrole,played}}} \right) \times 100\%$$

  where $N_{\text{keyrole,survived}}$ is the number of games in which a specific key role survived until the end, and $N_{\text{keyrole,played}}$ is the total number of games in which that specific key role was present or played.
- **VSS (Voting Success Score)**: Assesses the efficacy of a player's voting decisions during pivotal moments in a game of Werewolf.

$$\text{VSS} = \left(\frac{N_{\text{vote,succ}}}{N_{\text{vote,crit}}} \right) \times 100\%$$

  where $N_{\text{vote,succ}}$ is the number of successful votes cast by the player during critical junctures (e.g., votes leading to the elimination of an opposing faction member or saving an allied member), and $N_{\text{vote,crit}}$ is the total number of votes cast by the player during such critical junctures.

识别谁是狼人，同时避免受到误导或遭到淘汰。在狼人杀中获胜，取决于玩家解读社交线索、组建联盟，以及在保护关键村民的同时有策略地通过投票淘汰疑似狼人的能力。

作为一款高度互动的社交推理游戏，狼人杀 [Bailis 等人，2024b] 为评估模拟社会推理与决策的智能体提供了理想的环境。该游戏要求智能体基于有限信息进行决策，评估其他玩家的可信度，并适应不断变化的局势。基于大语言模型的智能体必须管理互动、识别欺骗，并应对复杂的社交情境，以实现自身目标。

I.1 游戏详细说明

有关游戏设置、角色配置、技能、策略和获胜条件的更多详情，请参阅表14中的详细游戏手册。

I.2 动作空间

在狼人杀 [Bailis 等人，2024b], 中，游戏引擎在每个回合提供两类操作。

- **核心动作**：所有智能体均参与投票以决定玩家放逐，并通过辩论影响他人、收集信息，体现了群体讨论的动态性。
- **特殊角色动作**：被分配为狼人、医生或预言家的智能体在夜晚分别执行淘汰一名村民、保护一名玩家以及查验一名玩家真实角色的夜间动作。

I.3 细粒度指标

以下是狼人杀的指标及其对应公式。DSGBench 中的这些细粒度指标基于专家对游戏核心机制的见解而设计，每项指标均针对决策的某个特定方面，该方面会直接影响基于大语言模型的智能体在狼人杀中的表现。

- **IRP（身份识别精确率）**：量化玩家在狼人杀中推断其他参与者角色的精确率。

$$\text{IRP} = \left(\frac{N_{\text{id,correct}}}{N_{\text{id,attempts}}} \right) \times 100\%$$

  其中，$N_{\text{id,correct}}$ 表示该玩家正确识别角色的次数，而$N_{\text{id,attempts}}$ 表示该玩家尝试识别角色的总次数。
- **KSR（关键角色存活率）**：评估特定关键角色（如预言家、狼人）存活至游戏结束的可能性。

$$\text{KSR} = \left(\frac{N_{\text{keyrole,survived}}}{N_{\text{keyrole,played}}} \right) \times 100\%$$

  其中，$N_{\text{keyrole,survived}}$ 表示某一特定关键角色存活至最后的游戏局数，$N_{\text{keyrole,played}}$ 表示该特定关键角色出现或参与的游戏总局数。

- **VSS（投票成功评分）**：评估玩家在狼人杀游戏关键时刻所作投票决策的有效性。

$$\text{VSS} = \left(\frac{N_{\text{vote,succ}}}{N_{\text{vote,crit}}} \right) \times 100\%$$

  其中，$N_{\text{vote,succ}}$ 是玩家在关键时刻成功投票的次数（例如，投票促成淘汰一名敌对阵营成员或挽救一名己方阵营成员），而$N_{\text{vote,crit}}$ 是玩家在此类关键时刻投票的总次数。

I.4 Example Trajectory

- **player:Werewolf–Jacob** Round 1 **debate**

> **reasoning:** In this round, my primary goal is to divert attention away from myself and Mason while creating doubt among the Villagers. By casting suspicion on Dan, Harold, and Derek, who are leading the charge against me, I can create a rift in their alliance. I will also subtly suggest that the quieter players, like Jackson, may hold valuable information or roles, which could lead to further suspicion among the vocal players. This will help to sow chaos and keep the focus off of me and Mason.
> **say:** I appreciate the points everyone has made, but I think we need to be careful about jumping to conclusions too quickly. Dan, Harold, and Derek, your focus on me seems a bit intense, and it raises a question: are you trying to deflect attention from yourselves? It's interesting how you all echo each other's sentiments, which could be a tactic to blend in and avoid scrutiny. Mason is right; we should also consider the quieter players like Jackson, who might have insights we're overlooking. Let's not forget that the Werewolves thrive on division, and if we're not careful, we might end up turning on each other instead of identifying the real threat. I urge everyone to think critically about who is leading this charge and whether their motives are as pure as they claim.

- **player:Werewolf–Jacob** Round 1 **vote**

> **reasoning:** I believe we should vote out Dan. He has been very vocal and is leading the charge against me, which could indicate he is trying to position himself as a key player in the Village. His focus on my defensiveness raises suspicion, and he is rallying others to scrutinize me, which could be a tactic to deflect attention from himself or to position himself as a hero if he successfully identifies a *Werewolf*. Additionally, if he is the Seer or Doctor, his removal could significantly weaken the Village's ability to identify or protect against us. By voting him out, we can disrupt the vocal leadership that is forming against us and create confusion among the remaining players.
> **vote:** Dan

- **player:Villager–Dan** Round 1 **summarize**

> **reasoning:** In this round's debate, several key points emerged that could help identify the Werewolves. Leah's removal is suspicious, especially since she focused on Jacob's defensiveness, suggesting either Jacob is a *Werewolf* or the Werewolves are framing him. Harold and Derek echoed my points again, which might indicate they are trying to blend in or genuinely agree with me. Mason and Jacob both expressed caution about jumping to conclusions and pointed out the potential for manipulation, which could be a tactic to deflect suspicion or a genuine concern. Jackson, who has been quieter, also highlighted the need to consider all angles and not rush to conclusions. The consistency in Harold's and Derek's agreement with me could either mean they are allies or trying to hide in plain sight. Mason's and Jacob's focus on not overlooking quieter players like Jackson suggests they might be trying to shift attention away from themselves. Jackson's balanced approach might indicate he is a Villager or a special role trying to stay under the radar. It's crucial to remember these dynamics as they could reveal alliances or hidden roles in future rounds.
> **summary:** During the debate, Leah's removal was highlighted as suspicious, with a focus on Jacob's defensiveness. Harold and Derek echoed my points, possibly trying to blend in. Mason and Jacob cautioned against jumping to conclusions, suggesting manipulation could be at play. Jackson, though quieter, emphasized considering all angles. The consistency in Harold's and Derek's agreement with me might indicate

I.4 轨迹示例

- **玩家:狼人杀–雅各布** 第1轮 **辩论**

> **推理:** 在本回合中，我的首要目标是将注意力从我和梅森身上转移开，同时在村民之间制造猜疑。丹、哈罗德和德里克正带头针对我，通过将嫌疑引向他们，我可以在他们的联盟中制造裂痕。我还会含蓄地暗示，像杰克逊这样较少发言的玩家可能掌握重要信息或拥有重要角色，这可能会让积极发言的玩家产生更多猜疑。这将有助于制造混乱，并使我和梅森不再成为关注焦点。
> **发言:** 我很重视大家提出的观点，但我认为我们需要谨慎，不要过早下结论。丹、哈罗德和德里克，你们对我的关注似乎有些过头了，这不禁让人想问：你们是不是想转移大家对你们自己的注意力？有意思的是，你们都在附和彼此的看法，这可能是一种混入人群、逃避审视的策略。梅森说得对；我们也应该关注像杰克逊这样比较沉默的玩家，他们或许有我们忽略的见解。别忘了，狼人最乐于看到我们内部分裂，如果不小心，我们可能最终会互相攻击，而不是找出真正的威胁。我希望大家认真思考，究竟是谁在带头发起这场冲锋，以及他们的动机是否真如自己所声称的那样纯粹。

- **玩家:狼人杀–雅各布** 第1轮 **投票**

> **推理:** 我认为我们应该投票淘汰丹。他一直非常活跃，并且带头针对我，这可能表明他正试图让自己成为村庄中的关键玩家。他紧盯着我的防御性反应，这一点很可疑，而且他还在动员其他人审视我，这可能是为了转移大家对他自身的注意力，或者是想在成功找出一名狼人后将自己塑造成英雄。此外，如果他是预言家或医生，淘汰他就能大幅削弱村庄识别或防范我们的能力。通过投票淘汰他，我们可以打乱正在形成的、针对我们的舆论领导力量，并在剩余玩家中制造混乱。
>
> **投票:** 丹

- **玩家：村民–丹** 第1轮.

> **推理:** 本回合的讨论中出现了几个可能有助于识别狼人的关键点。莉娅出局这件事很可疑，尤其是她此前一直关注雅各布的防御性反应，这表明雅各布要么是一名狼人，要么是遭到了狼人的栽赃。哈罗德和德里克再次附和了我的观点，这可能表明他们在试图融入大家，也可能是真心认同我。梅森和雅各布都表示，不应急于下结论，并指出了存在操纵的可能性，这可能是转移嫌疑的策略，也可能是真切的担忧。一直比较沉默的杰克逊也强调，需要从各个角度考虑问题，不要仓促下结论。哈罗德和德里克始终与我保持一致，这可能意味着他们是盟友，也可能意味着他们正试图在众目睽睽之下隐藏身份。梅森和雅各布强调，不应忽视杰克逊这样较为沉默的玩家，这表明他们可能在试图转移大家对自身的注意力。杰克逊不偏不倚的态度可能表明他是一名村民，或是试图保持低调的特殊角色。务必要记住这些互动关系，因为它们可能在后续回合中揭示联盟或隐藏的角色身份。
>
> **总结:** 在辩论中，莉娅出局一事被认为十分可疑，讨论重点是雅各布的辩解态度。哈罗德和德里克附和了我的观点，可能是想混入其中。梅森和雅各布提醒大家不要草率下结论，暗示可能有人在进行操纵。杰克逊虽然话不多，但强调应从各个角度考虑问题。哈罗德和德里克始终赞同我的观点，这可能表明

they are allies or hiding in plain sight. Mason and Jacob's focus on quieter players could be a tactic to deflect attention. Jackson's balanced approach suggests he might be a Villager or a special role. These dynamics are important to remember for identifying potential allies or threats.

I.5 Prompt Example

System Prompt

You are playing a digital version of the social deduction game <Werewolf & Doctor & Seer & Villager (also known as Mafia).

GAME RULES:

- Player Roles: 8 players - 2 Werewolves, 1 Seer, 1 Doctor, 4 Villagers.
- Rounds consist of two phases:
  - Night Phase: Werewolves remove a player. Seer identifies a player 's role. Doctor saves a player. If no one is removed, the Doctor saved the Werewolf 's target.
  - Day Phase: Players debate and vote to remove one player.
- Winning Conditions: Villagers win by voting out both Werewolves. Werewolves win when they outnumber the Villagers.

GAME STATE:

- It is currently $\langle Round1 \rangle$.
- You are Scott the <Werewolf & Doctor & Seer & Villager>.
- Remaining players: Isaac, Sam, Hayley, Ginger, Scott (You), Derek, Tyler.

YOUR PRIVATE OBSERVATIONS:
Round 0:

- During the night, we decided to eliminate Jacob.
- Moderator Announcement: The Werewolves removed Jacob from the game during the night.
- After the debate, I voted to remove Tyler from the game.
- Moderator Announcement: A majority vote was not reached, so no one was removed from the game.
- Summary: During the debate, I noticed that Isaac and Ginger are very vocal and eager to lead, which has raised suspicions among some players. Hayley pointed out their eagerness as potentially suspicious, which aligns with my own thoughts. Tyler and Sam are focusing on scrutinizing the quiet players, which could be a problem if the Seer or Doctor is among them. Tyler also raised flags about me agreeing with Isaac and Ginger, which means I need to be cautious about how I align myself in future debates. Derek seems supportive of the group but hasn 't directly accused anyone, making him a potential ally or a good target for manipulation. Overall, I need to be careful about how I present myself and work with Hayley to steer the conversation away from us and towards potential threats like Isaac, Ginger, or even Derek if necessary.

Remove
INSTRUCTIONS:
- It is the Night Phase of Round 1. As Scott the *Werewolf* choose the most strategic player to remove.
- Analyze accusations and identify influential Villagers who threaten your anonymity.
- Consider players ' behavior and the risks of removing them.
- You must choose someone.

Protect
INSTRUCTIONS:

他们是盟友，或是在众目睽睽之下掩藏身份。梅森和雅各布将注意力集中在较少发言的玩家身上，这可能是转移注意力的策略。杰克逊的态度较为平衡，说明他可能是村民或特殊角色。记住这些互动情况，对于识别潜在的盟友或威胁很重要。

I.5 提示词示例

系统提示词

你正在玩数字版社交推理游戏 <狼人杀 & 医生 & 预言家 & 村民（又称杀人游戏）。

游戏规则：

- 玩家角色：8 名玩家——2 名狼人、1 名预言家、1 名医生、4 名村民。
- 每个回合包含两个阶段：
  - 夜晚阶段：狼人淘汰一名玩家。预言家查验一名玩家的角色。医生救治一名玩家。如果无人被淘汰，说明医生救下了狼人袭击的目标。- 白天阶段：玩家进行讨论，并投票淘汰一名玩家。
- 获胜条件：村民通过投票淘汰两名狼人即可获胜。狼人数量超过村民时，狼人获胜。

游戏状态：

- 当前为 $\langle Round1 \rangle$。
- 你是 Scott，角色为 <狼人杀 & 医生 & 预言家 & 村民>。
- 剩余玩家：Isaac、Sam、Hayley、Ginger、Scott（你）、德里克、Tyler。

你的私人观察：
第0轮：

- 在夜晚，我们决定淘汰雅各布。
- 主持人公告：狼人在夜晚将雅各布淘汰出局。

- 辩论结束后，我投票将Tyler淘汰出局。
- 主持人公告：未达到多数票，因此无人被淘汰出局。

- 总结：在辩论中，我注意到 Isaac 和 Ginger 发言十分积极，而且急于主导讨论，这引起了一些玩家的怀疑。Hayley 指出，他们急于主导讨论的表现可能很可疑，这与我的想法一致。Tyler 和 Sam 正着重审视那些沉默的玩家，如果预言家或医生在其中，这可能会成为一个问题。Tyler 还对我赞同 Isaac 和 Ginger 的做法提出了质疑，这意味着在今后的辩论中，我需要谨慎选择立场。德里克似乎支持大家，但没有直接指控任何人，因此他可能成为盟友，也可能是一个适合操纵的对象。总体而言，我需要谨慎表现自己，并与 Hayley 合作，将话题从我们身上引开，转向 Isaac、Ginger 等潜在威胁，必要时甚至可以转向德里克。

移除
指令：
- 现在是第1轮的夜晚阶段。你是 Scott，身份为狼人杀 ，请选择从策略上看最值得移除的玩家。

- 分析指控，找出有影响力且可能暴露你身份的村民。- 考虑玩家的行为以及移除他们的风险。- 你必须选择一人。

保护
指令：

- It is the Night Phase of Round 1. As Sam the Doctor choose the most vulnerable player to protect.
- Consider who the Werewolves might target.
- Prioritize players with crucial roles like the Seer and yourself.
- You must choose someone.

Investigate

INSTRUCTIONS:
- It is the Night Phase of Round 1. As Tyler the Seer choose the most suspicious player to investigate.
- Look for behavior that deviates from typical villager behavior.
- Focus on influential players.
- You must choose someone.

Debate

INSTRUCTIONS:
- You are speaking next in the debate as Ginger.
- Your thoughts on speaking next:
- Your goal is to uncover the Werewolves and protect the Village.
- Scrutinize every accusation, expose inconsistencies, and call out suspicious behavior or unusally quite players. Don 't hesitate to make bold accusations!
- Emphasize teamwork and propose strategies to expose the Werewolves. Working together will be key to identifying the Werewolves.
- If someone reveals themselves as the Seer or Doctor, try and corroborate their information with what you know.

Vote

INSTRUCTIONS:
- Think strategically as Tyler the Seer and decide who to vote out.
- Your vote will not be revealed to the other players, it will remain private.
- Scrutinize accusations, analyze behavior, and consider previous patterns.
- To find the likely Werewolves, look for inconsistencies in their stories, attempts to deflect blame, a tendency to sow discord among other Villagers, or unusually quiet players.
- You must choose someone.

```
{
    "reasoning": "string", //  Explain your reasoning step-by-
        ↪ step for who you want to remove from the game and why
        ↪ . Avoid using violent or harmful language.
    "<remove \& protect \& investigate \& debate \& vote>": "
        ↪ string" // Name of the player.
}
```

User Prompt

LLM Analysis & Decisions

worlf:

```
{'reasoning': "Based on the observations from Round 0, Isaac and
    ↪ Ginger are very vocal and eager to lead, which has raised
    ↪ suspicions among some players. Their active participation in
    ↪ the debate makes them influential Villagers who could
    ↪ potentially threaten the anonymity of the Werewolves.
    ↪ Removing one of them would reduce the number of vocal leaders
    ↪  and make it easier for Hayley and me to steer the
    ↪ conversation without drawing too much attention. Additionally
    ↪ , Isaac and Ginger's eagerness to lead could make them
    ↪ targets for the Seer or Doctor, further reducing their
    ↪ effectiveness. Out of the two, Isaac seems to be more
    ↪ directly involved in the accusations, making him a slightly
    ↪ higher risk. Therefore, I choose to remove Isaac to weaken
    ↪ the Villagers' leadership and reduce the risk of being
    ↪ identified.", '<remove \& protect \& investigate \& debate \&
    ↪  vote>': 'Isaac'}
```


- 现在是第1轮的夜晚阶段。你扮演医生Sam，请选择最容易受到伤害的玩家进行保护。
- 考虑狼人可能会以谁为目标。- 优先考虑预言家等拥有关键角色的玩家以及你自己。- 你必须选择一名玩家。

查验

指令:
- 现在是第1轮的夜晚阶段。作为预言家 Tyler，选择最可疑的玩家进行查验。
- 寻找偏离典型村民行为的举动。- 重点关注有影响力的玩家。- 你必须选择一名玩家。

辩论

指令:
- 接下来你将以 Ginger 的身份在辩论中发言。- 关于接下来发言的思考：- 你的目标是找出狼人并保护村庄。- 仔细审视每一项指控，揭露矛盾之处，并指出行为可疑或异常沉默的玩家。不要犹豫，大胆提出指控！- 强调团队合作，并提出揭露狼人的策略。齐心协力是找出狼人的关键。- 如果有人表明自己是预言家或医生，试着用你已知的信息来印证他们提供的信息。

Vote

指令:
- 以预言家 Tyler 的身份进行策略性思考，决定投票淘汰谁。
- 你的投票不会向其他玩家公开，将保持私密。
- 仔细审视指控，分析行为，并考虑以往的行为模式。
- 要找出可能的狼人，请留意其说辞中的矛盾、试图转移责备的行为、在其他村民之间挑拨离间的倾向，或异常沉默的玩家。
- 你必须选择一名玩家 .

```
{
    "推理": "字符串",  //  逐步解释你的推理
        ↪，说明你想让谁退出游戏以及原因
        ↪ 。避免使用暴力或有害的语言。
    "<移除 \&  保护 \& 调查 \& 辩论 \& 投票 >": "
        ↪ 字符串 " // 玩家的名字。
}
```

用户提示

大语言模型分析与决策

worlf:

{' reasoning ': " 根据第0轮的观察，Isaac和↪ Ginger发言非常积极，且急于主导讨论，这引起了↪ 一些玩家的怀疑。他们积极参与↪辩论，因此成为有影响力的村民，可能↪ 威胁到狼人的隐蔽身份。↪除掉其中一人可以减少积极主导讨论的人数，↪ 让Hayley和我更容易引导↪ 对话，而不会引起太多注意。此外↪ ，Isaac和Ginger急于主导讨论，也可能使他们↪ 成为预言家或医生的目标，进一步削弱他们的↪ 作用。两人之中，Isaac似乎更↪ 直接地参与了指控，因此他的威胁↪ 略高。所以，我选择除掉Isaac，以削弱↪ 村民的领导力量，并降低身份被↪ 识破的风险。", '<remove \& protect \& investigate \& debate \&↪ vote >': ' Isaac ' }

Table 15: Game manual detailing the settings, piece configuration, movement rules, strategies, and goals for gameplay in *Stratego*.

Game Manual for Stratego		
Setting	Board specification	10x10 grid board with two lakes in the center that act as impassable obstacles.
	Number of players	Two players compete head-to-head, each controlling 40 pieces.
	Objective	Capture the opponent's flag or eliminate all movable pieces of the opponent.
Piece Configuration and Mechanics	Piece ranks	Each player has pieces ranked from 1 (highest, Marshal) to 10 (lowest, Scout), along with special units like Bombs and Spies.
	Movement rules	Most pieces can move one space per turn, horizontally or vertically. Scouts can move any number of spaces in a straight line.
	Attacking rules	When a piece attacks another, the lower-ranked piece is removed. If the ranks are equal, both pieces are removed.
	Special units	- Bomb: Immovable and eliminates any attacking piece except the Miner. - Spy: Can defeat the Marshal if attacking first.
	Flag placement	The flag must be placed in the back two rows of the board and is immovable throughout the game.
Strategies	Bluffing	Disguise high-value pieces as low-value ones to mislead the opponent.
	Defensive placement	Place bombs and strong pieces around the flag to protect it from attacks.
	Scout reconnaissance	Use Scouts to reveal the location and rank of opponent pieces while avoiding combat.
	Feigned weakness	Intentionally leave some areas unprotected to lure opponents into traps.
	Targeted attacks	Focus on eliminating high-value enemy pieces to gain a strategic advantage.
Goals	Capture the flag	Locate and capture the opponent's flag to win the game.
	Eliminate mobility	Win by immobilizing the opponent by eliminating all their movable pieces.

J *Stratego*

Stratego is a strategy board game where players aim to capture the opponent's flag by strategically moving their pieces on the board. Each piece has a hidden rank, and combat is resolved by comparing the ranks of the engaged pieces. Special pieces like bombs and miners add tactical depth, as some pieces have specific abilities to disarm or bypass others. The game emphasizes planning, bluffing, and reading the opponent's strategy. Victory is achieved by careful positioning of pieces and deducing the identity of the opponent's forces through engagement.

The most common game setup involves each player controlling 40 pieces, which are arranged on the board in a secret configuration. The pieces are ranked from the highest (Marshal) to the lowest (Scout), with each rank having specific attack rules. Players take turns moving their pieces, attacking the opponent's pieces when their rank is higher, or using special pieces like bombs and the spy to defend or attack. Success in *Stratego* relies on strategic placement of pieces, anticipating the opponent's moves, and managing both offensive and defensive strategies.

As a strategic game with a focus on tactics and deception, *Stratego* provides an ideal environment for evaluating agents that simulate decision-making under uncertainty. Agents must make moves based on incomplete information, predicting the opponent's moves while concealing their own plans.

表15：游戏手册，详细介绍了陆战棋的设置、棋子配置、走子规则、策略及玩法目标。

陆战棋游戏手册		
设置	棋盘规格	10×10网格棋盘，中央有两个湖泊，充当不可通行的障碍物。
	玩家人数	两名玩家进行一对一对抗，每人控制40枚棋子。
	目标	夺取对手的军旗，或消灭所有可移动棋子（属于对手的）。
棋子配置与游戏机制	棋子等级	每位玩家都拥有等级从1（最高，元帅）到10的棋子（最低，侦察兵），以及炸弹和间谍等特殊单位。
	移动规则	大多数棋子每回合可以水平或垂直移动一格。侦察兵可以沿直线移动任意格数。
	攻击规则	当一个棋子攻击另一个棋子时，等级较低的棋子被移除。如果等级相同，则两个棋子均被移除。
	特殊单位	- 炸弹：无法移动，可消灭除工兵外任何发起攻击的棋子。 - 间谍：先发起攻击时可击败元帅。
	军旗放置	军旗必须放置在棋盘后方两行内，并且在整个游戏过程中不可移动。
策略	虚张声势	将高价值棋子伪装成低价值棋子，以误导对手。
	防御性布阵	在军旗周围布置炸弹和强力棋子，保护军旗免受攻击。
	侦察兵侦察	使用侦察兵探明对方棋子的位置和等级同时避免战斗。
	示弱	故意让部分区域不设防，以引诱对手进入陷阱。
	定向攻击	重点消灭高价值敌方棋子，以获得战略优势。
目标	夺旗	找到并夺取对手的军旗，赢得游戏。
	消除机动性	消灭对手的所有棋子，使其无法行动，从而获胜，这些棋子为可移动棋子。

J 陆战棋

陆战棋是一款策略棋盘游戏，玩家通过在棋盘上策略性地移动棋子，以夺取对手的军旗为目标。每枚棋子都有隐藏等级，战斗结果通过比较交战棋子的等级来判定。炸弹和工兵等特殊棋子增加了战术深度，因为某些棋子具备排除或绕过其他棋子的特定技能。游戏强调规划、虚张声势以及解读对手的策略。玩家通过精心安排棋子布局，并在交战中推断对手棋子的身份来取得胜利。

最常见的游戏设置是每位玩家控制40枚棋子，以秘密布局排列在棋盘上。棋子的等级从最高的元帅到最低的侦察兵不等，每个等级都有特定的攻击规则。玩家轮流移动自己的棋子，在己方棋子等级较高时攻击对手的棋子，或利用炸弹和间谍等特殊棋子进行防守或攻击。在陆战棋中取胜，需要对棋子进行战略部署、预判对手的着法，并统筹攻防策略。

作为一款侧重战术与欺骗的策略游戏，陆战棋 为评估模拟不确定性下的决策的智能体提供了理想环境。智能体必须基于不完全信息选择着法，在预测对手着法的同时隐瞒自身计划。

LLM-based agents must evaluate threats, manage resources, and adapt to the opponent's changing strategy while striving to capture the opponent's flag.

J.1 Game Detailed Description

Further details on the game settings, piece configurations, movement rules, strategies, and victory conditions can be found in the detailed game manual in Table 15. Additionally, players can consult a variety of external resources, such as online forums, strategy guides, and community discussions, to deepen their strategic understanding and refine their gameplay.

J.2 Action Space

In *Stratego*, we provide 2 actions for the agent.

- **Move**: Bombs and flags don't move. Scouts can move any distance. The remaining pieces move one square horizontally or vertically, not diagonally.
- **Attack**: To attack, move your piece onto a square occupied by an opponent's piece.

J.3 Fine-Grained Metrics

The following are the metrics and their corresponding formulas for *Stratego*. These fine-grained metrics in DSGBench are designed based on expert insights into the core mechanics of the game, with each metric targeting a specific aspect of decision-making that directly influences the performance of LLM-based agents in *Stratego*.

- **CPR (Critical Pieces Rate)**: Evaluates the proportion of a player's critical pieces that are currently alive relative to their initial number of critical pieces.

$$\text{CPR} = \left(\frac{N_{\text{crit,alive}}}{N_{\text{crit,initial}}} \right) \times 100\%$$

  where $N_{\text{crit,alive}}$ is the number of the player's critical pieces currently on the board, and $N_{\text{crit,initial}}$ is the initial number of critical pieces for the player at the start of the game.
- **TPCV (Total Pieces Value)**: Calculates the total strategic value of a player's pieces at a given point (typically the start of the game). The TPCV is the sum of individual piece values:

$$\text{TPCV} = \sum_{r \in \text{Ranks}} V_r N_r$$

  where V_r is the value of a piece of rank r, N_r is the number of pieces of rank r currently held by the player, and Ranks include Marshal, General, etc. Specifically, for the initial setup:

$$\begin{aligned}\text{TPCV}_{\text{initial}} = {} & 10N_{\text{Marshal}} + 9N_{\text{General}} + 8N_{\text{Colonel}} + 7N_{\text{Major}} + 6N_{\text{Captain}} \\ & + 5N_{\text{Lieutenant}} + 4N_{\text{Sergeant}} + 3N_{\text{Miner}} + 2N_{\text{Scout}} + 1N_{\text{Spy}}\end{aligned}$$

  where N_{RankName} is the initial count of pieces of that rank (e.g., N_{Marshal} is the number of Marshals).
- **WR (Win Rate)**: Percentage of matches won.

$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}} \right) \times 100\%$$

  where N_{wins} is the number of matches won by the player, and N_{games} is the total number of matches played by the player.
- **GA (Grounding Accuracy)**: Evaluates the precision and success rate of grounding actions.

$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}} \right) \times 100\%$$

  where $N_{\text{ground,succ}}$ is the number of successful grounding actions, and $N_{\text{ground,att}}$ is the total number of grounding attempts.

基于大语言模型的智能体必须评估威胁、管理资源，并适应对手不断变化的策略，同时力争夺取对手的军旗。

J.1 游戏详细说明

有关游戏设置、棋子配置、移动规则、策略和获胜条件的更多详情，请参阅表15中的详细游戏手册。此外，玩家还可以查阅各类外部资源，例如在线论坛、策略指南和社区讨论，以加深对策略的理解并改进玩法。

J.2 动作空间

在陆战棋中，我们为智能体提供了2种操作。

- **移动**：炸弹和军旗不能移动。侦察兵可以移动任意距离。其余棋子每次只能沿水平或垂直方向移动一个棋格，不能沿对角线移动。
- **攻击**：要发起攻击，需将己方棋子移动到对手棋子占据的棋格上。

J.3 细粒度指标

以下是陆战棋的指标及其对应公式。DSGBench 中的这些细粒度指标基于专家对游戏核心机制的深入见解而设计，每项指标都针对决策的某个特定方面，该方面会直接影响基于大语言模型的智能体在陆战棋中的表现。

- **CPR（关键棋子存活率）**：评估玩家当前存活的关键棋子数量占其初始关键棋子数量的比例。

$$\text{CPR} = \left(\frac{N_{\text{crit,alive}}}{N_{\text{crit,initial}}} \right) \times 100\%$$

  其中，$N_{\text{crit,alive}}$ 为玩家当前在棋盘上的关键棋子数量，$N_{\text{crit,initial}}$ 为游戏开始时该玩家的初始关键棋子数量。
- **TPCV（棋子总价值）**：计算玩家在某一时刻（通常为游戏开始时）所有棋子的战略总价值。TPCV 为各个棋子价值之和：

$$\text{TPCV} = \sum_{r \in \text{Ranks}} V_r N_r$$

  其中，V_r 为等级为 r的棋子的价值，N_r 为玩家当前持有的等级为 r 的棋子数量，等级包括元帅、上将等。具体而言，对于初始布局：

$$\begin{aligned}\text{TPCV}_{\text{initial}} = {} & 10N_{\text{Marshal}} + 9N_{\text{General}} + 8N_{\text{Colonel}} + 7N_{\text{Major}} + 6N_{\text{Captain}} \\ & + 5N_{\text{Lieutenant}} + 4N_{\text{Sergeant}} + 3N_{\text{Miner}} + 2N_{\text{Scout}} + 1N_{\text{Spy}}\end{aligned}$$

  其中，N_{RankName} 为该等级棋子的初始数量（例如，N_{Marshal} 为元帅的数量）。
- **WR（胜率）**：获胜对局所占的百分比。

$$\text{WR} = \left(\frac{N_{\text{wins}}}{N_{\text{games}}} \right) \times 100\%$$

  其中，N_{wins} 为玩家获胜的对局数，N_{games} 为玩家参与的对局总数。
- **GA（落地准确率）**：评估落地动作的精确率和成功率。

$$\text{GA} = \left(\frac{N_{\text{ground,succ}}}{N_{\text{ground,att}}} \right) \times 100\%$$

  其中，$N_{\text{ground,succ}}$ 为成功落地动作的次数，$N_{\text{ground,att}}$ 为落地尝试的总次数。

J.4 Example Trajectory

- **Board State i**

	c0	c1	c2	c3	c4	c5	c6	c7	c8	c9
r0	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r1	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r2	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r3	B(#)	....	B(#)	B(#)	....	B(#)	B(#)	B(#)	B(#)	B(#)
r4	....	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r5	R(5)	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r6	....	R(4)	R(¹)	R(5)	R(4)	R(6)	R(s)	R(6)	R(¹)	R(o)
r7	R(²)	R(7)	R(4)	R(¹)	R(¹)	R(9)	R(3)	R(8)	R(5)	R(o)
r8	R(3)	R(o)	R(5)	R(²)	R(¹)	R(¹)	R(²)	R(7)	R(¹)	R(o)
r9	R(o)	R(²)	R(3)	R(¶)	R(6)	R(²)	R(4)	R(¹)	R(3)	R(o)

reasoning:
The opponent has a full row of unidentified pieces in the first three rows, indicating a strong defensive setup. My strategy is to probe the opponent's defenses while advancing towards their back rows to locate the flag. The Captain at position 5,0 can move to 4,0, which is a strategic position to potentially uncover more of the opponent's pieces in the next turn.
move: 5 0 4 0
responce: 5 0 4 0

player:
- live pieces num : 38
- live pieces score : 144
- critical live pieces num : 4

opponent:
- live pieces num : 40
- live pieces score : 148
- critical live pieces num : 4

- **Board State i+1**

	c0	c1	c2	c3	c4	c5	c6	c7	c8	c9
r0	R(6)	R(o)	R(7)	R(²)	R(6)	R(o)	R(5)	R(²)	R(o)	R(4)
r1	R(²)	R(5)	R(²)	R(¶)	R(s)	R(²)	R(5)	R(o)	R(¹)	R(¹)
r2	R(5)	R(3)	R(9)	R(7)	R(4)	R(8)	R(¹)	R(6)	R(3)	R(4)
r3	R(o)	....	R(4)	R(3)	....	R(3)	R(¹)	R(¹)	R(¹)	R(o)
r4	B(#)	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r5	....	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r6	....	B(4)	B(#)	B(#)	B(4)	B(#)	B(#)	B(#)	B(#)	B(#)
r7	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r8	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r9	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)

reasoning:
The opponent has moved a Lieutenant to the front lines, which suggests they may be trying to probe our defenses or protect a more valuable piece. Our strategy should

J.4 轨迹示例

- **棋盘状态 i**

	c0	c1	c2	c3	c4	c5	c6	c7	c8	c9
r0	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r1	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r2	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r3	B(#)	....	B(#)	B(#)	....	B(#)	B(#)	B(#)	B(#)	B(#)
r4	....	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r5	R(5)	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r6	....	R(4)	R(¹)	R(5)	R(4)	R(6)	R(s)	R(6)	R(¹)	R(o)
r7	R(2)	R(7)	R(4)	R(¹)	R(¹)	R(9)	R(3)	R(8)	R(5)	R(o)
r8	R(3)	R(o)	R(5)	R(²)	R(¹)	R(¹)	R(²)	R(7)	R(¹)	R(o)
r9	R(o)	R(²)	R(3)	R(¶)	R(6)	R(²)	R(4)	R(¹)	R(3)	R(o)

推理：
Th 对手在前三行中有一整行未识别棋子，表明其防御布局十分稳固。我的策略是在向对手后排推进以寻找军旗的同时，试探对手的防御。位于5,0的上尉可以移动到4,0，这是一个具有战略意义的位置，有望在下一回合揭示更多对手棋子的身份。

移动：50 40**响应：**
50 40

玩家:
- 存活棋子数：38– 存活
- 棋子得分：144– 关键存活
- 棋子数：4

对手:
- 存活棋子数：40– 存活
- 棋子得分：148– 关键存活
- 棋子数：4

- **棋盘状态 i+1**

	c0	c1	c2	c3	c4	c5	c6	c7	c8	c9
r0	R(6)	R(o)	R(7)	R(²)	R(6)	R(o)	R(5)	R(²)	R(o)	R(4)
r1	R(²)	R(5)	R(²)	R(¶)	R(s)	R(²)	R(5)	R(o)	R(¹)	R(¹)
r2	R(5)	R(3)	R(9)	R(7)	R(4)	R(8)	R(¹)	R(6)	R(3)	R(4)
r3	R(o)	....	R(4)	R(3)	....	R(3)	R(¹)	R(¹)	R(¹)	R(o)
r4	B(#)	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r5	....	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r6	....	B(4)	B(#)	B(#)	B(4)	B(#)	B(#)	B(#)	B(#)	B(#)
r7	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r8	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r9	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)

推理：
对手已将一名中尉移至前线，这表明他们可能正试图试探我方防御，或保护一枚更有价值的棋子。我方策略应

focus on advancing our Scouts to reveal the ranks of the opponent's pieces and potentially capture the flag. The Scout at position 3,8 can move forward to reveal more of the opponent's setup. **move:** 3 8 6 8 **responce:** 3 8 6 8

- **Board State i+2**

	c0	c1	c2	c3	c4	c5	c6	c7	c8	c9
r0	R(6)	R(o)	R(7)	R(²)	R(6)	R(o)	R(5)	R(²)	R(o)	R(4)
r1	R(²)	R(5)	R(²)	R(¶)	R(s)	R(²)	R(5)	R(o)	R(¹)	R(¹)
r2	R(5)	R(3)	R(9)	R(7)	R(4)	R(8)	R(¹)	R(6)	R(3)	R(4)
r3	R(o)	....	R(4)	R(3)	....	R(3)	R(¹)	R(¹)	....	R(o)
r4	....	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r5	B(#)	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r6	....	B(4)	B(#)	B(#)	B(4)	B(#)	B(#)	B(#)	....	B(#)
r7	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r8	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r9	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)

reasoning:
The opponent's pieces are all concealed, but they are densely packed in the first three rows, indicating a defensive strategy. My goal is to advance my pieces towards the opponent's back rows to locate and capture the flag. I will move my Captain to explore the area and potentially engage with any opponent pieces that may be vulnerable.
move: 4 0 5 0
responce: 4 0 5 0

player:
- live pieces num : 37
- live pieces score : 142
- critical live pieces num : 4

opponent:
- live pieces num : 39
- live pieces score : 146
- critical live pieces num : 4

J.5 Prompt Example

System Prompt

You are an expert board game player and strategist, specialized in the classic board game *Stratego*. Please win the game as fast as possible.
These are the rules for *Stratego* gameplay (your instructions follow at the end):
***Stratego*: Board Game Rules**
Overview
- **Players**: 2
- **Objective**: Capture the opponent's flag or trap all movable pieces of the opponent. Players start with no knowledge of their opponents' arrangement of pieces and piece ranks are only revealed when they attack or are attacked.
Setup
- **Board**: 10x10 grid.

着重推进我方侦察兵，以揭示对手棋子的等级，并伺机夺取军旗。位于位置 3,8 的侦察兵可以向前移动，以进一步探明对手布局。**移动：** 3 8 6 8 **响应：** 3 8 6 8

- **棋盘状态 i+2**

	c0	c1	c2	c3	c4	c5	c6	c7	c8	c9
r0	R(6)	R(o)	R(7)	R(²)	R(6)	R(o)	R(5)	R(²)	R(o)	R(4)
r1	R(²)	R(5)	R(²)	R(¶)	R(s)	R(²)	R(5)	R(o)	R(¹)	R(¹)
r2	R(5)	R(3)	R(9)	R(7)	R(4)	R(8)	R(¹)	R(6)	R(3)	R(4)
r3	R(o)	....	R(4)	R(3)	....	R(3)	R(¹)	R(¹)	....	R(o)
r4	....	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r5	B(#)	....	~~~~	~~~~	....	....	~~~~	~~~~	....	....
r6	....	B(4)	B(#)	B(#)	B(4)	B(#)	B(#)	B(#)	....	B(#)
r7	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r8	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)
r9	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)	B(#)

推理：
对手的棋子均处于隐藏状态，但密集分布在前三行，表明其采取了防御策略。我的目标是将己方棋子向对手后排推进，以找到并夺取军旗。我将移动上尉进行探索，并伺机与可能较为薄弱的对方棋子交战。

移动： 4 0 5 0
40 50

玩家:
– 存活棋子数：37– 存活
棋子分值：142– 关键存活
棋子数：4

对手:
– 存活棋子数：39– 存活
棋子分值：146– 关键存活
棋子数：4

J.5 提示词示例

系统提示词

你是一位棋盘游戏高手和策略专家，专精于经典棋盘游戏陆战棋。请尽快赢得游戏。以下是陆战棋的玩法规则（给你的指令附在最后）：陆战棋**：棋盘游戏规则**

概述
-**玩家**：2 人 - **目标**：夺取对手的军旗，或困住对手的所有可移动棋子。游戏开始时，玩家不知道对手的棋子布局，只有在棋子攻击或受到攻击时，其棋子等级才会揭晓。

布局
-**棋盘**：10x10 网格。

- **Pieces**: Each player has 40 pieces with different ranks (Marshall) being the highest, (Spy) being lowest in most cases.
- **Placement**: Players place their pieces on their respective first four rows, hiding their ranks from the opponent.

Gameplay

1. **Turns**: Players alternate turns, moving one piece per turn.
2. **Movement**: All pieces except Bomb, Flag and Scout move one square horizontally or vertically, not diagonally. Bombs and Flags don't move. Scouts can move any distance.
3. **Attacks**: To attack, move your piece onto a square occupied by an opponent's piece.
4. **Resolution**: Lower-ranked piece is removed from the board. Equal ranks result in both pieces being removed.
5. **Special Pieces**:
   - **Bomb**: Only Miners can defuse; all other pieces lose if they attack a Bomb.
   - **Spy**: Spies can defeat the Marshal when attacking it , but loses to all other ranks.
   - **Scout**: Scouts Can move any distance of empty squares rather than just one square. Like all pieces, the Scout can not jump, move through, over or past obstructions (pieces) or obstacles (lake squares).
6. **Immovable Pieces**: Bombs and the Flag cannot move.
7. **Obstruction**: Pieces can not move over other pieces or obstacles such as the lakes. Nor can pieces end their move sharing the same square.
8. **Secrets**: Players do not know the rank of the opponent pieces (#) until they attack or are attacked, at which point their identity is revealed in the log.
9. **Ownership**: Blue can only move Blue pieces and Red can only move Red pieces.
10. **Coordinates**: Coordinates for each row, column are usually expressed in the format 'x y' where x is the row and y is the column.

Winning the Game

- Capture the Flag: Win by capturing the opponent's flag.
- Trap All Movable Pieces: Win if the opponent has no movable pieces left.

Additional Rules

- Lakes: Two 2x2 areas in the center of the board ( ) are impassable (4 2), (4 3), (4 6), (4 7) and (5 2), (5 3), (5 6), (5 7).

The piece notation for this format of the game is as follows:
Flag: ¶
Spy: s
Scout: ¹
Miner: ²
Sergeant: 3
Lieutenant: 4
Captain: 5
Major: 6
Colonel: 7
General: 8
Marshall: 9
Bomb: o
Blue opponent's unidentified pieces use: B(#)
Columns are indicated by headers c0 to c9 and rows are labelled r0 to r9. Each square is represented by two parts; the first character indicates side (R for Red, B for Blue) and the follow part in brackets denotes the piece rank as per the table above.

Here are your instructions:

1. Please analyze the current game state and give out your macro strategy, and select one of the valid moves available. Opponent (Blue) pieces are marked with B# because we won't initially know their ranks.
2. Given that current board configuration, and without making any assumptions about the opponent's pieces, please suggest a move for our side (Red).

- **棋子**：每位玩家拥有40枚不同等级的棋子，其中（元帅）等级最高，（间谍）在大多数情况下等级最低。
- **布阵**：玩家将各自的棋子放置在己方前四行，隐藏棋子的等级以免被对手知晓。

玩法

1. **回合**：玩家轮流行动，每回合移动一枚棋子。
2. **移动**：除炸弹、军旗和侦察兵外，所有棋子每次只能水平或垂直移动一个棋格，不能斜向移动。炸弹和军旗不能移动。侦察兵可以移动任意距离。
3. **攻击**：要发起攻击，将你的棋子移动到对手棋子占据的棋格上。
4. **战斗结算**：等级较低的棋子从棋盘上移除。等级相同时，双方棋子均被移除。
5. **特殊棋子**：
   - **炸弹**：只有工兵可以排除炸弹；其他所有棋子攻击炸弹时都会落败。
   - **间谍**：间谍主动攻击元帅时可以将其击败，但会败给其他所有等级的棋子。
   - **侦察兵**：侦察兵可以沿空棋格移动任意距离，而非只能移动一格。与所有棋子一样，侦察兵不能跳过、穿过、越过或绕过阻挡物（棋子）或障碍物（湖泊棋格）。
6. **不可移动棋子**：炸弹和军旗不能移动。
7. **阻挡物**：棋子不能越过其他棋子或湖泊等障碍物。也不能棋子能否在结束移动时共处同一棋格。
8. **秘密**：玩家在对方棋子（#）发起攻击或受到攻击之前，不知道其等级；一旦发生攻击，其身份就会在日志中揭示。
9. **归属权**：蓝方只能移动蓝方棋子，红方只能移动红方棋子。
10. **坐标**：各行、列的坐标通常以"x y"的格式表示其中 x 表示行，y 表示列。

赢得游戏

- 夺取军旗：夺取对手的军旗即可获胜。- 困住所有可移动棋子：若对手已无可移动棋子，则获胜。

附加规则

- 湖泊：棋盘中央的两个 2x2 区域（ ）不可通行，坐标为 (4 2)、(4 3)、(4 6)、(4 7) 以及 (5 2)、(5 3)、(5 6)、(5 7)。

此游戏形式的棋子记号如下：
军旗：¶
间谍：s
侦察兵：1
工兵：2
中士：3
中尉：4
上尉：5
少校：6
上校：7
上将：8
元帅：9
炸弹：o
蓝方对手的未识别棋子使用以下表示：B(#)
列由表头 c0 至 c9 表示，行标记为 r0 至 r9。每个棋格由两部分表示；第一个字符表示所属阵营（R 表示红方，B 表示蓝方），后面的括号内部分根据上表表示棋子等级。

以下是你的指令：1. 请分析当前游戏状态并给出你的宏观策略，然后从可用的合法走法中选择一种。对手（蓝方）的棋子标记为B#，因为我们最初并不知道它们的等级。

2. 根据当前棋盘布局，在不对对手棋子作任何假设的情况下，请为我方（红方）建议一步着法。

Note: Please present your answer, without any commentary, in the form: ‘r c x y‘ where r is the row and c is the column of the piece you are suggesting to move and x and y are the destination rows and column, respectively.
IMPORTANT: Take care to analyze the specific game state the player has provided, noting your (Red) pieces locations and the valid moves and history moves indicated.
Remember the objective is the Blue flag and that it will probably be located in Blue’s rear rows .
Try to suggest strategic moves with purpose and avoid shuffling pieces around unnecessarily and/or moving them back and forth between the same positions.
Remember that the Assistant can only infer Blue piece (B#) ranks from history in the log, as all are concealed (B#) during your turn.
IMPORTANT: Please win the game as fast as possible

Examples
User:
Board State:
, c0 , c1 , c2 , c3 , c4 , c5 , c6 , c7 , c8 , c9
r0, R(²), R(¹), R(6), R(¹), R(¹), R(o), R(6), R(²), R(o), R(¶)
r1, R(o), R(o), R(4), R(s), R(4), R(3), R(4), R(5), R(9), R(o)
r2, R(3), R(¹), R(²), R(4), R(7), R(¹), R(¹), R(¹), R(6), R(¹)
r3, R(o), ..., R(7), R(²), R(3), R(5), R(8), R(²), R(3), R(5)
r4, ..., R(5), , , ..., ..., , , ..., ...
r5, ..., ..., , , ..., ..., , , B(#), ...
r6, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), ..., B(#)
r7, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
r8, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
r9, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
Valid moves:
Scout ’R(¹)’ at position 2,1 could move to: 3 1
Colonel ’R(7)’ at position 3,2 could move to: 3 1
Sergeant ’R(3) ’ at position 3,4 could move to: 4 4
Captain ’R(5) ’ at position 3,5 could move to: 4 5
Sergeant ’R(3) ’ at position 3,8 could move to: 4 8
Captain ’R(5) ’ at position 3,9 could move to: 4 9
Captain ’R(5) ’ at position 4,1 could move to any of: 3 1, 5 1, 4 0
IMPORTANT The selection of ’r c ’ you make must choose from "position" of the Valid moves ,and the ’x y ’ choose from "move to" of the Valid moves
History moves: (history of the last 5 moves,The smaller the number, the closer it is to the current.)
1. Sergeant ’R(3) ’ at position ’2,8 ’ moved to: 3 8
2. Lieutenant ’R(4) ’ at position ’3,2 ’ moved to: 3 1
3. Scout ’R(¹) ’ at position ’3,4 ’ moved to any of: 4 4
4. Sergeant ’R(3) ’ at position ’3,5 ’ moved to: 4 5
5. Scout ’R(¹) ’ at position ’3,7 ’ moved to: 3 8
Your response:

```
{
  "reasoning": "string", // Explain your macro strategy and your
     ↪ reasoning about the current situation and why choose this
     ↪ move.
  "move": "string" // the move that you choose without any
     ↪ commentary. Choose from Valid moves
}
```


注意：请按以下格式给出答案，不要附加任何说明：‘r c x y’，其中 r 为你建议移动的棋子所在的行，c 为其所在的列，x 和 y 分别为目标行和目标列。## 重要：请仔细分析玩家提供的具体游戏状态，留意你的（红方）棋子位置以及所列出的合法走法和历史走法。## 请记住，目标是蓝方军旗，它很可能位于蓝方的后排。## 尽量建议有明确目的的战略走法，避免不必要地调动棋子，或让棋子在相同位置之间来回移动。## 请记住，助手只能根据日志中的历史记录推断蓝方棋子（B#）的等级，因为在你的回合中，所有蓝方棋子均处于隐藏状态（B#）。## 重要：请尽快赢得比赛

示例
用户：
棋盘状态：
, c0 , c1 , c2 , c3 , c4 , c5 , c6 , c7 , c8 , c9
r0, R(2), R(1), R(6), R(1), R(1), R(o), R(6), R(2), R(o), R(¶)
r1, R(o), R(o), R(4), R(s), R(4), R(3), R(4), R(5), R(9), R(o)
r2, R(3), R(1), R(2), R(4), R(7), R(1), R(1), R(1), R(6), R(1)
r3, R(o), ..., R(7), R(2), R(3), R(5), R(8), R(2), R(3), R(5)
r4, ...R(5), , , ..., ..., , , ..., ...
r5, ..., ..., , , ..., ..., , , B(#), ...
r6, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), ..., B(#)
r7, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
r8, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
r9, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
合法走法：
位于位置 2,1 的侦察兵 ’ R(1)’ 可移动至：3 1
位于位置 3,2 的上校 ’ R(7)’ 可移动至：3 1
位于位置 3,4 的中士 ’ R(3) ’ 可移动至：4 4
位于位置 3,5 的上尉 ’ R(5) ’ 可移动至：4 5
位于位置 3,8 的中士 ’ R(3) ’ 可移动至：4 8
位于位置 3,9 的上尉 ’ R(5) ’ 可以移动至：4 9
位于位置 4,1 的上尉 ’ R(5) ’ 可以移动至以下任一位置：3 1, 5 1, 4 0
重要：你选择的 ’ r c ’ 必须取自合法走法的“位置”m，而 ’ x y ’ 则取自合法走法的“移动至”
历史走法：（最近 5 步着法的历史记录，数字越小，越接近当前。）
1. 位于位置 ’ 2,8 ’ 的中士 ’ R(3) ’ 移动至：3 8
2. 位于位置 ’ 3,2 ’ 的中尉 ’ R(4) ’ 移动至：3 1
3. 位于位置 ’ 3,4 ’ 的侦察兵 ’ R(1) ’ 移动至以下任一位置：4 4
4. 位于位置 ’ 3,5 ’ 的中士 ’ R(3) ’ 移动至：4 5
5. 位于位置 ’ 3,7 ’ 的侦察兵 ’ R(1) ’ 移动至：3 8
你的回复：

{ " reasoning ": " 字符串 ", // 解释你的宏观策略以及你对↪当前局势的推理，并说明为何选择此↪ 移动。 "move ": " 字符串 " // 你选择的移动，不附带任何↪ 说明。从合法走法中选择 }

User Prompt

Game observation

Board State:
, c0 , c1 , c2 , c3 , c4 , c5 , c6 , c7 , c8 , c9
r0, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
r1, B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#), B(#)
r2, B(#), B(#), B(#), B(#), ..., B(#), B(#), B(#), B(#), B(#)
r3, B(o), ..., B(#), B(#), B(#), B(#), B(#), B(#), ..., B(#)
r4, R(5), ..., , , ..., ..., , , ..., ...
r5, ..., ..., , , ..., ..., , , ..., ...
r6, R(7), ..., R(s), R(5), R(4), R(6), R(6), R(²), R(3), R(7)
r7, ..., R(9), R(o), R(4), R(5), R(¹), R(8), R(5), R(o), R(¹)
r8, R(¹), R(o), R(¶), R(o), R(¹), R(¹), R(6), R(²), R(4), R(¹)
r9, R(¹), R(3), R(o), R(3), R(²), R(4), R(²), R(o), R(3), R(²)

Valid moves:
Captain 'R(5) ' at position '4,0 ' could move to any of: 3 0, 5 0, 4 1
Colonel 'R(7) ' at position '6,0 ' could move to any of: 5 0, 7 0, 6 1
Spy 'R(s) ' at position '6,2 ' could move to: 6 1
Lieutenant 'R(4) ' at position '6,4 ' could move to: 5 4
Major 'R(6) ' at position '6,5 ' could move to: 5 5
Sergeant 'R(3) ' at position '6,8 ' could move to: 5 8
Colonel 'R(7) ' at position '6,9 ' could move to: 5 9
Marshall 'R(9) ' at position '7,1 ' could move to any of: 6 1, 7 0
Scout 'R(¹) ' at position '8,0 ' could move to: 7 0

IMPORTANT
The selection of 'r c ' you make must choose from "position" of the Valid moves ,and the 'x y ' choose from "move to" of the Valid moves
History moves: (history of the last 5 moves,The smaller the number, the closer it is to the current.)
1. Captain 'R(5) ' at position '4,1 ' moved to 4 0
2. Captain 'R(5) ' at position '5,1 ' moved to 4 1
3. Colonel 'R(7) ' at position '6,1 ' moved to 6 0

User Prompt

LLM Analysis & Decisions

```
{
    'reasoning': "The objective is to advance towards the opponent'
        ↪ s back rows while maintaining a strong position. Moving
        ↪ the Captain 'R(5)' from position '4,0' to '5,0' allows
        ↪ for further advancement and potential engagement with any
        ↪  Blue pieces that may be present in that column. This
        ↪ move also keeps the Captain safe from immediate threats
        ↪ while positioning it closer to the enemy lines.",
    'move': '4 0 5 0'
}
```

K Limitations and Broad Impacts

K.1 Limitations

Despite the promising capabilities of DSGBench for evaluating LLM-based agents in complex strategic games, several limitations warrant acknowledgment. Firstly, the inherent complexity and extended duration of decision-making processes within these games necessitate long action sequences for meaningful evaluation. This can translate into substantial evaluation runtimes, potentially on the

用户提示

游戏观测

棋盘状态: , c0 , c1 , c2 , c3 , c4 , c5 , c6 , c7 , c8 ,c9
r0, B(#), B(#), B(#), B(#), B(#), B(#),B(#),B(#),B(#),B(#)
r1, B(#), B(#), B(#), B(#), B(#), B(#),B(#),B(#),B(#),B(#)
r2, B(#), B(#), B(#), B(#), …., B(#),B(#),B(#),B(#),B(#)
r3, B(o), ….., B(#), B(#), B(#), B(#),B(#),B(#),….,B(#) r4,
R(5), …., , , …., …., , , …,…. r5, …., …., , , …., …., , , …,….
r6, R(7), …., R(s), R(5), R(4), R(6), R(6),R(2),R(3),R(7)
r7, …., R(9), R(o), R(4), R(5), R(1), R(8),R(5),R(o),R(1)
r8, R(1), R(o), R(¶), R(o), R(1), R(1),R(6),R(2),R(4),R(1)
r9, R(1), R(3), R(o), R(3), R(2), R(4),R(2),R(o),R(3),R(2)

合法走法:
位于位置 ' 4,0 ' 的上尉 ' R(5) ' 可移动至以下任一位置: 3 0,5 0,4
1 位于位置 ' 6,0 ' 的上校 ' R(7) ' 可移动至以下任一位置: 5 0,7
0,6 1 位于位置 ' 6,2 ' 的间谍 ' R(s) ' 可移动至: 6 1 位于位置 '
6,4 ' 的中尉 ' R(4) ' 可移动至: 5 4 位于位置 ' 6,5 ' 的少校 '
R(6) ' 可移动至: 5 5 位于位置 ' 6,8 ' 的中士 ' R(3) ' 可移动至:
5 8 位于位置 ' 6,9 ' 的上校 ' R(7) ' 可移动至: 5 9 位于位置 ' 7,1 '
的元帅 ' R(9) ' 可移动至以下任一位置: 6 1,7 0 位于位置 ' 8,0 ' 的
侦察兵 ' R(1) ' 可移动至: 7 0

重要
你选择的 ' r c ' 必须来自合法走法中的“位置”, 而 ' x y ' 必须来自合法走法中的“移动到”

Hi故事着法: (hi故事 o f the l 5 ast着法, T he s ma ller the 数字b er, t he closer it i s 到 t he 当前。)
1. 位于位置 ' 4,1 ' 的上尉 ' R(5) ' 移动至 4 0 2. 位于位置 ' 5,1 ' 的上尉 ' R(5) ' 移动至 4 1 3. 位于位置 ' 6,1 ' 的上校 ' R(7) ' 移动至 6 0

用户提示

大语言模型分析与决策

{ ' reasoning ' : " 目标是向对手的↪ 后排推进, 同时保持有利位置。移动↪ 上尉 ' R (5) ' , 从位置 ' 4 ,0 ' 到 ' 5,0' , 可以↪进一步推进, 并可能与该列中任何↪ 蓝方棋子交战。此次↪移动还能使上尉免受眼前威胁↪, 同时使其更接近敌方阵线。" , ' move ' : ' 4 0 5 0' }

K 局限性与广泛影响

K.1 局限性

尽管 DSGBench 在评估复杂策略博弈中的基于大语言模型的智能体方面展现出良好潜力, 但仍有若干局限性值得指出。首先, 这些游戏中的决策过程具有固有的复杂性且持续时间较长, 因此需要较长的动作序列才能进行有意义的评估。这可能导致评估运行时间大幅增加, 单次试验的耗时可能达到

order of hours or days per trial, thereby posing significant computational demands and potentially limiting the scale of experimentation. Secondly, while DSGBench offers a curated set of evaluation scenarios, their current number and diversity are somewhat restricted. Consequently, the extent to which findings on agent capabilities can generalize to a broader spectrum of strategic challenges or entirely new game environments remains an open question requiring further investigation and an expansion of the benchmark suite. Finally, a significant current limitation is the absence of a readily available, large-scale, and standardized trajectory dataset spanning diverse strategic game scenarios within the benchmark. While individual games may have their own datasets, a unified collection designed for cross-game training and pre-training of LLM-based agents is lacking. The current lack of this unified resource hinders more rapid and standardized development of generalizable strategic reasoning capabilities in LLM-based agents.

K.2 Broad Impacts

DSGBench holds considerable potential to drive advancements in artificial intelligence by offering a more standardized and rigorous framework for the evaluation of strategic decision-making in LLM-based agents. By enabling systematic assessment across diverse and complex game environments, the benchmark can facilitate the identification of current agent limitations and guide targeted improvements, potentially leading to enhanced agent performance in intricate, dynamic settings. The insights gained from DSGBench evaluations may be applied in areas requiring advanced autonomous decision-making, such as advanced gaming AI, multi-robot coordination, and potentially certain types of autonomous systems operating in interactive environments. Furthermore, by encouraging the assessment of agents along multiple cognitive dimensions—spanning from long-term strategic planning to nuanced communicative competence. DSGBench could support the development of more robust and adaptable AI systems. While ambitious, a long-term aspiration is that transparent and reproducible evaluations through such benchmarks might contribute to discussions on fairness and accountability in AI decision-making processes.

数小时乃至数天，从而带来显著的计算需求，并可能限制实验规模。其次，尽管 DSGBench 提供了一组精心筛选的评估场景，但目前这些场景的数量和多样性仍较为有限。因此，有关智能体能力的研究发现能够在多大程度上推广至更广泛的策略挑战或全新的游戏环境，仍是一个悬而未决的问题，需要进一步研究并扩充基准测试套件。最后，当前的一个重要局限在于，该基准测试尚缺乏现成可用的大规模标准化轨迹数据集，无法覆盖多样化的策略游戏场景。尽管各个游戏可能拥有各自的数据集，但仍缺少专为基于大语言模型的智能体的跨游戏训练和预训练而设计的统一数据集合。目前，这一统一资源的缺失阻碍了基于大语言模型的智能体以更快速、更标准化的方式发展可泛化的策略推理能力。

K.2 广泛影响

DSGBench 为评估基于大语言模型的智能体的战略决策提供了更加标准化且严谨的框架，因此在推动人工智能进步方面具有巨大潜力。该基准测试支持在多样且复杂的游戏环境中开展系统评估，有助于识别当前智能体的局限，并指导有针对性的改进，从而有望提升智能体在错综复杂、动态变化的场景中的性能。通过 DSGBench 评估获得的见解可应用于需要高级自主决策能力的领域，例如高级游戏人工智能、多机器人协同，以及某些在交互环境中运行的自主系统。此外，DSGBench 鼓励从多个认知维度评估智能体，涵盖从长期战略规划到细腻的交际能力等方面，因此可为开发更稳健、适应性更强的人工智能系统提供支援。尽管这一目标颇具雄心，但长远而言，我们希望通过此类基准开展透明且可复现的评估，能够为有关人工智能决策过程中公平性与问责制的讨论作出贡献。

65