
Original: https://opper.ai/blog/luna-decisions-vs-luna

GPT-6 Luna vs. GPT-6 Luna Decisions: four times faster

By Jose Sabater - 10/15/2026



Archive note: the original video is available in the offline HTML; PDF shows its original poster image only.

Left: GPT-6 Luna through the Decisions API. Right: GPT-6 Luna as a chat model. Both fight Jev 1.13 on the same seed, in real time. The number in each corner counts Luna's decisions.

Five seconds in, Luna on the left has made 11 decisions. Luna on the right has made 2, and is lying on the floor with a "thinking..." bubble while Jev keeps hitting it.

Same model. The only difference is how we ask it.


What we found, in short:

- **Real time: 10 wins against 1.** Against Jev 1.13, Luna Decisions won all 10 matches. Luna as a chat model won 1.
- **Four times faster.** Luna Decisions took a median of 208 ms per decision, the chat version 866 ms. That is twice as many decisions per match (88 against 44).
- **Not a worse fighter, a slower one.** When the game waits for every answer, the chat version wins just as often, and sometimes more.

原文：https://opper.ai/blog/luna-decisions-vs-lu na

GPT-6 Luna 对比 GPT-6 Luna Decisions：速度快四倍

作者：**Jose Sabater** - 2026年10月15日



存档说明：原始视频可在离线 HTML 中查看；PDF 仅显示视频的原始封面图。

左侧：通过 *Decisions API* 运行的 *GPT-6 Luna*。右侧：作为聊天模型运行的 *GPT-6 Luna*。两者使用相同的随机种子，实时对战 *Jev 1.13*。两侧角落的数字分别统计 *Luna* 的决策次数。

开始五秒后，左侧的 Luna 已做出 11 次决策。右侧的 Luna 只做出了 2 次，正躺在地上，头顶冒着“思考中……”的气泡，而 Jev 还在不停地攻击它。

模型相同，唯一的区别在于我们向它提问的方式。

简而言之，我们的发现如下：

- **实时对战：10 胜对 1 胜**。面对 Jev 1.13，Luna Decisions 在全部 10 场对局中获胜。作为聊天模型的 Luna 则赢了 1 场。**速度快四倍**。Luna Decisions 每次决策的耗时中位数为 208 毫秒，聊天版本则为 866 毫秒。这意味着每场对局决策次数是后者的两倍（88 次对 44 次）。**不是格斗能力更差，而是速度更慢**。
- 当游戏等待每次回答后再继续时，聊天版本的获胜次数与之相当，有时甚至更多。

The game

Jev Fighter is a 2D stick-figure fighting game where each fighter is controlled by a model. Every time a fighter can act, the game asks one question: here is the situation, here are the legal moves, pick one. The engine is deterministic, so every match is an exact replay and every decision is logged with its latency.

In **real time** the clock keeps running while the model thinks. A fighter still waiting for its answer can't start a new move, and the opponent doesn't wait. On the **raw** track each option is just the move itself (`sweep: low, 9 dmg, startup 11f, recovery 22f, reach 1.3`), so the model has to work out what each move does in the situation.

We played GPT-6 Luna two ways, both through Opper:

- **GPT-6 Luna Decisions** (`openai/gpt-6-luna-decisions`), through OpenAI's Decisions API: one call returns a probability for every legal move, with no output tokens.
- **GPT-6 Luna** (`openai/gpt-6-luna`), through chat completions with reasoning off, forced into `{ move, probabilities }` with a JSON schema.

Each played 10 matches against Jev 1.13 in real time on the raw track: seeds 1000 to 1004, each from both sides.

Results

Real time, raw track, vs Jev 1.13	Luna Decisions	Luna (chat)
Matches won	**10 of 10**	1 of 10
Median decision time	**208 ms**	866 ms
Decisions per match	**88**	44
Damage dealt / taken per match	**212 / 109**	177 / 237
Cost per 1,000 decisions	**$0.065**	$0.093

游戏

Jev Fighter 是一款 2D火柴人格斗游戏，每名格斗角色都由一个模型控制。每当格斗角色可以行动时，游戏都会提出一个问题：当前局势如下，合法招式如下，请选择一个。游戏引擎具有确定性，因此每场对局都可以精确回放，每次决策及其延迟也都会被记录下来。

在**实时**模式下，模型思考时，计时仍在继续。还在等待模型回答的斗士无法发起新招式，而对手不会等待。在**原始**赛道上，每个选项都只是招式本身（`sweep: low、 9 dmg、 startup 11f、 recovery 22f、 reach1.3`），因此模型必须自行判断每个招式在当前局势下的作用。

我们以两种方式使用 GPT-6 Luna 进行游戏，均通过 Opper 接入：

- **GPT-6 Luna Decisions**（`openai/gpt-6-luna-decisions`），通过 OpenAI 的 Decisions API 接入：一次调用即可返回每个合法招式的概率，不产生任何输出词元。
- **GPT-6 Luna**（`openai/gpt-6-luna`），通过聊天补全接入，关闭推理，并使用 JSON模式强制输出为 `{ move, probabilities }`。

两者各自在原始赛道上与 Jev 1.13 实时进行了 10 场比赛：使用随机种子 1000 至 1004，每个随机种子下均分别从双方位置各进行一场比赛。

结果

实时，原始赛道，对阵 Jev 1.13	Luna Decisions	Luna（聊天）
获胜场次	**10 场中获胜 10 场**	10 场中获胜 1 场
决策时间中位数	**208 毫秒**	866 毫秒
每场对局决策次数	**88**	44
每场对局造成／承受的伤害	**212 / 109**	177 / 237
每千次决策成本	**$0.065**	$0.093

The Decisions API answered about four times faster, got twice as many decisions in per match, and turned a 1-9 loss into a 10-0 win. It was also about 30% cheaper per decision.

Is the chat version just a worse fighter?

No. In **paused** mode the fight waits for every answer, so only the quality of the decision counts. There the two are level, and the chat version is sometimes the stronger one:

Paused, vs Jev 1.13 (10 matches each)	Luna Decisions	Luna (chat)
Raw track	10 of 10	10 of 10
Assisted track (options show payoffs)	5 of 10	9 of 10

So the chat version picks good moves. It just picks them too late. In a fight, a good move 900 ms late is a bad move: by the time it starts, the opponent has moved, or you are already on the floor.

What we take from it

When a model has to act inside a running system (a game, a support queue, a trading loop, a robot), latency is part of the answer. Asking the question as a typed decision instead of a text generation keeps the model's judgement and removes most of the waiting.

Both versions are on Opper behind one key. Switching between them is a model string.

Caveats

- 10 matches per setting. The real-time result (10-0 against 1-9) is far outside noise; the paused assisted result (5-5 against 9-1) is suggestive, not conclusive.
- Latency was measured from Stockholm through Opper, on 10 October 2026.

Decisions API 的响应速度约为原来的四倍，每场比赛完成的决策次数是原来的两倍，并将 1 比 9 的败绩扭转为 10 比 0 的全胜。每次决策的成本也降低了约 30%。

聊天版本只是战斗能力更差吗?

不是。在**暂停**模式下，战斗会等待每次回答后再继续，因此只有决策质量才重要。在这种模式下，两者实力相当，聊天版本有时甚至更强：

暂停模式，对阵 Jev 1.13（各 10 场）	Luna Decisions	Luna（聊天）
原始赛道	10/10	10/10
辅助赛道（选项显示收益）	5/10	9/10

所以，聊天版本能选出好招，只是选得太晚了。在格斗中，晚了900毫秒的好招就是坏招：等到出招时，对手早已移动，或者你已经倒地了。

我们从中得到的启示

当模型需要在运行中的系统（游戏、客服队列、交易循环或机器人）中采取行动时，延迟也是答案的一部分。将问题表述为类型化决策任务，而非文本生成任务，既能保留模型的判断能力，又能省去大部分等待时间。

两个版本均可在 Opper 上通过同一个密钥访问。只需更改模型字符串，即可在两者之间切换。

注意事项

- 每种设置下进行10场对局。实时模式下的结果（10胜0负对比1胜9负）远非噪声所能解释；暂停辅助模式下的结果（5胜5负对比9胜1负）有一定启示性，但尚无定论。延迟于2026年10月10日在
- 斯德哥尔摩通过 Opper 测得。

- Jev 1.13 answered in about 255 ms in every setting, so it was the same opponent for both versions.

Play it yourself

Think you can beat a model that decides in 200 ms? Jev Fighter lets you take the keyboard against GPT-6 Luna Decisions, Jev or any other fighter, or put the two Lunas against each other and watch. Baselines are free to play, no key needed. The game is open source at github.com/Jose-Sabater/jev-fighter.

Jev Fighter is one of the games on our decision benchmarks, each with its own leaderboard of decision models:

- JevMan: Pac-Man, where a decision model picks the way at every junction.
- Snake: race a model for apples, both boards on one clock.
- Jev Fighter: the fighting game from this post.

- Jev 1.13 在所有设置下的响应时间均约为255毫秒，因此两个版本面对的对手表现一致。

亲自试玩

觉得自己能击败一个在 200 毫秒内做出决策的模型吗？在 Jev Fighter 中，你可以用键盘操控角色，与 GPT-6 Luna Decisions、Jev 或其他任何斗士对战，也可以让两个 Luna 相互对战，在一旁观战。基线可免费游玩，无需密钥。游戏已开源，地址为 github.com/Jose-Sabater/jev-fighter。

Jev Fighter 是我们决策基准测试中的游戏之一，每款游戏都有各自的决策模型排行榜：

- JevMan：吃豆人，由决策模型在每个岔路口选择方向。贪吃蛇：与模型竞相争夺苹果，双方棋盘共用同一个计时器。
- Jev Fighter：本文介绍的格斗游戏。

4 / 4