
صلب | SOLB

PRODUCT BRIEF (SINGLE SOURCE OF TRUTH)



BILINGUAL (ARABIC RTL / ENGLISH LTR) SINGLE-PAGE LANDING PAGE

Product Brief

قص وتخريم الخرسانة بالرياض

Product Strategy, Brand Identity, Website Requirements & Conversion Plan

A bilingual product specification for a mobile-first landing page serving concrete cutting and core-drilling inquiries in Riyadh.

DOCUMENT

Product Brief (single source of truth) · 1.0 — Draft for client review

DATE

13 October 2026

WORK STATUS

Planning stage. No design, development, analytics, SEO, or advertising setup has been completed.

NAVIGATION

Contents

A complete map of the product brief. Select a section title to jump to its place in the document.

01 Executive Summary
02 Business Overview
03 Product Goals and Success Metrics
04 Target Audiences and User Needs
05 Confirmed Business Information
06 Brand Strategy and Visual Identity
07 Sitemap and Information Architecture
08 Detailed Section-by-Section Landing Page Specification
09 Arabic Content Requirements
10 English Content Requirements
11 Conversion Strategy and CTA Specification
12 SEO and Local Search Strategy
13 Google Ads Landing-Page Requirements
14 Analytics and Conversion Tracking Plan
15 Responsive Design and Accessibility
16 Technical Requirements
17 Content and Asset Inventory
18 Assumptions, Constraints, and Risks
19 Missing Information Register
20 Acceptance Criteria and QA Checklist
21 Recommended Implementation Sequence
- Decisions Already Approved (Confirmed)
- Items Still Pending
- Prioritized Next Steps

Status labels used throughout this document

Label	Meaning
Confirmed	Explicitly provided or approved by the client
Proposed	A recommendation that can be accepted or changed
Pending confirmation	Information not yet verified
Out of scope	Not included unless separately approved

SECTION 01

1. Executive Summary

SOLB (صلب) is an independently operated concrete cutting, core drilling, demolition, and building-repair service operating in Riyadh, Saudi Arabia. This brief defines a fast, mobile-first, bilingual single-page landing page whose job is to turn visitors — especially paid-search visitors — into **phone calls** (primary) and **WhatsApp conversations** (secondary).

Key points:

- **Audiences:** individual property owners, and contractors / construction companies.
- **Positioning (Proposed):** a practical, precise, no-nonsense technical service — presented through real equipment and work photographs and clear service descriptions rather than unverifiable claims.
- **Visual direction (Confirmed):** Industrial Professional — Graphite, Engineering Yellow, Off-white, Steel Blue.
- **Trust strategy:** no testimonials, ratings, project counts, or certifications exist, so none will be shown. Trust is built through authentic photographs, specific service descriptions, transparent wording, and frictionless contact.
- **Critical open items:** photo ownership/provenance (two supplied photos carry third-party watermarks), the "German equipment" claim, the "المنشار الليزر" terminology, the 12-inch core limit, operating hours, domain, and logo files (see Section 19).

SECTION 02

2. Business Overview

Item	Value	Status
Brand name	صلب | SOLB	Confirmed
Marketing display name	صلب | SOLB — قص وتخريم الخرسانة بالرياض	Confirmed (marketing name only)
Category	Concrete cutting, core drilling, demolition, building repair	Confirmed
Service area	Riyadh, Saudi Arabia	Confirmed
Business structure	Independently operated business	Confirmed
Legal name / registration	Unknown	Pending confirmation

Item	Value	Status
Operating hours	Not provided	Pending confirmation
Physical address / branch	Not provided	Pending confirmation — do not invent

> **Rule:** The brand name is a marketing identity. The website must not describe SOLB as a registered company, corporation, or legally established entity unless that is separately verified.

SECTION 03

3. Product Goals and Success Metrics

3.1 Goals

1. **Primary:** Generate qualified inquiries through direct phone calls.
2. **Secondary:** Generate WhatsApp conversations.
3. Provide a landing page that matches Google Ads search intent and supports a good landing-page experience.
4. Present a credible, professional image using only verified information.
5. Deliver an equivalent Arabic and English experience.

3.2 Measurable success metrics

No business-performance targets (call volume, conversion rate, cost per lead) are invented here. These are **measurement definitions** and **technical quality thresholds**.

Metric	Definition	Status
Phone-click rate	`phone_click` events ÷ sessions	Proposed (baseline to be established)
WhatsApp-click rate	`whatsapp_click` events ÷ sessions	Proposed (baseline to be established)
Contact-intent rate	Sessions with ≥1 phone or WhatsApp click ÷ sessions	Proposed
Language-switch rate	`language_switch` events ÷ sessions	Proposed
Largest Contentful Paint (mobile)	≤ 2.5 s at the 75th percentile	Proposed (Google "good" threshold)
Cumulative Layout Shift	≤ 0.1	Proposed (Google "good" threshold)
Interaction to Next Paint	≤ 200 ms	Proposed (Google "good" threshold)
Broken links / anchors	0	Proposed
Contact-link functionality	100% of phone and WhatsApp links work on real devices	Proposed

Important measurement caveat: a `tel:` click is **not** proof that a call was placed or completed, and a WhatsApp click is **not** proof a conversation occurred. These are *intent signals*. If true call measurement is needed, use Google Ads call reporting / call tracking separately, after evaluating cost, privacy, and number-display implications (Pending decision).

SECTION 04

4. Target Audiences and User Needs

4.1 Individuals and property owners

- **Situation:** renovating a villa/apartment; need a door or window opening, a drainage/plumbing/AC hole, or a wall/slab section removed.
- **Needs:** simple language, reassurance that the work is controlled, a quick way to ask "can you do this and how much?", Arabic-first, WhatsApp convenience (photos of the wall can be sent directly).
- **Concerns:** damage to the rest of the structure, mess, noise/dust, price uncertainty.

4.2 Contractors and construction companies

- **Situation:** need subcontracted cutting/coring for MEP installations, openings for stairs/elevators/ventilation, or controlled demolition.
- **Needs:** clear scope categories, evidence of real equipment, quick direct contact, bilingual support (some site staff read English).
- **Concerns:** equipment suitability, ability to handle reinforced concrete, accuracy of openings.

4.3 Shared behavior assumptions (Proposed — validate with data)

- Predominantly mobile visitors arriving from Google Search.
- High urgency: they want to call, not read.
- WhatsApp is commonly used to share site photos and receive quotes.

SECTION 05

5. Confirmed Business Information

5.1 Services (Confirmed — client-supplied)

Concrete cutting

- Cutting reinforced concrete walls.
- Cutting concrete ceilings and slabs.
- Creating openings for doors and windows.
- Creating openings for air conditioning and ventilation.
- Openings associated with elevators and stairs.

Core drilling

- Cylindrical openings for plumbing, electrical installations, and drainage.
- Core drilling for air conditioning and ventilation installations.
- **Maximum stated diameter: up to 12 inches** — *subject to final technical verification before publication.*

Demolition and repair

- Breaking and removing sections of concrete floors, walls, and ceilings.
- Opening doorways using cutting equipment.
- Building repair and restoration.
- Removal of construction debris.

5.2 Equipment and differentiators (client statements)

- German equipment — **Pending confirmation** (see 5.4).
- Terminology "المنشار الليزر" — preserved as client-supplied terminology; **flagged for technical validation** (see 5.4).
- Modern equipment; emphasis on minimizing vibration and damage to surrounding structures — **wording pending confirmation**.

5.3 Contact (Confirmed)

Channel	Value
Phone	+966 55 612 3725
WhatsApp	+966 55 612 3725
`tel:` link	`tel:+966556123725` (Proposed implementation value)
WhatsApp URL	`https://wa.me/966556123725` (Proposed — verify before deployment)

The same number must appear consistently everywhere. **Operating hours have not been provided and must not be invented.**

5.4 Items the supplied photos raise (observations, not facts)

- Nothing visible in the photographs verifies the equipment's country of manufacture; no legible manufacturer marks were identified. The photos must **not** be used as proof of the "German equipment" claim.
- The equipment pictured includes core-drilling rigs on stands and **track-mounted wall saws with large circular diamond-segment blades**. The client's term "المنشار الليزر" does not visibly correspond to a laser device. Treat it as colloquial client terminology; obtain the exact equipment name before using any English equivalent. Until then, public copy should prefer neutral wording such as "قص بالمنشار / wall saw cutting" **only after the client approves it** (Proposed).
- Several photos show equipment still in packaging with leaflets (new, showroom-style). They illustrate equipment, not completed jobs, and must be captioned accordingly.

5.5 Claims policy (mandatory)

Do **not** use: "zero vibration," "no cracks under any circumstances," "100% safe," or any absolute guarantee. Do **not** invent certifications, engineering licenses, insurance, years of experience, project counts, client names, testimonials, ratings, warranties, response times, pricing superiority, or performance statistics.

Safe phrasing pattern (Proposed): "*Precision cutting with modern equipment, aimed at reducing unnecessary vibration and impact on surrounding structure.*"

SECTION 06

6. Brand Strategy and Visual Identity

6.1 Visual direction — Industrial Professional (Confirmed)

Communicates technical precision, professional execution, industrial capability, reliability, clear communication, and practical construction orientation. Avoid generic corporate templates, decorative excess, unnecessary animation, or visuals suggesting a large corporation without evidence.

6.2 Color palette (Confirmed as working direction)

Token	Hex	Role
Graphite	`#202830`	Major backgrounds, navigation, strong text
Engineering Yellow	`#F2BE3D`	Primary CTAs, selective highlights
Off-white	`#F5F6F4`	Readable content sections
Steel Blue	`#354A59`	Secondary surfaces, supporting details

Contrast guidance (Proposed — verify with a contrast checker during QA):

- Use **Graphite text on Engineering Yellow** buttons (high contrast). Do **not** use white text on yellow.
- Do **not** use yellow text on Off-white (insufficient contrast); use yellow only as fill/accent against Graphite or Steel Blue.
- Off-white text on Graphite or Steel Blue is expected to pass; verify at all sizes.
- Minimum targets: 4.5:1 for body text, 3:1 for large text and UI component boundaries (WCAG 2.2 AA).

6.3 Logo (Proposed concept — not yet created)

- Arabic wordmark **صلب** and Latin wordmark **SOLB**.
- Simple geometric symbol inspired by precise cutting, a concrete section, or engineered geometry (e.g., a core-drill circle intersected by a straight cut line).
- Deliverables required: horizontal and stacked lockups; light-background and dark-background versions; one-color version; square icon/favicon (16/32/180/512 px); SVG master; ad-ready square and horizontal assets.
- **No finished logo file exists.** Do not describe the logo as complete.

6.4 Tagline (Confirmed as working direction; not a verified performance claim)

- Arabic: «قص دقيق. تخريم احترافي. تنفيذ بثقة.»
- English: "Precision Cutting. Professional Coring. Built on Confidence."

6.5 Typography (Proposed)

- Arabic: a clean, highly legible Arabic sans-serif (candidates: IBM Plex Sans Arabic, Cairo, Tajawal), medium/bold for headings.
- Latin: a neutral grotesque or the Latin companion of the chosen Arabic family (e.g., IBM Plex Sans).
- Self-host or preload fonts; limit to 2 weights per script to protect performance.

6.6 Voice (Proposed)

Direct, calm, specific, practical. Short sentences. Name the job ("فتحة باب"، "تخريم لمواسير الصرف") rather than abstract benefits.

SECTION 07

7. Sitemap and Information Architecture

Single URL, anchor-navigated, with language variants.

```
/ (Arabic default, RTL) → canonical for Arabic /en/ (English, LTR) → canonical for English #top (Header) #hero #services #why-solb #gallery #service-area #quote #contact (Footer)
```

- **Proposed:** separate crawlable URLs per language (`/` and `/en/`) with `hreflang` (`ar-SA`, `en`, `x-default`) rather than JavaScript-only toggling, so each language is indexable and ad-matchable. Final URL scheme depends on the production domain (Pending).
- Navigation (all sections reachable in one tap): الخدمات / Services · لماذا صلب / Why SOLB · المعرض / Gallery · منطقة الخدمة / Service Area · اطلب عرض سعر / Get a Quote · Language switch · Call CTA.

SECTION 08

8. Detailed Section-by-Section Landing Page Specification

> Example copy below is **Proposed example copy**, not verified fact. Items marked ⚠ require client confirmation before publishing.

Section 1 — Header and Navigation

- **Objective:** Orient, brand, and keep contact one tap away.
- **Required content:** SOLB logo (Arabic + Latin); anchor nav; AR/EN switcher; phone CTA button.
- **Primary action:** Call.
- **Visual requirements:** Graphite background; yellow CTA with Graphite text; logo legible on dark.
- **Mobile behavior:** Compact header with logo, language switch, and a call icon-button; nav collapses into an accessible menu; header height small enough not to crowd the hero.
- **SEO / accessibility:** `<header>` + `<nav aria-label>`; language switch uses `lang`/`hreflang` links; visible focus states; switch label text, not flag icons only.
- **Dependencies:** Logo files (Pending).

Section 2 — Hero

- **Objective:** In ≤5 seconds, state what is offered, where, and how to contact.
- **Required content:** Brand name; H1; supporting description; phone CTA (primary); WhatsApp CTA (secondary); "Riyadh" indication; real equipment/work photo.
- **Example copy (AR):**
  - H1: «قص وتخريم الخرسانة بالرياض»
  - Sub: «قص جدران وأسقف خرسانية، فتحات أبواب ونوافذ وتكييف، وتخريم كور للسباكة والكهرباء والصرف.»

    - CTAs: «واتساب» · «اتصل الآن»

- **Example copy (EN):**
    - H1: "Concrete Cutting & Core Drilling in Riyadh"
    - Sub: "Wall and slab cutting, openings for doors, windows and HVAC, and core drilling for plumbing, electrical and drainage."
    - CTAs: "Call now" · "WhatsApp"

- **Primary action:** Phone. **Secondary:** WhatsApp (visually subordinate: outline or Steel Blue fill).
- **Visual requirements:** One strong real photograph (see Section 17 recommendation — e.g., Photo 9 or 2 for equipment; a work photo only after provenance is confirmed). No stock imagery presented as own work.
- **Mobile behavior:** Headline + both CTAs visible above the fold at 360×640; image below or as a subdued background; no carousel.
- **SEO / accessibility:** Single `<h1>`; descriptive alt text; hero image preloaded and sized explicitly (avoid CLS).
- **Dependencies:** Photo selection/ownership.

Section 3 — Services

- **Objective:** Let visitors self-identify their job quickly and match ad intent.
- **Required content (four categories, Confirmed scope):**

  Concrete wall and slab cutting / قص الجدران والأسقف الخرسانية

  Openings for doors, windows, ventilation, A/C, elevators and stairs / فتحات الأبواب والنوافذ والتكييف والتهوية والمصاعد والسلالم

  Core drilling for plumbing, electrical, drainage and HVAC ⚠ — mention "up to 12 inches" **only after technical verification / تخريم الكور للسباكة والكهرباء والصرف والتكييف**

  Demolition, building repair, restoration and debris removal / الهدم والترميم وإزالة المخلفات

- **Primary action:** Call / WhatsApp from each card ("اسأل عن هذه الخدمة" / "Ask about this service").
- **Visual requirements:** Four cards, simple line icons, one real photo per card where available; Off-white background.
- **Mobile behavior:** Single-column stack; each card ends with a compact contact row.
- **SEO / accessibility:** `<h2>` for section, `<h3>` per service; plain-language text containing target keywords naturally.
- **Dependencies:** 12-inch verification; photo assignment.

Section 4 — Why SOLB

- **Objective:** Communicate only client-supported differentiators.
- **Required content:**
    - Modern equipment (client statement).
    - German equipment ⚠ *(publish only after confirmation, including whether it applies to all equipment)*.
    - Focus on precise cutting.
    - Aim to reduce unnecessary vibration and damage to surrounding structures ⚠ *(approved wording required)*.
    - Direct communication for inquiries and quotations.

- **Primary action:** Call.
- **Visual requirements:** 4–5 concise points on Graphite/Steel Blue; small icons; no statistics, badges, or counters.
- **Mobile behavior:** Vertical list; no hover-dependent content.
- **Dependencies:** Claims confirmation. **Prohibited:** response-time promises, speed claims, price claims, satisfaction claims.

Section 5 — Equipment and Work Gallery

- **Objective:** Provide visual proof of capability using authentic photographs.
- **Required content:** Curated set of the client's own photographs, each with caption stating what it shows (e.g., "Core-drilling rig and diamond core bits" — not "completed project" unless it is).
- **Primary action:** Call/WhatsApp strip beneath the gallery.
- **Visual requirements:** Consistent crop ratio; 6–8 images maximum; lightbox optional (accessible, keyboard-operable, closeable with Esc).
- **Mobile behavior:** Swipeable or 2-column grid; lazy-load below the fold; WebP/AVIF with JPEG fallback.
- **SEO / accessibility:** Descriptive alt text in both languages (examples in Section 17).
- **Dependencies:** Provenance clearance (two photos watermarked), removal of identifiable people unless consent exists, resolution upgrades for low-res photos.

Section 6 — Service Area

- **Objective:** Make the geographic scope unambiguous and consistent with ad targeting.
- **Required content:** "نخدم مدينة الرياض / Serving Riyadh, Saudi Arabia." Nothing more.
- **Primary action:** Call.
- **Visual requirements:** Simple text block, optionally a neutral Riyadh graphic. **No map pin, address, branch, or extra coverage areas.**
- **Mobile behavior:** Short block with CTA row.
- **Notes:** The four ad-exclusion neighborhoods are **ad-configuration only** and are **not** to be listed publicly (Section 13).

Section 7 — Request a Quote

- **Objective:** Convert undecided visitors with a clear next step.
- **Required content:** "اتصل لطلب عرض سعر" / "Call for a quotation"; WhatsApp alternative; a short, non-binding hint of what to send (Proposed): job type, rough size/diameter, location in Riyadh, and a photo of the wall/slab.
- **Primary action:** Phone. **Secondary:** WhatsApp with optional pre-filled message (see 11.4).
- **Visual requirements:** High-contrast Graphite panel with yellow CTA.
- **Mobile behavior:** Full-width buttons, ≥48 px high.
- **Notes:** No prices or price ranges. No invented booking/dispatch process. **No form** (Proposed — a form adds friction and data-privacy obligations; revisit only if justified).

Section 8 — Contact and Footer

- **Objective:** Final conversion point and consistency anchor.
- **Required content:** Phone; WhatsApp; brand name; "Riyadh" service-area statement; language links; privacy notice link **if** analytics/ad tags/data collection are deployed.
- **Primary action:** Call.

- **Visual requirements:** Graphite background; same CTA styling as elsewhere.
- **Mobile behavior:** Footer clear of the sticky contact bar (add bottom padding).
- **Dependencies:** Privacy notice text (legal review); operating hours (only if provided).

Persistent mobile contact bar (cross-section)

- Fixed bottom bar with **Call** (primary, yellow) and **WhatsApp** (secondary) controls, visible from the moment the hero CTAs scroll out of view (Proposed).
- Must not cover content, cookie/consent controls, focus targets, or the footer; respect `env(safe-area-inset-bottom)`; ≥48×48 px touch targets; accessible names ("اتصل بصلب" / "Call SOLB"; "راسلنا على واتساب" / "Message SOLB on WhatsApp").
- Sections that must not exist: fabricated reviews, fake ratings, customer logos, case studies, or unverified FAQs. If an FAQ is later added, mark each answer as requiring client confirmation.

SECTION 09

9. Arabic Content Requirements

1. Arabic is the **primary, default** experience: full RTL (`<html lang="ar" dir="rtl">`).
2. Use Modern Standard Arabic with plain, spoken-friendly vocabulary suited to Saudi users; avoid heavy dialect and avoid overly technical terms where simpler wording is accurate.
3. Preserve **exact** client terminology: «المنشار الليزر» ⚠ (validate before using on page), «تخريم الكور»,«قص الخرسانة»».
4. Brand name appears as **صلب | SOLB**; keep Latin and Arabic wordmarks consistent.
5. Numerals: phone number displayed in a consistent format with LTR isolation (`<bdi dir="ltr">` or `unicode-bidi: isolate`), e.g., `+966 55 612 3725`, so it does not visually reorder in RTL text.
6. Punctuation and mirrored layout: icons with direction (arrows, chevrons) mirrored; Latin text inside Arabic isolated.
7. Line-height ~1.7 for Arabic body text; avoid letter-spacing on Arabic.
8. Tone: direct, confident, modest — no superlatives («الأفضل»، «رقم 1») without proof.

Proposed CTA labels (AR): تواصل معنا · اطلب عرض سعر · واتساب · اتصل الآن

SECTION 10

10. English Content Requirements

1. Full-equivalence translation, not a summary: every service, contact point, and claim in Arabic exists in English with the same meaning and the same level of certainty.
2. `<html lang="en" dir="ltr">`; LTR layout with mirrored spacing/alignment as needed.
3. Terminology (Proposed; confirm with client): *concrete cutting*, *core drilling*, *wall saw cutting* (⚠ pending equipment confirmation), *openings*, *demolition and repair*, *debris removal*.
4. Do not translate «المنشار الليزر» as "laser saw" until the equipment is identified; "laser" may mislead.
5. Keep Riyadh as the sole service area; use "Riyadh, Saudi Arabia" consistently.
6. Maintain the same contact details and CTA hierarchy.

Proposed CTA labels (EN): Call now · WhatsApp · Get a quote · Contact us

SECTION 11

11. Conversion Strategy and CTA Specification

11.1 Principle

One dominant goal: **a phone call.** Everything else supports it.

11.2 CTA hierarchy

Rank	CTA	Style (Proposed)	Placement
1	Call (`tel:`)	Solid Engineering Yellow, Graphite text, phone icon	Header, hero, each service card, quote, footer, sticky mobile bar
2	WhatsApp	Outline or Steel Blue fill, WhatsApp icon	Hero, quote, footer, sticky mobile bar
3	Language switch	Text link	Header, footer

11.3 Rules

- Mobile-first: both CTAs above the fold at 360×640 and in the sticky bar.
- Contact reachable from every major section without scrolling more than one viewport.
- No form, popup, chatbot, or exit-intent overlay (Proposed). No auto-playing media.
- Desktop: show the number as visible text (desktop users cannot always tap-to-call), with the `tel:` link still present.
- Button copy states the action ("اتصل الآن"), not generic text ("اضغط هنا").
- Hover/focus/active/disabled states defined for every CTA; focus ring visible against Graphite and Off-white.

11.4 WhatsApp pre-filled message (Proposed example)

- AR: `https://wa.me/966556123725?text=` + URL-encoded «السلام عليكم، أرغب بالاستفسار عن خدمة قص/تخريم الخرسانة في الرياض.»
- EN: `https://wa.me/966556123725?text=` + URL-encoded "Hello, I'd like to ask about concrete cutting/core drilling in Riyadh."
- Verify the URL on iOS, Android, and desktop (WhatsApp Web) before launch. Pending confirmation.

11.5 Quote messaging

Explain only the next step: *call or message, describe the job, send a photo.* Do not promise a response time, site visit, or fixed pricing.

SECTION 12

12. SEO and Local Search Strategy

> All keywords are **hypotheses**, not verified search-volume data. No ranking position or indexing timeline is promised.

12.1 Keyword research plan (Proposed)

1. Seed with the themes below; expand using Google Keyword Planner, Google Search Console (post-launch), and Search suggestions.
2. Check real SERPs in Riyadh for intent and competitor framing.
3. Record volume, intent, and ad/organic suitability in a keyword sheet.

Arabic seed themes: قص الخرسانة بالرياض · قص الجدران الخرسانية بالرياض · تخريم الكور بالرياض · تخريم الخرسانة · قص الأسقف الخرسانية · فتح باب في جدار خرساني · قص بلاطات خرسانية **English seed themes:** Concrete cutting Riyadh · Concrete core drilling Riyadh · Concrete wall cutting Riyadh · Slab cutting Riyadh

Intent grouping: service + city (highest commercial intent); job-specific (door opening, drainage hole); equipment-oriented (lower priority).

12.2 On-page recommendations (Proposed)

Element	Arabic (example)	English (example)
Title (≤ ~60 chars)	صلب | قص وتخريم الخرسانة بالرياض | SOLB	Concrete Cutting & Core Drilling in Riyadh
Meta description (≤ ~155 chars)	قص جدران وأسقف خرسانية وتخريم كور للسباكة والكهرباء والتكييف في الرياض. اتصل أو راسلنا واتساب.	Concrete wall and slab cutting and core drilling in Riyadh. Call or message us on WhatsApp.
H1	قص وتخريم الخرسانة بالرياض	Concrete Cutting & Core Drilling in Riyadh
H2s	الخدمات · لماذا صلب · المعرض · منطقة الخدمة · اطلب عرض سعر	Services · Why SOLB · Gallery · Service Area · Get a Quote

- One H1 per language page; H3 per service. Keywords appear naturally; no stuffing.
- Descriptive alt text; descriptive filenames (e.g., `core-drilling-rig-solb.webp`).
- Anchor navigation with matching `id`s; no broken anchors.

12.3 Technical SEO

- **Canonical:** self-referencing canonical per language URL; final absolute URLs depend on production domain (Pending).
- **hreflang:** `ar-SA` / `ar`, `en`, and `x-default`, reciprocal on both pages.
- **robots.txt:** allow crawling of the live site; block staging/preview environments (and `noindex` them).
- **Sitemap:** `sitemap.xml` listing both language URLs with `xhtml:link` alternates; submit via Search Console.
- **Indexability:** server-rendered or pre-rendered HTML for both languages (content must not depend on client-side JS to appear).
- **Performance:** see Section 16; performance supports both organic and Ads landing-page experience.
- **HTTPS** only; mobile-friendly viewport; Open Graph/Twitter tags with a real, owned image and AR/EN titles.

12.4 Structured data (only where facts qualify)

- **Proposed minimum:** `Organization` or `Service`-style markup using brand name, URL, logo (once it exists), and `telephone`, plus `areaServed: Riyadh` — only if it exactly matches visible page content.
- **Do not** publish `LocalBusiness` with an invented address, geo-coordinates, opening hours, ratings, or reviews. Defer fuller local markup until a verified address/eligibility exists.
- Validate with Google's Rich Results Test / Schema validator before deployment.

12.5 Google Business Profile

Eligibility is **not assumed**. Service-area businesses may qualify under Google's rules but require verification. Evaluate separately; **Out of scope** unless approved. Do not create or imply a listing.

SECTION 13

13. Google Ads Landing-Page Requirements

13.1 Requirements

- **Message match:** headline and service wording on the page reflect the ad group's intent (e.g., core-drilling ads → section 3, card 3 prominent; consider separate parameterized anchors or variants later — Proposed).
- **Mobile usability:** thumb-reachable CTAs, no intrusive overlays, readable text without zoom.
- **Speed:** meet the thresholds in Section 3.2.
- **Accurate service-area messaging:** Riyadh only, matching ad geo-targeting.
- **Functional contact links:** call and WhatsApp tested on real devices before ads go live.
- **Conversion readiness:** Google tag/Ads conversion actions configured and *tested* before spend (Section 14).
- **Policy readiness:** no misleading claims, no unverified superlatives, working privacy information, transparent business identity (do not claim registration; present brand and contact clearly).
- **Do not assume** budget, campaign structure, bid strategy, expected clicks, or conversion rate.

13.2 Geographic configuration (Confirmed requirement — advertising setup, not public copy)

- **Target:** Riyadh.
- **Exclusions requested by client:**

أم الحمام الشرقي
أم الحمام الغربي
المنفوحة الجديدة
المنفوحة القديمة

- **Action:** verify which of these exist as selectable Google Ads locations or must be handled via radius/other methods; record the outcome. Do not publish these on the website.

SECTION 14

14. Analytics and Conversion Tracking Plan

> **Status: Proposed. No tracking is active.** Tracking must not be described as live until implemented and tested.

14.1 Event schema

Event	Trigger	Suggested parameters
`phone_click`	Click/tap on any `tel:` link	`cta_location` (header/hero/service_card/quote/footer/sticky_bar), `language` (ar/en), `service_context` (optional)
`whatsapp_click`	Click/tap on any WhatsApp link	same as above
`language_switch`	User switches language	`from_language`, `to_language`, `location`
`nav_click`	Anchor navigation click	`target_section`
`service_card_cta_click`	Contact CTA in a service card	`service`
`gallery_open`	Lightbox opened (if used)	`image_id`
`scroll_depth` (optional)	50% / 90% thresholds	`percent`

14.2 Measurement notes

- `phone_click` and `whatsapp_click` are **intent signals**, not completed calls/conversations.
- Mark `phone_click` and `whatsapp_click` as key events/conversions in analytics, and import or create matching Google Ads conversion actions; consider Google Ads call reporting (call assets / calls from ads) as a separate, more direct call measurement — decision Pending.
- Avoid double counting (one event per interaction; debounce).
- Never send personal data (phone numbers of users, message text) in event parameters.

14.3 Privacy and consent

- Deploy only the tools actually needed. Provide a privacy notice matching the tools used.
- Consent mechanics (banner, consent mode) and obligations under Saudi data-protection requirements must be reviewed by a qualified professional — **Pending legal review**.

14.4 Test plan (before go-live)

- Verify each event in the tag debugger / analytics real-time view on iOS Safari, Android Chrome, and desktop.
- Verify Ads conversion firing and that conversions are not triggered by page load.
- Document results; only then mark tracking "active."

SECTION 15

15. Responsive Design and Accessibility

15.1 Breakpoints (Proposed)

- Mobile: 320–599 px (design baseline 360 px)
- Tablet: 600–1023 px
- Desktop: ≥ 1024 px; content max-width ~1200 px

15.2 Responsive rules

- Mobile-first CSS; fluid type and spacing; no horizontal scrolling at any width ≥ 320 px.
- Sticky contact bar mobile/tablet; desktop shows header CTA and visible number.
- Images: responsive `srcset` / `sizes`; explicit width/height.

15.3 Accessibility (target WCAG 2.2 AA — Proposed)

- Semantic landmarks (`header`, `nav`, `main`, `section`, `footer`); logical heading order.
- Keyboard operable everywhere; visible focus indicator (≥ 3:1 against adjacent colors); skip-to-content link.
- Contrast per Section 6.2; do not convey meaning by color alone.
- Touch targets ≥ 44×44 px recommended (48 px for primary CTAs).
- Accessible names for icon-only buttons; `aria-label` in the active language.
- Alt text in the page language; decorative images `alt=""`.
- Respect `prefers-reduced-motion`; minimal animation overall.
- Correct `lang` / `dir` per language; bidi-safe phone number.
- Lightbox (if used): focus trap, Esc to close, return focus.

SECTION 16

16. Technical Requirements

Implementation-agnostic. Any stack suggestion is a **Proposed recommendation, not a decision**.

Functional

- Single-page structure with working anchors and AR/EN versions.
- `tel:` and WhatsApp links working on real devices.
- Event tracking per Section 14 (when approved).

Performance (Proposed)

- Page weight target: aim for a lean first load (e.g., hero image ≤ ~150–200 KB after optimization; total initial transfer as small as practicable).
- Modern image formats; lazy-load non-critical images; preload hero image and critical font.
- Minimal third-party scripts; defer analytics where compatible with measurement needs.
- Core Web Vitals thresholds per Section 3.2.

Quality & delivery

- Semantic HTML; clean metadata; crawlable, server-rendered/static output.
- HTTPS; security headers appropriate to the host.
- Staging environment set to `noindex`.
- Browser support: current and previous major versions of Chrome, Safari (iOS), Samsung Internet, Edge, Firefox.

Stack recommendation (Proposed, optional): a static-first framework or static HTML/CSS with minimal JavaScript is well suited: fast, easily indexable, simple to host. Final choice is Pending.

SECTION 17

17. Content and Asset Inventory

17.1 Asset inventory and review (9 photographs supplied)

The photographs were visually reviewed at a high level. This is a **first-pass catalogue**, not a rights clearance. Each file name below is the order received.

#	Subject (observed)	Quality / issues	Suggested use	Status
1	Red core-drilling rig on stand with water pump, accessories and many diamond core bits in the background (indoor, tiled floor)	Good quality; equipment in packaging/showroom, shallow depth of field	Equipment gallery; Service card 3 (core drilling)	Proposed use — client to confirm ownership
2	Orange core-drilling rig on stand with pump, accessories, core bits	Good quality; packaging visible; some branding on motor	Equipment gallery; Service card 3	Proposed use — confirm ownership; check any visible brand marks
3	Wall-saw guide frame with hand-wheels, rails and a large circular diamond blade, stored in a room	Low resolution; appears to be a supplier-style photo; inconsistent with others	Not recommended until source confirmed	**Pending — provenance unclear**
4	Track-mounted wall saw cutting a concrete slab section suspended by a crane chain, city and sea in the background	Strong image, **third-party watermark** (bottom-right); location is not identifiable as Riyadh	Hero/Service card 1 *only if client proves it is their own work*	**Do not use until ownership verified**
5	Worker on scaffold plank core-drilling a rectangular opening in a wall using overlapping cores; wet floor, core pieces on ground	Low-light, moderate resolution; **worker's face partly visible**	Service card 2 (openings)	Pending — confirm it's the client's job; consent/blur for identifiable person
6	Track-mounted wall saw with large blade cutting a concrete staircase section	Low-resolution/compressed	Service card 1 / 2 (stairs)	Pending — confirm source; seek higher resolution
7	Core-drill rig drilling a row of overlapping holes in a floor slab	Low-res, appears to be a screenshot (UI edge visible)	Service card 3	Pending — replace with original file
8	Rectangular wall opening formed by overlapping core holes; handheld core drill at left	**Third-party watermark**; rough edge visible on the left of the wall	Service card 2	**Do not use until ownership verified**
9	Red track-mounted wall saw unit with digital controller and a large diamond blade (indoor showroom)	High quality, clean	Hero (equipment) or Gallery; Service card 1	Proposed use — confirm ownership

Observations to resolve

- Photos **4 and 8** carry a classified-ads-style watermark, and **3, 6, 7** look re-shared/compressed. This suggests some images may not originate from the client. Using images the client does not own can create copyright, trust, and ad-policy risk. **Obtain original files and written confirmation of ownership.**

- Photos **1, 2, 9** show equipment in showroom conditions. Caption them as *equipment*, never as *completed projects*.
- No photo currently verifies the German-equipment claim, the 12-inch limit, or any vibration-reduction claim.
- Image 8 shows hole-saw coring along the perimeter of an opening with visibly irregular edges; do not use work photos in a way that implies a finish quality the client has not confirmed.

17.2 Image types needed per section

Section	Recommended imagery
Hero	One strong equipment or in-progress cutting photo (landscape crop + mobile crop)
Services 1–4	One authentic photo each: wall/slab saw; finished or in-progress opening; core drilling; demolition/debris (not yet available)
Why SOLB	Icons only, or a close-up of equipment
Gallery	6–8 captioned photos (equipment + real jobs)
Service area	None required
Quote / Contact	Equipment or neutral graphic; no people imagery unless owned

Gap: no photograph currently shows demolition/debris removal or a finished, repaired result. Request these from the client; do not substitute stock imagery as the client's work. Any stock imagery must be labeled "illustrative."

17.3 Alt text examples (Proposed — adjust to confirmed facts)

Photo	Arabic	English
1	«جهاز تخريم كور على حامل مع رؤوس تخريم ماسية»	"Core drilling rig on a stand with diamond core bits"
2	«جهاز تخريم كور برتقالي مع ملحقاته ورؤوس التخريم»	"Orange core drilling rig with accessories and core bits"
9	«منشار جداري على مسار مع شفرة ماسية كبيرة ووحدة تحكم»	"Track-mounted wall saw with a large diamond blade and control unit"

17.4 Content inventory (to be produced)

Item	Owner	Status
Final Arabic copy (all sections)	Content writer	To do — based on this brief
Final English copy	Content writer	To do
Logo files (SVG/PNG/favicon)	Designer	To do
Optimized images (AR/EN alt text)	Designer/Dev	To do
Privacy notice	Legal/Client	To do
Meta tags / OG image	SEO / Designer	To do
Ads copy (aligned to page)	Ads specialist	To do

SECTION 18

18. Assumptions, Constraints, and Risks

18.1 Assumptions (Proposed)

- Most traffic will be mobile and Arabic-speaking.
- The client can answer calls and WhatsApp messages promptly during advertised periods.
- A production domain will be provided.

18.2 Constraints

- No verified social proof, hours, address, or legal registration.
- No finished logo.
- Photo provenance uncertain.
- No assumed budget, timeline, or performance targets.

18.3 Risks

Risk	Impact	Mitigation
Use of watermarked/third-party photos	Copyright, credibility, possible ad disapproval	Verify ownership; replace with original photos
Unverified claims (German, laser, 12 in, vibration)	Misleading advertising; trust loss	Hold until confirmed; use approved wording only
Missed calls after ads go live	Wasted spend	Client call-handling plan; schedule ads when reachable
Broken contact links on some devices	Lost leads	Real-device testing
Low-resolution photos	Poor perceived quality	Request originals
Ads geo-targeting can't exclude named neighborhoods exactly	Irrelevant clicks	Verify options; use alternative targeting/negative approaches
Privacy/consent non-compliance	Legal exposure	Legal review; deploy only needed tags
Identifiable people in photos without consent	Privacy	Blur/crop or obtain consent
Equipment terminology mismatch	Technical credibility	Validate with client/technical review

SECTION 19

19. Missing Information Register

#	Item	Status	Needed for
1	Business operating hours	Pending confirmation	Footer, ads scheduling, structured data
2	Legal business name and registration status	Pending confirmation	Footer, privacy notice, ads transparency
3	Final logo files	Pending (not created)	Header, favicon, ads

#	Item	Status	Needed for
4	Selection/inspection of photographs; original files; ownership confirmation (esp. photos 3–8)	Pending confirmation	Hero, gallery, services
5	Exact English equipment terminology; meaning of «المنشار الليزر»	Pending confirmation	Copy, SEO
6	German equipment claim and manufacturer details	Pending confirmation	Why SOLB
7	Technical review of the 12-inch maximum core diameter	Pending confirmation	Service 3, ads
8	Exact approved wording for vibration/structural-damage claims	Pending confirmation	Why SOLB, ads
9	Domain name and production URL	Pending	Canonical, sitemap, hreflang, Ads
10	Address/eligibility details for local listings (if applicable)	Pending	Structured data, GBP
11	Consent for identifiable people in photos	Pending	Gallery
12	Call-handling capacity/availability for ad traffic	Pending	Ads scheduling
13	Decision on call-tracking method (call reporting vs click events only)	Pending	Analytics
14	Privacy notice and consent approach	Pending (legal review)	Footer, tags

SECTION 20

20. Acceptance Criteria and QA Checklist

20.1 Content and accuracy

- ☐ Every claim appears in the Confirmed list or is explicitly approved by the client.
- ☐ No prices, hours, addresses, reviews, ratings, certifications, guarantees, years of experience, project counts, or testimonials appear.
- ☐ No absolute claims ("zero vibration," "100% safe," etc.).
- ☐ The business is not described as a registered company/corporation.
- ☐ Arabic and English versions contain equivalent content and identical contact details.
- ☐ The "12-inch" limit, if shown, has been technically verified.
- ☐ The German-equipment claim, if shown, is confirmed.
- ☐ Illustrative images (if any) are labeled; no stock image is presented as the client's work.

20.2 Contact and conversion

- ☐ Phone number identical everywhere: +966 55 612 3725.
- ☐ `tel:+966556123725` opens the dialer on iOS and Android.
- ☐ WhatsApp link opens the correct chat on iOS, Android, and desktop.
- ☐ Phone and WhatsApp CTAs visible in the hero without scrolling at 360×640.
- ☐ Sticky mobile bar present, does not cover content/consent controls/footer.
- ☐ Contact reachable within one viewport of any section.

20.3 Tracking (when implemented)

- ☐ `phone_click`, `whatsapp_click`, `language_switch` fire once per interaction with correct parameters.
- ☐ Ads conversions do not fire on page load.
- ☐ Results documented; tracking labelled "active" only after verification.

20.4 SEO

- ☐ Unique title/meta per language; one H1 per page; logical H2/H3.
- ☐ Canonical and hreflang reciprocal and correct.
- ☐ `robots.txt` and `sitemap.xml` valid; staging `noindex`.
- ☐ Structured data validates and matches visible content; no invented address/hours/ratings.
- ☐ All images have descriptive alt text in the page language.
- ☐ No broken links or anchors.

20.5 Performance and technical

- ☐ Mobile LCP ≤ 2.5 s, CLS ≤ 0.1, INP ≤ 200 ms (field or lab proxy measured and recorded).
- ☐ Images optimized; non-critical images lazy-loaded; hero explicitly sized.
- ☐ No horizontal scroll at 320 px; layouts verified at 360, 768, 1024, 1440 px.
- ☐ Works on current/previous major Chrome, Safari (iOS), Samsung Internet, Edge, Firefox.

20.6 Accessibility and localization

- ☐ Arabic RTL and English LTR layouts correct; icons mirrored where needed.
- ☐ Phone number does not reorder in RTL text.
- ☐ Contrast ≥ 4.5:1 (body) / 3:1 (large text, UI boundaries).
- ☐ Full keyboard operation; visible focus on all interactive elements.
- ☐ Accessible names on icon buttons; `lang` and `dir` set correctly.
- ☐ `prefers-reduced-motion` respected.

20.7 Privacy

- ☐ Privacy notice present if tags/data collection are used.
- ☐ Only necessary tags deployed; consent behavior reviewed.

SECTION 21

21. Recommended Implementation Sequence

1. **Client confirmations (week 0):** photo ownership and originals; equipment terminology; German claim; 12-inch limit; vibration wording; domain; hours (if any).
2. **Asset phase:** finalize photo set; request missing photos (demolition, finished openings); blur/crop identifiable people; create logo system.
3. **Content phase:** write final Arabic copy, then English; keyword validation; meta tags; alt text.
4. **Design phase:** wireframes (mobile first), then high-fidelity AR (RTL) and EN (LTR); contrast check.
5. **Build phase:** implement semantic, performant pages; contact links; sticky bar; metadata; hreflang/canonical.
6. **Tracking phase:** implement events; test; configure Ads conversion actions.
7. **QA phase:** run Section 20 checklist on real devices.

---

8. **Ads readiness:** align ad copy/landing content; configure Riyadh targeting and the four client-specified exclusions; confirm client call availability.
9. **Launch and review:** staged launch; submit sitemap; review early data (clicks, events, search terms) without presuming outcomes; iterate.

SOLB BRIEF

Decisions Already Approved (Confirmed)

- Brand and display name: **صلب | SOLB — قص وتخريم الخرسانة بالرياض** (marketing name only).
- Visual direction: **Industrial Professional**, with the four-color working palette.
- Working tagline (Arabic and English).
- Single-page landing page; Arabic (RTL, primary) and English (LTR) with equivalent content.
- Service area: **Riyadh**; client-requested ad exclusions: أم الحمام الشرقي، أم الحمام الغربي، المنفوحة الجديدة، المنفوحة القديمة.
- Primary conversion: phone calls; secondary: WhatsApp.
- Phone and WhatsApp: **+966 55 612 3725**.
- Confirmed service scope (cutting, core drilling up to a *stated* 12 in, demolition/repair).
- A new logo is required.

SOLB BRIEF

Items Still Pending

- Photo ownership/originals and final selection (especially photos 3–8); consent for identifiable people.
- German-equipment claim; «المنشار الليزر» terminology; 12-inch verification; vibration-reduction wording.
- Operating hours; legal name/registration status; address/local-listing eligibility.
- Logo files; domain/production URL.
- Call-tracking approach; privacy notice and consent approach.
- Client call-handling availability for ad traffic.

SOLB BRIEF

Prioritized Next Steps

1. **Resolve photo provenance** and obtain original files (blocks hero and gallery).
2. **Confirm the four claim/terminology items** (German, laser-saw terminology, 12 in, vibration wording).
3. **Confirm domain** and decide the URL/language structure.
4. **Commission the logo** and finalize the visual identity kit.
5. **Write and approve AR/EN copy** using only confirmed facts.
6. **Design, build, and QA** the page against Section 20.
7. **Implement and test tracking**, then **prepare Google Ads** (targeting, exclusions, ad copy aligned to the page).
8. **Launch and review** early performance, without guaranteeing results.