

(/)

**Great!** You've completed the quiz successfully! Keep going! ([Hide quiz](#))

## Question #0

In the following code snippet, does the selector called ( 'section.my\_header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header class="my_header">
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

☐ Yes

☒ No

## Question #1

In the following code snippet, does the selector called ( 'header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ Yes
- ☐ No

## Question #2

In the following code snippet, does the selector called ( '#my\_header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header id="my_header">
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ Yes
- ☐ No

### Question #3

In the following code snippet, does the selector called ( '#header' ) access the HTML tag <header> :  
(using document.querySelector or \$(...) )?



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☐ Yes
- ☒ No

## Question #4

In the following code snippet, does the selector called ( `'.my_header'` ) access the HTML tag `<header>` :

(using `document.querySelector` or `$(...)` )?



```
(/)<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header class="my_header">
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ Yes
- ☐ No

## Question #5

How many HTML tags are present in the following HTML code?

- <!DOCTYPE html> is not an HTML tag
- <head></head> is considered one HTML tag.



```
(/ DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <ul>
        <li>Home</li>
        <li>Admission</li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☐ 11
- ☒ 12
- ☐ 13
- ☐ 14

## Question #6

In the following code snippet, does the selector called ( 'body header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?



```
(/)<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ Yes
- ☐ No

## Question #7

How many HTML tags are present in the following HTML code?

- <!DOCTYPE html> is not an HTML tag
- <head></head> is considered one HTML tag.

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☐ 4
- ☐ 5





## Question #8

In the following code snippet, does the selector called ( 'HeAdER' ) access the HTML tag <header> :  
(using document.querySelector or \$(...) )?

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ Yes
- ☐ No

### Tips:

Selectors are case insensitive

## Question #9

How many HTML tags are present in the following HTML code?

- <!DOCTYPE html> is not an HTML tag
- <head></head> is considered one HTML tag.





```
(/ DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ 15
- ☐ 16
- ☐ 18
- ☐ 20

## Question #10

In the following code snippet, does the selector called ( 'header.my\_header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?



```
(/ DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header class="my_header">
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☒ Yes
- ☐ No

## Question #11

In the following code snippet, does the selector called ( '#my\_header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header class="my_header">
      First HTML page
    </header>
    <section>
      
      <br />
      <ul id="my_header">
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☐ Yes
- ☒ No

## Question #12

In the following code snippet, does the selector called ( '#my\_header' ) access the HTML tag <header> :

(using document.querySelector or \$(...) )?



```
<!DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header class="my_header">
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☐ Yes
- ☒ No

### Question #13

In the following code snippet, does the selector called ( `'.header'` ) access the HTML tag `<header>` :  
(using `document.querySelector` or `$(...)` )?



```
(/ DOCTYPE html>
<html lang="en">
  <head>
    <title>Holberton School</title>
    <link rel="stylesheet" href="styles/global.css" />
  </head>
  <body>
    <header>
      First HTML page
    </header>
    <section>
      
      <br />
      <ul>
        <li>Home</li>
        <li>Admission <span class="btn">apply</span></li>
        <li>Login</li>
      </ul>
    </section>
    <footer>
      Holberton School - 2017
    </footer>
  </body>
</html>
```

- ☐ Yes
- ☒ No

## Tasks

### 0. No JQuery

mandatory

Write a JavaScript script that updates the text color of the <header> element to red ( #FF0000 ):

- You must use `document.querySelector` to select the HTML tag
- You can't use the JQuery API

Please test with this HTML file in your browser:

