Week 2 Lab Tutorial: Basic C and Control Flow – Suggested Solutions

Lab Questions

```
Q1: (computeGrade)
#include <stdio.h>
int main()
   int studentNumber = 0, mark;
   printf("Enter Student ID: \n");
   scanf("%d", &studentNumber);
   while (studentNumber != -1)
     printf("Enter Mark: \n");
      scanf("%d", &mark);
      switch ((mark+5) / 10) {
         case 10:
         case 9:
         case 8: printf("Grade = A\n");
           break;
         case 7: printf("Grade = B\n");
           break;
         case 6: printf("Grade = C\n");
           break;
         case 5: printf("Grade = D\n");
           break;
         default: printf("Grade = F\n");
      printf("Enter Student ID: \n");
      scanf("%d", &studentNumber);
   return 0;
}
Q2: (printAverage)
#include <stdio.h>
int main()
   int total, count, lines, input;
  double average;
   int i;
  printf("Enter number of lines: \n");
   scanf("%d", &lines);
   for (i = 0; i < lines; i++) {</pre>
      total=0; count=0;
      printf("Enter line %d (end with -1): \n", i+1);
      scanf("%d", &input);
      while (input != -1)
      {
         total += input;
         count++;
         scanf("%d", &input);
      average = (double)total/(double)count;
     printf("Average = %.2f\n", average);
   return 0;
}
Q3: (printPattern)
#include <stdio.h>
int main()
{
```

Q4: (debugging)

The correct code should be (remove ";" from the while loop):

```
#include <stdio.h>
int main()
{
    char loop;

    printf("Print A-Z alphabets: ");
    for (loop='A';loop<='Z';loop++)
        putchar(loop);
    return 0;
}</pre>
```