ACSL Word Search

Time Remaining 2:08 hrs:mins

CLASS / SOURCE NAME

Nameyourclass acslword.

PROBLEM: Given a grid containing letters along with a list of words, find where each word appears in the grid. A word can appear horizontally (left-to-right or right-to-left), vertically (top-to-bottom or bottom-to-top), or diagonally (in any direction). Words can overlap, but no wrap-around is permitted. Output the letters in the grid that are not used, in row-major order.

Each word will appear in exactly one place in the grid.

EXAMPLE:
Input:
6 7
XSTJCLNADAIARORVSCPUHAASSLBTBAIOLYYPLOBOCP
PASCAL LISP BASIC COBOL JAVA PYTHON ADA RUBY

Solution:
The initial grid is at the left. The image at the right shows where the words appear.

X	S	T	J	C	L	N
A	D	A	I	A	R	O
R	V	S	C	P	U	H
A	A	S	S	L	B	T
B	A	I	O	L	Y	Y
P	L	O	B	O	C	P



Output:
XSTRLOL

INPUT: Input 3 strings. The first string is the number of rows and columns in the grid, with a single space between them. The second string is the characters in the grid in row-major order. The third string is the list of words to find, with a single space between each word.

OUTPUT: After finding all of the given strings, output, in row-major order, a string of all of the characters that are not used in the grid.

SAMPLE INPUT	SAMPLE OUTPUT
6 7 XSTJCLNADAIARORVSCPUHAASSLBTBAIOLYYPLOBOCP PASCAL LISP BASIC COBOL JAVA PYTHON ADA RUBY	XSTRLOL
8 12 JZDGSLMUGMSCXUJEIHRJHTAZSZNRCEASXRLYMVPEBEURCOMBEAXOPRMJKSOYLZTUBZVBJENLTCCSNAPPERZUOAUGUSTZJRXJ APRIL MAY JUNE JULY AUGUST OCTOBER DECEMBER SALMON SHARK SMELT SNAPPER BRUSH COMB CUP MUG RESORT	ZGCXJJZZXVXJZZVJZZJX
8 12 BGSXEZPSSLHSROZAEUTCPOZAEPOONERHOTCGKEHTKDJOUSEKASZSIXAONILZEOULHZZLDPFYNMODOLLARXIESSZXSLIPPERN BOOT SOCK SNEAKER SANDAL SHOE SLIPPER DOLLAR PESO EURO POUND YEN SOLID GAS SCHOOL	GXZPLHZTZETKJSEZSXILZUHZZPFMXIZX

----------中文仅供参考，以英文为准----------

问题: 给定一个包含字母的网格和一系列单词，找出每个单词在网格中的位置。单词可以横向（从左到右或从右到左）、纵向（从上到下或从下到上）或在任意对角线方向出现。单词可以重叠，但不允许环绕。按行优先顺序输出网格中未使用的字母。每个单词在网格中恰好出现一次。

示例:
输入:
6 7
XSTJCLNADAIARORVSCPUHAASSLBTBAIOLYYPLOBOCP
PASCAL LISP BASIC COBOL JAVA PYTHON ADA RUBY

解析:
左图是初始网格。右图显示单词出现的位置。



输出:
XSTRLOL

输入: 输入 3 个字符串。第一个字符串表示网格的行数和列数，这两个数字之间用一个空格隔开。第二个字符串是网格中按行优先顺序排列的字符。第三个字符串是要查找的单词列表，每个单词之间用一个空格隔开。

输出: 找到所有给定单词后，按行优先顺序输出网格中所有未使用的字符。

样例输入	样例输出
6 7 XSTJCLNADAIARORVSCPUHAASSLBTBAIOLYYPLOBOCP PASCAL LISP BASIC COBOL JAVA PYTHON ADA RUBY	XSTRLOL
8 12 JZDGSLMUGMSCXUJEIHRJHTAZSZNRCEASXRLYMVPEBEURCOMBEAXOPRMJKSOYLZTUBZVBJENLTCCSNAPPERZUOAUGUSTZJRXJ APRIL MAY JUNE JULY AUGUST OCTOBER DECEMBER SALMON SHARK SMELT SNAPPER BRUSH COMB CUP MUG RESORT	ZGCXJJZZXVXJZZVJZZJX
8 12 BGSXEZPSSLHSROZAEUTCPOZAEPOONERHOTCGKEHTKDJOUSEKASZSIXAONILZEOULHZZLDPFYNMODOLLARXIESSZXSLIPPERN BOOT SOCK SNEAKER SANDAL SHOE SLIPPER DOLLAR PESO EURO POUND YEN SOLID GAS SCHOOL	GXZPLHZTZETKJSEZSXILZUHZZPFMXIZX

注意：
(1) 样本数据仅为部分测试数据，测试用例全部通过不代表通过本题。
(2) 你必须通过数据库中所有的测试点才能获得该题满分。
(3) java 语言里面的 class name（类名）需要用本题的 Source file name（即：acslword）。
(4) 平台判分规则为调取 10 次 input 值，每次单独判分。

```
1  Enter your program code here
```

Asdan Challenges are proud to use The Cuttle Platform to host our challenges.

The Cuttle system can be used for maths and science competitions, entrance exams or employee exams.