

	0-19 Years					20-44 Years					45-64 Years					65-84 Years					85+ Years				
	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop
Maine	18.4	17	20	611	3,342,767	110.3	107.3	113.4	5,081	4,454,199	731.5	722	741	23,023	3,130,542	2,427.80	2,403.60	2,452.20	38,595	1,594,222	2,415.20	2,352.60	2,479.10	5,635	233,310
Androscoggin	19.8	14.9	25.8	55	279,449	114.2	103.7	125.5	432	377,475	761.9	727.3	797.8	1,818	236,493	2,493.30	2,407.10	2,581.90	3,160	126,849	2,118.40	1,928.80	2,321.60	458	21,620
Aroostook	11.4	7	17.5	21	189,898	105.5	93.1	119.1	262	240,487	730.6	693.4	769.4	1,445	191,102	2,334.40	2,244.70	2,426.80	2,559	109,937	2,237.80	2,005.90	2,489.10	339	15,149
Cumberland	20.6	17.3	24.3	139	682,431	105.5	99.3	112.1	1,061	979,394	714.7	693.7	736.2	4,386	624,354	2,253.50	2,200.50	2,307.40	6,876	304,387	2,435.00	2,297.50	2,578.60	1,171	48,090
Franklin	12.1	5.7	22.8	10	80,768	116.9	96.7	140.2	118	101,108	690.6	632	753.2	512	72,423	2,402.20	2,243.70	2,569.00	856	35,941	2,165.70	1,778.30	2,612.50	109	5,033
Hancock	19.6	12.8	28.8	26	127,684	129.6	113.5	147.5	234	170,453	752.9	707.9	800	1,044	136,512	2,647.40	2,528.80	2,770.10	1,875	71,020	2,812.20	2,501.50	3,150.90	297	10,561
Kennebec	18.9	14.3	24.5	58	313,446	117	106.9	127.8	495	407,430	740.4	709.5	772.3	2,155	290,469	2,470.90	2,390.70	2,553.20	3,584	145,358	2,373.70	2,169.80	2,591.60	498	20,980
Knox	21	12.8	32.6	20	96,046	99.4	83.3	117.8	135	127,976	738.5	687.4	792.5	775	103,251	2,479.90	2,353.90	2,611.00	1,450	58,320	2,278.00	1,984.30	2,602.90	216	9,482
Lincoln	18.8	10.5	31.3	15	82,194	97.6	79.7	118.5	106	100,675	749.3	695.2	806.5	716	91,666	2,493.20	2,359.70	2,632.30	1,305	52,599	2,619.20	2,278.50	2,996.50	212	8,094
Oxford	12.3	7.2	19.8	17	142,785	99.8	86.1	115.2	191	179,209	735.4	691.3	781.7	1,036	138,441	2,391.50	2,283.20	2,503.70	1,831	76,846	2,258.40	1,979.40	2,565.60	236	10,450
Penobscot	19.8	15.6	24.9	76	384,637	123.9	114.5	133.7	654	536,699	761.1	732.3	790.7	2,636	345,528	2,602.20	2,525.00	2,681.10	4,317	167,296	2,437.60	2,234.60	2,654.00	531	21,784
Piscataquis	15.8	6.3	33	7	44,346	111.1	85.2	142.8	63	52,857	700.3	627.8	778.9	341	47,303	2,580.60	2,389.30	2,783.00	674	26,144	2,114.80	1,686.90	2,618.30	84	3,972
Sagadahoc	18.8	11.1	29.8	18	97,653	99.9	83.6	118.5	134	125,152	752.4	695.4	812.8	645	86,703	2,257.60	2,107.10	2,416.00	840	37,602	2,680.10	2,280.90	3,129.00	160	5,970
Somerset	15.7	9.8	23.9	22	137,740	112	97	128.7	202	171,566	736.4	690.5	784.5	961	128,061	2,614.50	2,489.40	2,744.30	1,641	63,475	2,969.40	2,615.40	3,357.90	254	8,554
Waldo	22.7	14	34.7	21	96,895	109.1	91.7	128.9	139	122,439	707.3	655.1	762.7	678	95,452	2,496.80	2,349.70	2,650.80	1,082	43,893	2,330.70	1,943.00	2,773.10	127	5,449
Washington	23.7	14.6	36.4	21	87,731	115.6	96.6	137.4	130	109,191	802.1	744.3	863.2	717	86,559	2,919.70	2,773.20	3,072.00	1,488	51,124	3,002.00	2,620.10	3,424.00	222	7,395
York	17.1	13.6	21.1	85	499,064	104.5	97	112.5	723	652,088	691.2	667.3	715.8	3,150	456,225	2,266.20	2,204.10	2,329.70	5,046	223,431	2,336.70	2,168.90	2,514.10	718	30,727
Unknown	~	~	~	0	0	~	~	~	2	0	~	~	~	8	0	~	~	~	11	0	~	~	~	3	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

Statistic could not be calculated.

Query: {Site and Morphology.Behavior code ICD-O-3} = 'In situ'

AND {Site and Morphology.Site recode} = ' Colon excluding Rectum'

AND {Site and Morphology.Site recode} = ' Stomach'

AND {Site and Morphology.Site recode} = ' Rectum'

AND {Site and Morphology.Site recode} = ' Anus, Anal Canal and Anorectum'

AND {Site and Morphology.Site recode} = ' Larynx'

AND {Site and Morphology.Site recode} = ' Lung and Bronchus'

AND {Site and Morphology.Site recode} = ' Skin excluding Basal and Squamous'

AND {Site and Morphology.Site recode} = ' Breast'

AND {Site and Morphology.Site recode} = ' Corpus Uteri'

AND {Site and Morphology.Site recode} = ' Cervix Uteri'

AND {Site and Morphology.Site recode} = ' Penis'

AND {Site and Morphology.Site recode} = ' Kidney and Renal Pelvis'

AND {Site and Morphology.Site recode} = ' Ureter'

AND {Site and Morphology.Site recode} = ' Urinary Bladder'

AND {Site and Morphology.Site recode} = ' Other Urinary Organs'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Benign'

AND {Site and Morphology.Site recode} = ' Brain and Other Nervous System'

AND {Site and Morphology.Site recode} = ' Endocrine System'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Borderline malignancy'

AND {Site and Morphology.Site recode} = ' Brain and Other Nervous System',' Brain',' Cranial Nerves Other Nervous System',' Endocrine System',' Thyroid',' Other Endocrine including Thymus'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

County compare for Portland, N Deering analysis, Maine 1995-2004

	Rate	Lower CI	Upper CI	Count	Pop
Maine	514.6	510.9	518.4	72,945	12,755,040
Androscoggin	525.8	512.5	539.4	5,923	1,041,886
Aroostook	497.6	483.2	512.2	4,626	746,573
Cumberland	490.7	482.5	499	13,633	2,638,656
Franklin	499.4	475.2	524.6	1,605	295,273
Hancock	557.2	538.8	576.2	3,476	516,230
Kennebec	523.3	510.9	535.9	6,790	1,177,683
Knox	516.6	496.8	537.1	2,596	395,075
Lincoln	524.5	503.2	546.4	2,354	335,228
Oxford	503.5	486.4	521	3,311	547,731
Penobscot	546.2	534.4	558.2	8,214	1,455,944
Piscataquis	519.5	489.9	550.6	1,169	174,622
Sagadahoc	500.8	477.8	524.6	1,797	353,080
Somerset	544.8	525.7	564.5	3,080	509,396
Waldo	516.4	494.1	539.4	2,047	364,128
Washington	597.4	574.4	621.2	2,578	342,000
York	484	474.5	493.8	9,722	1,861,535
Unknown	~	~	~	24	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwarei mod) are 95% for rates.

Statistic could not be calculated.

Query: {Site and Morphology.Behavior code ICD-O-3} = 'In situ'

AND {Site and Morphology.Site recode} = ' Colon excluding Rectum'

AND {Site and Morphology.Site recode} = ' Stomach'

AND {Site and Morphology.Site recode} = ' Rectum'

AND {Site and Morphology.Site recode} = ' Anus, Anal Canal and Anorectum'

AND {Site and Morphology.Site recode} = ' Larynx'

AND {Site and Morphology.Site recode} = ' Lung and Bronchus'

AND {Site and Morphology.Site recode} = ' Skin excluding Basal and Squamous'

AND {Site and Morphology.Site recode} = ' Breast'

AND {Site and Morphology.Site recode} = ' Corpus Uteri'

AND {Site and Morphology.Site recode} = ' Cervix Uteri'

AND {Site and Morphology.Site recode} = ' Penis'

AND {Site and Morphology.Site recode} = ' Kidney and Renal Pelvis'

AND {Site and Morphology.Site recode} = ' Ureter'

AND {Site and Morphology.Site recode} = ' Urinary Bladder'

AND {Site and Morphology.Site recode} = ' Other Urinary Organs'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Benign'

AND {Site and Morphology.Site recode} = ' Brain and Other Nervous System'

AND {Site and Morphology.Site recode} = ' Endocrine System'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Borderline malignancy'

AND {Site and Morphology.Site recode} = ' Brain and Other Nervous System',' Brain',' Cranial Nerves Other Nervous System',' Endocrine System',' Thyroid',' Other Endocrine including Thymus'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

County compare for Portland, N Deering analysis, Maine 1995-2004

	Crude Rate	Lower CI	Upper CI	Count	Pop
Maine	571.9	567.7	576.1	72,945	12,755,040
Androscoggin	568.5	554.1	583.2	5,923	1,041,886
Aroostook	619.6	601.9	637.7	4,626	746,573
Cumberland	516.7	508	525.4	13,633	2,638,656
Franklin	543.6	517.3	570.8	1,605	295,273
Hancock	673.3	651.1	696.1	3,476	516,230
Kennebec	576.6	562.9	590.4	6,790	1,177,683
Knox	657.1	632.1	682.9	2,596	395,075
Lincoln	702.2	674.1	731.2	2,354	335,228
Oxford	604.5	584.1	625.4	3,311	547,731
Penobscot	564.2	552	576.5	8,214	1,455,944
Piscataquis	669.4	631.6	709	1,169	174,622
Sagadahoc	508.9	485.7	533	1,797	353,080
Somerset	604.6	583.5	626.4	3,080	509,396
Waldo	562.2	538.1	587.1	2,047	364,128
Washington	753.8	725	783.5	2,578	342,000
York	522.3	511.9	532.7	9,722	1,861,535
Unknown	~	~	~	24	0

Rates are per 100,000; Confidence intervals are 95% for rates.

Statistic could not be calculated.

Query: {Site and Morphology.Behavior code ICD-O-3} = 'In situ'

AND {Site and Morphology.Site recode} = ' Colon excluding Rectum'

AND {Site and Morphology.Site recode} = ' Stomach'

AND {Site and Morphology.Site recode} = ' Rectum'

AND {Site and Morphology.Site recode} = ' Anus, Anal Canal and Anorectum'

AND {Site and Morphology.Site recode} = ' Larynx'

AND {Site and Morphology.Site recode} = ' Lung and Bronchus'

AND {Site and Morphology.Site recode} = ' Skin excluding Basal and Squamous'

AND {Site and Morphology.Site recode} = ' Breast'

AND {Site and Morphology.Site recode} = ' Corpus Uteri'

AND {Site and Morphology.Site recode} = ' Cervix Uteri'

AND {Site and Morphology.Site recode} = ' Penis'

AND {Site and Morphology.Site recode} = ' Kidney and Renal Pelvis'

AND {Site and Morphology.Site recode} = ' Ureter'

AND {Site and Morphology.Site recode} = ' Urinary Bladder'

AND {Site and Morphology.Site recode} = ' Other Urinary Organs'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Benign'

AND {Site and Morphology.Site recode} = ' Brain and Other Nervous System'

AND {Site and Morphology.Site recode} = ' Endocrine System'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Borderline malignancy'

AND {Site and Morphology.Site recode} = ' Brain and Other Nervous System',' Brain',' Cranial Nerves Other Nervous System',' Endocrine System',' Thyroid',' Other Endocrine including Thymus'

OR {Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

Incidence of Lung and Bronchus CA according to age group by county, Maine 1995-2004.

Incidence of Lung and Bronchus CA according to age group by county, Maine 1995-2004.

	0-19 Years					20-44 Years					45-64 Years					65-84 Years					85+ Years				
	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop
Maine	0.1	0	0.3	3	3,342,767	5.8	5.2	6.6	275	4,454,199	107.7	104.1	111.4	3,400	3,130,542	444.6	434.3	455.1	7,068	1,594,222	306.9	284.8	330.2	716	233,310
Androscoggin	0	0	1.3	0	279,449	6.3	4	9.4	24	377,475	126.6	112.8	141.7	303	236,493	477.3	440	517	603	126,849	379.3	301.7	470.8	82	21,620
Aroostook	0	0	2.1	0	189,898	6.7	3.9	10.8	17	240,487	109.5	95.5	125	220	191,102	423.4	385.7	463.7	466	109,937	316.9	233.6	420.1	48	15,149
Cumberland	0.3	0	1.1	2	682,431	4.7	3.5	6.3	48	979,394	92.6	85.1	100.6	565	624,354	427.6	404.7	451.5	1,302	304,387	320.2	271.7	375	154	48,090
Franklin	0	0	5.1	0	80,768	8.8	4	16.7	9	101,108	110.6	88.1	137.2	83	72,423	353.9	294.7	421.4	126	35,941	178.8	81.8	339.5	9	5,033
Hancock	0	0	3.1	0	127,684	5.9	3	10.7	11	170,453	101.3	85.3	119.5	141	136,512	475.4	425.9	529	337	71,020	293.5	199.4	416.6	31	10,561
Kennebec	0	0	1.2	0	313,446	6.1	4	8.9	27	407,430	108.4	96.8	121	316	290,469	424.6	391.7	459.5	616	145,358	276.5	209.9	357.4	58	20,980
Knox	0	0	4	0	96,046	7.2	3.5	13.4	10	127,976	107.3	88.5	129	114	103,251	389.7	340.8	443.8	228	58,320	284.8	187.7	414.3	27	9,482
Lincoln	0	0	4.9	0	82,194	6.2	2.5	13.2	7	100,675	87.7	70	108.5	85	91,666	437.2	382.4	497.7	229	52,599	308.9	199.9	456	25	8,094
Oxford	0	0	2.8	0	142,785	5.9	3.1	10.5	12	179,209	116.2	99.1	135.4	165	138,441	444.1	398.1	493.9	340	76,846	325.4	225.3	454.7	34	10,450
Penobscot	0.2	0	1.4	1	384,637	6.6	4.6	9.2	35	536,699	114.9	103.9	126.7	399	345,528	526.4	492	562.6	875	167,296	399.4	319.9	492.6	87	21,784
Piscataquis	0	0	9.2	0	44,346	5.2	1.1	15.8	3	52,857	122.3	93.2	157.5	60	47,303	477.1	397.1	568.5	125	26,144	176.2	70.9	363.1	7	3,972
Sagadahoc	0	0	3.9	0	97,653	4.3	1.6	9.6	6	125,152	95.8	76.2	118.9	82	86,703	389.3	328.2	458.5	144	37,602	318.3	191.6	497	19	5,970
Somerset	0	0	2.8	0	137,740	4.3	1.8	8.5	8	171,566	127.5	108.9	148.3	168	128,061	455.3	404.1	511.1	288	63,475	268.9	170.4	403.5	23	8,554
Waldo	0	0	4	0	96,895	6.9	3.2	13.3	9	122,439	121.6	100.5	145.7	117	95,452	399.2	342.1	463.2	175	43,893	256.9	140.5	431.1	14	5,449
Washington	0	0	4.5	0	87,731	11.4	6.1	19.6	13	109,191	139.1	115.8	165.7	126	86,559	577.3	513.3	647.2	295	51,124	338.1	218.8	499.1	25	7,395
York	0	0	0.8	0	499,064	5	3.5	7	36	652,088	99.9	90.9	109.5	455	456,225	412.3	386.1	439.9	919	223,431	237.6	186.2	298.7	73	30,727
Unknown	~	~	~	0	0	~	~	~	0	0	~	~	~	1	0	~	~	~	0	0	~	~	~	0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

Statistic could not be calculated.

{Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

AND {Site and Morphology.Site recode} = ' Lung and Bronchus'

Incidence of Colon CA according to age group by county, Maine 1995-2004.

Incidence of Colon CA according to age group by county, Maine 1995-2004.

	0-19 Years					20-44 Years					45-64 Years					65-84 Years					85+ Years				
	Lower		Upper	Count	Pop	Lower		Upper	Count	Pop	Lower		Upper	Count	Pop	Lower		Upper	Count	Pop	Lower		Upper	Count	Pop
	Rate	CI	CI			Rate	CI	CI			Rate	CI	CI			Rate	CI	CI			Rate	CI	CI		
Maine	0.2	0.1	0.4	6	3,342,767	3.6	3.1	4.2	168	4,454,199	42.3	40.1	44.7	1,334	3,130,542	233.1	225.7	240.8	3,699	1,594,222	386.6	361.8	412.7	902	233,310
Androscoggin	0.3	0	2	1	279,449	4	2.2	6.6	15	377,475	41.7	34	50.8	100	236,493	223.9	198.6	251.4	285	126,849	286.8	219.9	367.6	62	21,620
Aroostook	0	0	2.1	0	189,898	4.3	2.1	7.7	11	240,487	49.9	40.6	60.7	100	191,102	244.1	215.6	275.2	267	109,937	402.7	308	517.2	61	15,149
Cumberland	0.1	0	0.8	1	682,431	3.5	2.5	4.9	36	979,394	35.5	30.9	40.5	217	624,354	210.3	194.4	227.2	646	304,387	426.3	369.9	488.8	205	48,090
Franklin	0	0	5.1	0	80,768	4	1.1	10.3	4	101,108	55.5	40	75.1	42	72,423	244.1	195.1	301.5	86	35,941	218.6	109.1	391.1	11	5,033
Hancock	0	0	3.1	0	127,684	2.6	0.9	6.3	5	170,453	45.9	35.4	58.7	64	136,512	245.4	210.3	284.7	174	71,020	473.4	351.4	624.2	50	10,561
Kennebec	0	0	1.2	0	313,446	3.1	1.7	5.3	13	407,430	48.8	41.1	57.5	142	290,469	212.2	189.2	237.4	307	145,358	429	345	527.3	90	20,980
Knox	0	0	4	0	96,046	0.7	0	4.2	1	127,976	30.5	20.9	43.1	32	103,251	254.4	215.3	298.6	150	58,320	274.2	179.1	401.8	26	9,482
Lincoln	0	0	4.9	0	82,194	2	0.2	7.4	2	100,675	40	28.4	54.8	39	91,666	257.1	215.4	304.5	134	52,599	420.1	290.9	587	34	8,094
Oxford	0	0	2.8	0	142,785	2.7	0.9	6.4	5	179,209	32.5	23.8	43.3	46	138,441	212.3	180.8	247.6	162	76,846	382.8	273.5	521.2	40	10,450
Penobscot	0.5	0.1	1.8	2	384,637	3.2	1.9	5.2	17	536,699	45.1	38.3	52.8	156	345,528	250.6	227	276.1	412	167,296	358.1	283	446.9	78	21,784
Piscataquis	0	0	9.2	0	44,346	4.2	0.5	15	2	52,857	44.7	28	67.8	22	47,303	229.6	175.2	295.6	60	26,144	402.8	230.2	654.2	16	3,972
Sagadahoc	0	0	3.9	0	97,653	2.9	0.8	7.6	4	125,152	55.2	40.5	73.3	47	86,703	223.3	177.5	277.2	82	37,602	335	204.6	517.4	20	5,970
Somerset	0	0	2.8	0	137,740	4.8	2.2	9.3	9	171,566	43.8	33.2	56.7	57	128,061	269.6	230.4	313.5	169	63,475	455.9	324.2	623.3	39	8,554
Waldo	0	0	4	0	96,895	3.9	1.3	9.2	5	122,439	32.3	22	45.9	31	95,452	255.6	209.5	308.7	108	43,893	293.6	167.8	476.8	16	5,449
Washington	1.1	0	6.3	1	87,731	4.3	1.4	10.2	5	109,191	50.6	36.9	67.8	45	86,559	327	279.1	380.7	166	51,124	568	409.3	767.7	42	7,395
York	0.2	0	1.2	1	499,064	4.8	3.3	6.7	34	652,088	42.3	36.6	48.7	193	456,225	221.3	202.2	241.8	491	223,431	364.5	300.1	438.6	112	30,727
Unknown	~	~	~	0	0	~	~	~	0	0	~	~	~	1	0	~	~	~	0	0	~	~	~	0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

Statistic could not be calculated.

{Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

AND {Site and Morphology.Site recode} = ' Colon excluding Rectum'

Incidence of Breast CA according to age group by county, Maine 1995-2004.

	0-19 Years					20-44 Years					45-64 Years					65-84 Years					85+ Years				
	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop
Maine	0.1	0	0.4	2	1,628,772	45.1	42.4	47.9	1,079	2,257,982	260.9	253.1	269	4,159	1,587,660	450.1	436.3	464.1	4,074	902,893	383	354	413.8	645	168,390
Androscoggin	0	0	2.8	0	136,458	42.8	34	53.2	81	189,575	281.9	252.7	313.5	340	119,623	430.4	384.5	480.3	322	74,215	323.8	241.8	424.6	52	16,059
Aroostook	0	0	4.2	0	92,216	36.8	27.1	49	47	120,280	248	217.7	281.2	244	96,650	344.1	299.3	393.8	212	61,543	371.5	264.1	507.8	39	10,499
Cumberland	0	0	1.1	0	330,304	42.3	36.9	48.3	222	497,143	282	263.8	301.1	898	320,836	451.9	421.1	484.4	805	177,162	364.2	304	432.7	129	35,424
Franklin	0	0	10.6	0	40,189	49.5	32	73.1	25	52,274	254.3	205.2	311.6	93	36,341	419.1	334.2	519	84	19,983	398	222.7	656.4	15	3,769
Hancock	0	0	6.4	0	60,655	62	47.1	80.2	59	85,716	235.7	201.3	274.4	167	70,000	524.3	454.9	601.3	205	39,203	417.2	285.3	588.9	32	7,671
Kennebec	0	0	2.5	0	153,020	54.6	45.3	65.3	121	208,501	249.1	224.2	275.9	367	147,269	501.7	454.6	552.3	416	82,898	378.9	287	490.9	57	15,043
Knox	0	0	8.2	0	46,958	35.9	23.2	53.3	25	62,876	279.9	236.6	328.7	149	52,513	487	414.2	568.8	160	33,014	442.1	296.1	634.9	29	6,560
Lincoln	0	0	10.2	0	39,642	37.3	23.7	56.7	23	51,468	269.3	224.5	320.4	128	46,682	410.8	339.7	492.4	117	28,386	313.4	185.7	495.3	18	5,744
Oxford	0	0	5.6	0	70,399	32.7	22.5	46.1	33	91,337	231.3	196.9	269.9	162	69,003	452.9	390.7	522	190	42,219	308.8	195.8	463.4	23	7,447
Penobscot	0.9	0.1	3.5	2	187,486	50.6	42.4	59.9	136	271,356	265.6	242.1	290.9	466	175,355	448.1	406.6	492.8	426	95,014	396.6	305.4	506.4	64	16,138
Piscataquis	0	0	19	0	21,832	43.3	22.9	75.3	13	26,779	229.9	172.6	300.1	54	23,202	485.4	378.7	612.7	71	14,383	464.6	247.4	794.5	13	2,798
Sagadahoc	0	0	8.1	0	47,257	63.5	46.1	85.5	44	62,956	264	217.9	316.9	115	43,780	434.1	350.1	532.1	93	21,301	514.4	322.4	778.8	22	4,277
Somerset	0	0	5.8	0	67,234	45.9	33.2	61.9	43	87,383	256.6	218.9	298.9	165	63,922	460.3	392.4	536.7	163	35,322	438.6	289	638.1	27	6,156
Waldo	0	0	8.4	0	46,689	42.4	28.4	61.1	29	62,960	236.2	194.6	283.9	113	47,850	471.2	388.3	566.6	113	24,095	545.6	333.2	842.6	20	3,666
Washington	0	0	9	0	43,688	43.5	28.2	64.4	25	54,771	253.3	208	305.6	110	42,960	504.8	425.6	594.5	144	28,435	428	268.2	648	22	5,140
York	0	0	1.6	0	244,745	42	35.6	49.2	153	332,607	253.2	233.1	274.5	587	231,674	438.7	402.9	476.9	552	125,720	377.3	300.5	467.7	83	21,999
Unknown	~	~	~	0	0	~	~	~	0	0	~	~	~	1	0	~	~	~	1	0	~	~	~	0	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwari mod) are 95% for rates.

Statistic could not be calculated.

{Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

AND {Site and Morphology.Site recode} = ' Breast'

Female only

Incidence of Breast CA according to age group by county, Maine 1995-2004.

Incidence of Prostate CA according to age group by county, Maine 1995-2004.

Incidence of Prostate CA according to age group by county, Maine 1995-2004.

	0-19 Years					20-44 Years					45-64 Years					65-84 Years					85+ Years				
	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop	Rate	Lower CI	Upper CI	Count	Pop
Maine	0	0	0.2	0	1,713,995	1.5	1.1	2.1	36	2,196,217	196.1	189.2	203.2	3,035	1,542,882	983.6	960.2	1,007.40	6,779	691,329	788.7	721.8	860	512	64,920
Androscoggin	0	0	2.6	0	142,991	1.6	0.3	4.7	3	187,900	194.3	170	221.2	229	116,870	1,186.10	1,094.00	1,283.90	616	52,634	701.3	498.7	958.7	39	5,561
Aroostook	0	0	4.1	0	97,682	0.8	0	4.5	1	120,207	175.4	150.2	203.5	174	94,452	1,120.30	1,026.40	1,220.50	533	48,394	924.7	669.2	1,245.60	43	4,650
Cumberland	0	0	1.1	0	352,127	1.8	0.8	3.5	9	482,251	219.9	203.2	237.6	644	303,518	802	753.6	852.7	1,026	127,225	655.3	521.9	812.3	83	12,666
Franklin	0	0	9.9	0	40,579	1.9	0	11.1	1	48,834	197.6	155.1	248.2	74	36,082	1,053.00	898.8	1,226.10	168	15,958	949.4	490.6	1,658.40	12	1,264
Hancock	0	0	5.8	0	67,029	0	0	4.4	0	84,737	200.9	168.7	237.5	137	66,512	968.9	863.7	1,083.50	310	31,817	761.2	477.1	1,152.50	22	2,890
Kennebec	0	0	2.4	0	160,426	0.5	0	2.7	1	198,929	191.3	169.3	215.4	274	143,200	1,091.60	1,010.70	1,177.20	679	62,460	741.1	538.5	994.9	44	5,937
Knox	0	0	7.8	0	49,088	1.4	0	8.3	1	65,100	181.9	146.8	222.9	93	50,738	1,083.30	958.7	1,219.70	274	25,306	410.7	212.2	717.4	12	2,922
Lincoln	0	0	9.5	0	42,552	0	0	7.9	0	49,207	214.7	175.4	260.4	104	44,984	1,047.30	921.9	1,185.10	253	24,213	1,191.50	791.7	1,722.00	28	2,350
Oxford	0	0	5.4	0	72,386	1	0	6	1	87,872	249.8	214.2	289.5	176	69,438	996.4	893.9	1,107.60	346	34,627	932.4	619.6	1,347.60	28	3,003
Penobscot	0	0	2	0	197,151	1.5	0.4	3.9	4	265,343	189.4	169.3	211.2	322	170,173	967	895.7	1,042.60	695	72,282	690.8	491.2	944.3	39	5,646
Piscataquis	0	0	17.8	0	22,514	0	0	14.9	0	26,078	185.4	136.2	246.9	47	24,101	987.8	816.7	1,184.50	118	11,761	255.5	52.7	746.8	3	1,174
Sagadahoc	0	0	7.5	0	50,396	2.8	0.3	10.9	2	62,196	185	146.2	230.8	78	42,923	837.1	700.5	992.6	135	16,301	826.9	452.1	1,387.50	14	1,693
Somerset	0	0	5.5	0	70,506	3.2	0.7	9.6	3	84,183	172.5	142.2	207.2	114	64,139	1,194.60	1,067.60	1,332.40	327	28,153	1,584.70	1,121.40	2,175.10	38	2,398
Waldo	0	0	7.5	0	50,206	0	0	6.3	0	59,479	128.5	98.5	164.7	62	47,602	1,046.50	905.5	1,203.40	202	19,798	504.8	230.8	958.2	9	1,783
Washington	0	0	9	0	44,043	0	0	6.8	0	54,420	220.6	179.4	268.4	100	43,599	1,082.50	950.3	1,228.00	244	22,689	975.6	611.4	1,477.10	22	2,255
York	0	0	1.5	0	254,319	2.8	1.3	5.2	10	319,481	182.3	165	200.9	406	224,551	870.7	812.9	931.6	850	97,711	859.3	675.9	1,077.10	75	8,728
Unknown	~	~	~	0	0~	~	~	~	0	0~	~	~	~	1	0~	~	~	~	3	0~	~	~	~	1	0

Rates are per 100,000 and age-adjusted to the 2000 US Std Population (19 age groups - Census P25-1130) standard; Confidence intervals (Tiwarei mod) are 95% for rates.

Statistic could not be calculated.

{Site and Morphology.Behavior code ICD-O-3} = 'Malignant'

AND {Site and Morphology.Site recode} = ' Prostate'

Male only