

Table 1. Incidence of All CA by age group (0-19 years) location, Maine 1995-2004.

Location	Population	# CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	11,760	10	85.0	40.8	156.4		
Portland excluding North Deering	55,500	19	34.2	20.6	53.5	4.0	0.005469
Cumberland	682,431	139	20.4	17.1	24.0	2.4	0.000158
Maine	3,342,767	609	18.2	16.8	19.7	2.1	0.000056

*Rates are per 100,000 population. Malignant only.

Table 2. Incidence of Acute Lymphocystic Leukemia by age group (0-19 years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	11,760	1					
Portland excluding N.Deering	55,500	5	9.0	2.9	21.0	1.0584	0.367276
Cumberland	682,431	22	3.2	2.0	4.9	0.376320	0.2583
Maine	3,342,767	99	3.0	2.4	3.6	0.35	0.246641

*Rates are per 100,000 population. Malignant only.

Table 3. Incidence of Brain Cancer by age group (0-19 years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	11,760	2	17.0				
Portland excluding N.Deering	55,500	2	3.6			0.42336	0.058685
Cumberland	682,431	28	4.1	2.7	5.9	0.482160	0.071772
Maine	3,342,767	113	3.4	2.8	4.1	0.4	0.053626

*Rates are per 100,000 population.

Note: Brain and other central nervous system analysis includes Malignant and In-situ behavior codes.

Table 4. Incidence of Myeloid and Monocytic Leukemia by age group (0-19 years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	11,760	2	17.0				
Portland excluding N.Deering	55,500	0					
Cumberland	682,431	8	1.2	0.5	2.3	0.14112	0.008647
Maine	3,342,767	34	1.0	0.7	1.4	0.12	0.006386

*Rates are per 100,000 population. Malignant only.

Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	11,760	2	17.0				
Portland excluding N.Deering	55,500	2	3.6			0.42336	0.058685
Cumberland	682,431	16	2.3	1.3	3.8	0.27048	0.027911
Maine	3,342,767	53	1.6	1.2	2.1	0.19	0.014927

*Rates are per 100,000 population. Malignant only.

location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL
North Deering	11,760	0			
Portland excluding N.Deering	55,500	3			
Cumberland	682,431	9	1.3	0.6	2.5
Maine	3,342,767	40	1.2	0.9	1.6

*Rates are per 100,000 population. Malignant only.

Table 7. Incidence of All Cancers by age group (20-44 years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	34,370	53	154.2	115.5	201.7		
Portland excluding North Deering	248,800	197	79.2	68.5	91.0	27.2	0.000004
Cumberland	979,394	1,061	108.3	101.9	115.1	37.22271	0.002859
Maine	4,454,199	5,081	114.1	111.0	117.3	39.21617	0.006185

*Rates are per 100,000 population.

Table 8. Incidence of Lung CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Lung CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	34,370	2	5.8	0.7	21.0		
Portland excluding North Deering	248,800	6	2.4	0.9	5.2	0.8	0.1491113561
Cumberland	979,394	48	4.9	3.6	6.5	1.68413	0.2632163502
Maine	4,454,199	275	6.2	5.5	6.9	2.1	0.2700164243

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 9. Incidence of Colon CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Colon CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	34,370	2	5.8	0.7	21.0		
Portland excluding North Deering	248,800	7	2.8	1.1	5.8	1.0	0.1768876424
Cumberland	979,394	36	3.7	2.6	5.1	1.27169	0.2266963706
Maine	4,454,199	168	3.8	3.2	4.4	1.3	0.2302893651

*Rates are per 100,000 population. ICDO3-Behavior=3 (malignant).

Table 10. Incidence of Breast CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Breast CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	18,460	8	43.3	18.7	85.4		
Portland excluding North Deering	123,210	34	27.6	19.1	38.6	5.1	0.0690069278
Cumberland	497,143	222	44.7	39.0	50.9	8.25162	0.1390465451
Maine	2,257,982	1,079	47.8	45.0	50.7	8.8	0.1344464728

*Rates are per 100,000 population. Females only. ICDO3-Behavior=3(malignant).

Table 11. Incidence of Prostate CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Prostate CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	15,910	1	6.3	0.2	35.0		
Portland excluding North Deering	125,590	3	2.4	0.5	7.0	0.4	0.2606456111
Cumberland	482,251	9	1.9	0.9	3.5	0.30229	0.2234296996
Maine	2,196,217	36	1.6	1.1	2.3	0.3	0.2222454662

*Rates are per 100,000 male population. ICDO3-Behavior = 3(malignant)

Table 12. Incidence of Melanoma CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Melanoma	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	34,370	9	26.2	12.0	49.7		
Portland excluding North Deering	248,800	18	7.2	4.3	11.4	2.5	0.0008074632
Cumberland	979,394	106	10.8	8.9	13.1	3.71196	0.0090070549
Maine	4,454,199	551	12.4	11.4	13.4	4.3	0.0180192602

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 13. Incidence of Thyroid CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Thyroid	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	34,370	6	17.5	6.4	38.0		
Portland excluding North Deering	248,800	11	4.4	2.2	7.9	1.5	0.0036617264
Cumberland	979,394	86	8.8	7.0	10.8	3.02456	0.0516524601
Maine	4,454,199	384	8.6	7.8	9.5	3.0	0.0481991177

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 14. Incidence of Kidney CA by age group (20-44 years) location, Maine 1995-2004.

Location	Population	# Kidney	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	34,370	3	8.7	1.8	25.5		
Portland excluding North Deering	248,800	2	0.8	0.1	2.9	0.3	0.0026317443
Cumberland	979,394	31	3.2	2.2	4.5	1.09984	0.0738214953
Maine	4,454,199	121	2.7	2.3	3.2	0.9	0.0526571927

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 15. Incidence of All Cancers by age group (45-64 years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	22,480	162	720.6	613.9	840.6		
Portland excluding North Deering	106,720	705	660.6	612.7	711.2	148.5029	0.017269
Cumberland	624,354	4,386	702.5	681.8	723.6	157.922	0.029734
Maine	3,130,542	23,016	735.2	725.7	744.8	165.273	0.030322

*Rates are per 100,000 population.

Table 16. Incidence of Lung CA by age group (45-64 years) location, Maine 1995-2004.

Location	Population	# Lung CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	22,480	25	111.2	72.0	164.2		
Portland excluding North Deering	106,720	119	111.5	92.4	133.4	25.1	0.079516
Cumberland	624,354	565	90.5	83.2	98.3	20.3444	0.048419
Maine	3,130,542	3,400	108.6	105.0	112.3	24.4	0.078943

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 17. Incidence of Colon CA by age group (45-64 years) location, Maine 1995-2004.

Location	Population	# Colon CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	22,480	6	26.7	9.8	58.1		
Portland excluding North Deering	106,720	33	30.9	21.3	43.4	6.9	0.150123
Cumberland	624,354	217	34.8	30.3	39.7	7.82304	0.127473
Maine	3,130,542	1,334	42.6	40.4	45.0	9.6	0.073632

*Rates are per 100,000 population. ICDO3-Behavior=3 (malignant).

Table 18. Incidence of Breast CA by age group (45-64 years) location, Maine 1995-2004.

Location	Population	# Breast CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	11,750	40	340.4	234.9	445.9		
Portland excluding North Deering	55,350	139	251.1	211.1	296.5	29.5	0.011755
Cumberland	320,836	898	279.9	261.9	298.8	32.88825	0.030676
Maine	1,587,660	4,159	262.0	254.1	270.0	30.8	0.017952

*Rates are per 100,000 population. Females only. ICDO3-Behavior=3(malignant).

Table 19. Incidence of Prostate CA by age group (45-64 years) location, Maine 1995-2004.

Location	Population	# Prostate CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	10,730	23	214.4	135.9	321.6		
Portland excluding North Deering	51,370	87	169.4	135.6	208.9	18.4	0.048437
Cumberland	303,518	644	212.2	196.1	229.1	22.76906	0.082788
Maine	1,542,882	3,035	196.7	189.8	203.8	21.1	0.076276

*Rates are per 100,000 male population. ICDO3-Behavior = 3(malignant)

Table 20. Incidence of All Cancers by age group (65-84 years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	15,880	328	2065.5	1848.0	2301.6		
Portland excluding North Deering	57,920	1,212	2092.5	1976.4	2213.7	351.4879	0.009867
Cumberland	304,387	6,876	2259.0	2205.9	2313.0	358.7292	0.005678
Maine	1,594,222	38,593	2420.8	2396.7	2445.1	384.4389	0.000281

*Rates are per 100,000 population.

Table 21. Incidence of Lung CA by age group (65-84 years) location, Maine 1995-2004.

Location	Population	# Lung CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	15,880	61	384.1	287.7	480.5		
Portland excluding North Deering	57,920	272	469.6	415.5	528.9	74.57248	0.013658
Cumberland	304,387	1,302	427.7	404.8	451.6	67.91876	0.03541
Maine	1,594,222	7,068	443.4	433.1	453.8	70.4	0.02643

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 22. Incidence of Colon CA by age group (65-84 years) location, Maine 1995-2004.

Location	Population	# Colon CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	15,880	32	201.5	131.7	271.3		
Portland excluding North Deering	57,920	124	214.1	178.1	255.3	33.99908	0.066247
Cumberland	304,387	646	212.2	196.2	229.2	33.69736	0.067347
Maine	1,594,222	3,699	232.0	224.6	239.6	36.8	0.05069

*Rates are per 100,000 population. ICDO3-Behavior=3 (malignant).

Table 23. Incidence of Breast CA by age group (65-84 years) location, Maine 1995-2004.

Location	Population	# Breast CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	10,070	46	456.8	324.8	588.8		
Portland excluding North Deering	35,040	130	371.0	310.0	440.5	37.3597	0.023167
Cumberland	177,162	805	454.4	423.5	486.9	45.75808	0.058677
Maine	902,893	4,074	451.2	437.5	465.3	45.4	0.058483

*Rates are per 100,000 population. Females only. ICDO3-Behavior=3(malignant).

Table 24. Incidence of Prostate CA by age group (65-84 years) location, Maine 1995-2004.

Location	Population	# Prostate CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	5,810	41	705.7	489.7	921.7		
Portland excluding North Deering	22,880	152	664.3	562.9	778.7	38.59583	0.057779
Cumberland	127,225	1,026	806.4	757.8	857.3	46.85184	0.042449
Maine	691,329	6,779	980.6	957.4	1004.2	57.0	0.005148

*Rates are per 100,000 male population. ICDO3-Behavior = 3(malignant)

Table 25. Incidence of All Cancers by age group (85 plus years) and location, Maine 1995-2004.

Location	Population	# Cancers	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	3,470	89	2564.8	2059.7	3156.3		
Portland excluding North Deering	10,520	248	2357.4	2073.1	2669.8	81.80178	0.031055
Cumberland	48,090	1,171	2435.0	2297.5	2578.6	84.4945	0.037544
Maine	233,310	5,635	2415.2	2352.6	2479.1	83.80744	0.036087

*Rates are per 100,000 population.

Table 26. Incidence of Lung CA by age group (85 plus years) location, Maine 1995-2004.

Location	Population	# Lung CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	3,470	15	432.3	241.9	713.0		
Portland excluding North Deering	10,520	27	256.7	169.1	373.4	8.90749	0.018254
Cumberland	48,090	154	320.2	271.7	375.0	11.11094	0.055506
Maine	233,310	716	306.9	284.8	330.2	10.7	0.047567

*Rates are per 100,000 population. ICDO3-Behavior=3(malignant).

Table 27. Incidence of Colon CA by age group (85 plus years) location, Maine 1995-2004.

Location	Population	# Colon CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	3,470	10	288.2	138.2	550.0		
Portland excluding North Deering	10,520	48	456.3	336.4	605.0	15.8	0.036273
Cumberland	48,090	205	426.3	369.9	488.8	14.79261	0.05204
Maine	233,310	902	386.6	361.8	412.7	13.4	0.077936

*Rates are per 100,000 population. ICDO3-Behavior=3 (malignant).

Table 28. Incidence of Breast CA by age group (85 plus years) location, Maine 1995-2004.

Location	Population	# Breast CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	2,980	12	402.7	208.1	703.4		
Portland excluding North Deering	8,230	31	376.7	255.9	534.7	11.2	0.11142
Cumberland	35,424	129	364.2	304.0	432.7	10.85316	0.107862
Maine	168,390	645	383.0	354.0	413.8	11.4	0.112607

*Rates are per 100,000 population. Females only. ICDO3-Behavior=3(malignant).

Table 29. Incidence of Prostate CA by age group (85 plus years) location, Maine 1995-2004.

Location	Population	# Prostate CA	Crude Rate	95% LCL	95% UCL	Expected number	Prob
North Deering	490	5	1020.4	331.3	2381.3		
Portland excluding North Deering	2,290	9	393.0	179.4	746.1	1.9	0.032169
Cumberland	12,666	83	655.3	521.9	812.3	3.21097	0.114682
Maine	64,920	512	788.7	721.8	860.0	3.9	0.152193

*Rates are per 100,000 male population. ICDO3-Behavior = 3(malignant)