A nightly decision instrument for Kingsferry Freight

Rushes arrive from three cameras across Ashgrove Manufacturing and Netherfield Provisions. The package turns a technical observation into a production decision without pretending that an unapproved threshold is already policy.

Decision need: protect the next call from both avoidable reshoots and late drift discovery.

Scope and source basis

Two depots: Ashgrove Manufacturing (United Kingdom, Days 1–17) and Netherfield Provisions (Netherlands, Days 18–34). Three camera sources: KFR-A, KFR-B, KFR-C. Nightly review occurs at the DIT cart before the next call.

Source-backed fields: exposure index / waveform note; focus distance / sharpness note; integrated loudness floor in LUFS; like-for-like comparison basis.

Five domains, one consistent record

Domain	Record with	Why it matters
Exposure	Exposure index / waveform note	A visible exposure change can create a false alarm or a real continuity risk.
Focus	Focus distance / sharpness note	Capture the observation before a production conclusion.
Audio floor	Integrated loudness floor; LUFS	Keep the unit and approved comparison floor visible.
Sensor/camera drift	Like-for-like rush comparison	Gradual change is easier to see over time.
Depot/camera comparison	Same scene / camera / depot basis	Comparison must say what is being compared.

Three controlled outcomes

SHOOT-STOP means a finding requires the next day's shoot to stop pending production direction. WATCH-AND-LOG means record evidence and monitor without stopping. UNRESOLVED means evidence, comparison, or approval is incomplete. These are the only outcome choices in the workbook.

The distinction is operational: stop, watch, or hold unresolved. It is not a technical threshold by itself.

Threshold entry stays in one place

The Threshold Instrument has one row per domain and columns for Observation, Unit or comparison basis, Threshold or decision rule, Outcome, Evidence required, Owner, Approval status, and Notes. Pending cells visibly read “TO BE COMPLETED — DO NOT USE”.

No numerical limit or outcome is approved in this deck. Complete and approve the workbook with the responsible stakeholders.

Evidence makes the decision traceable

Yolanda records the rush identifier, measured value, unit, comparison basis, observation label, outcome, evidence reference, escalation status, and review status. The Evidence Index pairs each evidence reference with its rush identifier and file/frame reference.

A later reviewer should be able to start at an observation and find the rush and evidence without guessing.

Ownership is explicit

Yolanda Schuyler is the DIT-side operator: she records the technical observation and evidence, then escalates using the approved rule. Beatriz Ilechukwu is the production-side approver: she approves thresholds and production outcomes. The package uses OPEN, WATCHING, ESCALATED, and CLOSED for review status.

Approval boundary: a pending marker is not an approved threshold; the workbook must be completed and approved before use as policy.

NEXT ACTION

Approval and handoff before Monday

Review the source basis and complete the pending rule cells in the workbook. Confirm the approved owner and outcome for each domain. Keep the guide with the package for vocabulary and scope. Use this deck to align cross-functional stakeholders, then hand the workbook to the DIT cart.

The completion authority is the workbook. The guide explains it. The deck aligns the decision.