Cavendish Engineering referral-handling review

Internal control standard and de-identified operational record packet

Document owner	Referral Operations	**Issued**	17 Jul 2026
Evidence period	01 Apr 2026 to 30 Jun 2026	**Evidence cut-off**	30 Jun 2026, 17:00 local
Record population	32 referral records in the operational extract	**Handling team**	Cavendish Engineering Referral Operations

1. Purpose and scope

This packet sets the internal referral-handling controls used for Cavendish Engineering's review and supplies the de-identified operational evidence available at the stated cut-off. It covers referrals received by the Referral Operations team during the evidence period. The packet contains no clinical assessment and no patient names or direct identifiers.

The record population is split into four workflow groups: external transfers closed by the cut-off (8 records); external transfers awaiting receiving-service confirmation (8); internal coordination, both closed and open (8); and referrals returned before any external disclosure (8). A record marked **Pending receipt** or **Open** is not a closed referral at the cut-off.

2. Evidence terms

Term	Meaning in this packet
Compliant	Direct record evidence supports every applicable part of the mandatory control.
Noncompliant	Direct record evidence contradicts a mandatory control. A missing field by itself is not proof of noncompliance.
Not established	A required fact is absent, ambiguous, or cannot be verified from the packet.
Recommended practice	An operational quality expectation. It is reported separately and is not a mandatory-control failure solely because it was not followed.

Record locators R-01 to R-32 are operational row references only. They are retained to make this packet traceable without identifying a person.

3. Mandatory referral-handling controls

Control family	Required evidence
IC-1 | Intake information	Each referral record must evidence: a unique referral key, date received, referring source, requested service, and destination or receiving service.
IC-2 | Basis before external disclosure	Before information is disclosed to an external receiving service, the record must contain a documented authorization or another documented operational basis allowed by this internal standard.
IC-3 | Routing and receipt	A transfer sent outside the Referral Operations desk must show the destination and confirmation from the receiving service where the referral has been completed. A record still marked Pending receipt at the cut-off needs a destination, current status and accountable role; receipt confirmation is not yet due solely because it is pending.
IC-4 | External disclosure log	Where an external disclosure occurred, it must be represented in the applicable access or disclosure log. This control does not apply where no external disclosure occurred.
IC-5 | Closure or current disposition	For a Closed or Returned record, show the outcome or disposition, closure date and responsible role. For an Open or Pending receipt record, show the current status and accountable role; an outcome and closure date are not due while the referral remains open.

4. Applicability by workflow

Workflow group	IC-2 / IC-4	IC-3	IC-5 at cut-off
External transfer - Closed	Applies if sent externally	Destination + receiving-service confirmation	Outcome, date, responsible role
External transfer - Pending receipt	Applies if external send is recorded	Destination; receipt confirmation not yet due	Current status + accountable role
Internal coordination	Not applicable: no external disclosure	Internal handoff + service acceptance	Closed: outcome/date/role; Open: status/role
Returned before external disclosure	Not applicable	Not applicable: no transfer occurred	Disposition, date, responsible role

A later administrative entry does not remedy the sequencing requirement in IC-2. Conversely, an absent or unclear entry is classified as not established unless the record directly shows the mandatory requirement was contradicted.

5. Recommended operating practices

Practice	Expectation	How to report it
RP-1 | Acknowledgement	Aim to acknowledge the referral within **2 business days** after receipt.	Record as on target, late, or timing not evidenced. It is not a mandatory-control failure by itself.
RP-2 | Reason category	Use the standard referral-reason category in the operational record.	Record as present or not recorded; treat as a quality improvement point.
RP-3 | Completeness check	Obtain a second-person completeness or quality check where workload allows.	Record as present or not recorded; do not promote it to a mandatory control.
RP-4 | Supervisory monitoring	Carry out periodic supervisory review or trend monitoring.	Report available monitoring evidence separately from case-level mandatory control results.

6. Publication conditions

	A public-facing assessment must be de-identified and traceable to this evidence packet.
	A bounded or limited review may support only a bounded assurance statement, with the reviewed coverage and its limitations disclosed.
	Material mandatory exceptions or adverse findings must not be omitted.
	The assessment must not imply that the full referral population complied when only a subset was reviewed or mandatory evidence remains unresolved.

Source location guide: controls and evidence terms are on pages 1-2; recommended practices and publication conditions are on page 3; record-register sections follow by workflow group. The report date is later than the evidence cut-off and is not an additional evidence date.

7. Operational record register | external transfer - Closed

Eight external transfers marked Closed at the evidence cut-off. External disclosure, destination, receipt confirmation and closure evidence are assessed where shown.

Register key: Intake: 5/5 = key, received date, source, requested service and destination recorded; src- = referring source absent; dest- = destination absent. Basis: ok = documented before external send; after = external send preceded authorization; missing = no basis record in packet; n/a = no external disclosure. Route: full = destination + receipt confirmation; receipt- = confirmation absent; pending-ok = destination plus pending status/owner; route-dest- = destination absent; internal-ok = handoff + service acceptance; n/a = no transfer. Log: present = applicable external disclosure log entry; extract- = log extract unavailable; n/a = no external disclosure. Close/current: closed-ok = outcome/date/role; date- = closure date absent; ongoing-ok = status/role; owner- = accountable role absent. Ack is business days; nr = timing not recorded.

Row	Workflow / status	Recv'd	Intake / basis	Route / external log	Closure / current state	Recommended cues
R-01	EXT-CLOSED Closed	01-Apr-26	Intake 5/5 Basis ok	Route full Log present	closed-ok	Ack 1 | category Y 2nd check Y
R-02	EXT-CLOSED Closed	03-Apr-26	Intake 5/5 Basis ok	Route full Log present	closed-ok	Ack 3 | category Y 2nd check Y
R-03	EXT-CLOSED Closed	08-Apr-26	Intake src- Basis ok	Route full Log present	closed-ok	Ack 2 | category Y 2nd check Y
R-04	EXT-CLOSED Closed	16-Apr-26	Intake 5/5 Basis ok	Route full Log present	closed-ok	Ack 1 | category N 2nd check Y
R-05	EXT-CLOSED Closed	24-Apr-26	Intake 5/5 Basis after (send 10:14; authorization 10:27)	Route full Log present	closed-ok	Ack 1 | category Y 2nd check Y
R-06	EXT-CLOSED Closed	05-May-26	Intake 5/5 Basis ok	Route full Log present	closed-ok	Ack nr | category Y 2nd check N
R-07	EXT-CLOSED Closed	12-May-26	Intake 5/5 Basis ok	Route receipt- (destination shown) Log present	closed-ok	Ack 3 | category Y 2nd check Y
R-08	EXT-CLOSED Closed	21-May-26	Intake 5/5 Basis ok	Route full Log present	closed-ok	Ack 2 | category Y 2nd check N

Sequence note for R-05: the register records the external send before the authorization entry. This is direct contrary evidence for the timing requirement in IC-2, rather than a missing-field issue.

8. Operational record register | external transfer - Pending receipt

Eight external transfers awaiting receiving-service confirmation at the evidence cut-off. Receipt confirmation and a closure outcome are not due solely because the status remains pending.

Register key: Intake: 5/5 = key, received date, source, requested service and destination recorded; src- = referring source absent; dest- = destination absent. Basis: ok = documented before external send; after = external send preceded authorization; missing = no basis record in packet; n/a = no external disclosure. Route: full = destination + receipt confirmation; receipt- = confirmation absent; pending-ok = destination plus pending status/owner; route-dest- = destination absent; internal-ok = handoff + service acceptance; n/a = no transfer. Log: present = applicable external disclosure log entry; extract- = log extract unavailable; n/a = no external disclosure. Close/current: closed-ok = outcome/date/role; date- = closure date absent; ongoing-ok = status/role; owner- = accountable role absent. Ack is business days; nr = timing not recorded.

Row	Workflow / status	Recv'd	Intake / basis	Route / external log	Closure / current state	Recommended cues
R-09	EXT-PENDING Pending receipt	29-May-26	Intake 5/5 Basis ok	Route pending-ok (destination + owner) Log present	ongoing-ok	Ack 1 | category Y 2nd check Y
R-10	EXT-PENDING Pending receipt	02-Jun-26	Intake 5/5 Basis ok	Route pending-ok (destination + owner) Log present	ongoing-ok	Ack 4 | category Y 2nd check Y
R-11	EXT-PENDING Pending receipt	04-Jun-26	Intake 5/5 Basis missing (external send recorded)	Route pending-ok (destination + owner) Log present	ongoing-ok	Ack nr | category Y 2nd check N
R-12	EXT-PENDING Pending receipt	09-Jun-26	Intake 5/5 Basis ok	Route pending-ok (destination + owner) Log extract-	ongoing-ok	Ack 2 | category Y 2nd check Y
R-13	EXT-PENDING Pending receipt	11-Jun-26	Intake 5/5 Basis ok	Route pending-ok (destination + owner) Log present	ongoing-ok	Ack nr | category N 2nd check Y
R-14	EXT-PENDING Pending receipt	16-Jun-26	Intake dest- Basis ok	Route route-dest- Log present	ongoing-ok	Ack 3 | category N 2nd check N
R-15	EXT-PENDING Pending receipt	18-Jun-26	Intake 5/5 Basis ok	Route pending-ok (destination + owner) Log present	ongoing-ok	Ack 1 | category Y 2nd check Y
R-16	EXT-PENDING Pending receipt	23-Jun-26	Intake 5/5 Basis ok	Route pending-ok (destination + owner) Log present	ongoing-ok	Ack 2 | category Y 2nd check N

Pending-receipt rows should not be read as missing a confirmation merely because confirmation has not yet occurred. The destination, pending status and accountable role are the applicable routing/current-state evidence at the cut-off.

9. Operational record register | internal coordination

Eight internal coordination records. There is no external disclosure in this workflow, so IC-2 and IC-4 do not apply; internal handoff and service acceptance are used for IC-3.

Register key: Intake: 5/5 = key, received date, source, requested service and destination recorded; src- = referring source absent; dest- = destination absent. Basis: ok = documented before external send; after = external send preceded authorization; missing = no basis record in packet; n/a = no external disclosure. Route: full = destination + receipt confirmation; receipt- = confirmation absent; pending-ok = destination plus pending status/owner; route-dest- = destination absent; internal-ok = handoff + service acceptance; n/a = no transfer. Log: present = applicable external disclosure log entry; extract- = log extract unavailable; n/a = no external disclosure. Close/current: closed-ok = outcome/date/role; date- = closure date absent; ongoing-ok = status/role; owner- = accountable role absent. Ack is business days; nr = timing not recorded.

Row	Workflow / status	Recv'd	Intake / basis	Route / external log	Closure / current state	Recommended cues
R-17	INTERNAL Closed	01-Apr-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	closed-ok	Ack 2 | category Y 2nd check Y
R-18	INTERNAL Closed	14-Apr-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	closed-ok	Ack 4 | category Y 2nd check N
R-19	INTERNAL Closed	30-Apr-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	closed-ok	Ack 1 | category N 2nd check Y
R-20	INTERNAL Open	07-May-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	ongoing-ok	Ack 1 | category Y 2nd check Y
R-21	INTERNAL Open	20-May-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	owner- (open status shown)	Ack nr | category Y 2nd check N
R-22	INTERNAL Closed	27-May-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	closed-ok	Ack 2 | category N 2nd check Y
R-23	INTERNAL Open	03-Jun-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	ongoing-ok	Ack 3 | category Y 2nd check Y
R-24	INTERNAL Closed	22-Jun-26	Intake 5/5 Basis n/a	Route internal-ok Log n/a	closed-ok	Ack 1 | category Y 2nd check N

Rows R-20, R-21 and R-23 remain Open at the cut-off. An open status is distinct from a record that lacks closure evidence; current status and accountable-role evidence are the applicable requirements.

10. Operational record register | returned before external disclosure

Eight referrals returned before any external disclosure or transfer. IC-2, IC-3 and IC-4 do not apply; closure/disposition evidence remains required.

Register key: Intake: 5/5 = key, received date, source, requested service and destination recorded; src- = referring source absent; dest- = destination absent. Basis: ok = documented before external send; after = external send preceded authorization; missing = no basis record in packet; n/a = no external disclosure. Route: full = destination + receipt confirmation; receipt- = confirmation absent; pending-ok = destination plus pending status/owner; route-dest- = destination absent; internal-ok = handoff + service acceptance; n/a = no transfer. Log: present = applicable external disclosure log entry; extract- = log extract unavailable; n/a = no external disclosure. Close/current: closed-ok = outcome/date/role; date- = closure date absent; ongoing-ok = status/role; owner- = accountable role absent. Ack is business days; nr = timing not recorded.

Row	Workflow / status	Recv'd	Intake / basis	Route / external log	Closure / current state	Recommended cues
R-25	RETURNED Returned	06-Apr-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack 1 | category Y 2nd check Y
R-26	RETURNED Returned	19-Apr-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack 3 | category Y 2nd check N
R-27	RETURNED Returned	06-May-26	Intake 5/5 Basis n/a	Route n/a Log n/a	date- (outcome + role shown)	Ack 2 | category N 2nd check Y
R-28	RETURNED Returned	18-May-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack 1 | category N 2nd check Y
R-29	RETURNED Returned	02-Jun-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack 2 | category Y 2nd check N
R-30	RETURNED Returned	12-Jun-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack nr | category Y 2nd check Y
R-31	RETURNED Returned	20-Jun-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack 2 | category Y 2nd check Y
R-32	RETURNED Returned	28-Jun-26	Intake 5/5 Basis n/a	Route n/a Log n/a	closed-ok	Ack 1 | category Y 2nd check N

Returned rows did not proceed to an external destination. Their no-transfer status does not remove the need to document the returned disposition, closure date and responsible role.

11. Operational quality and monitoring evidence

The following entries are included only for the recommended supervisory-monitoring practice. They do not change the mandatory control classification of individual referrals.

Month in evidence period	Evidence in packet	Operational reading
April 2026	One supervisory trend-review entry is recorded.	Monitoring evidence present.
May 2026	No supervisory review entry is included in this packet.	Not evidenced in the packet.
June 2026	No supervisory review entry is included by the evidence cut-off.	Not evidenced in the packet at cut-off.

12. Record-register summary

Workflow group	Rows	Cut-off status boundary
External transfer - Closed	R-01 to R-08 (8)	Closed at cut-off
External transfer - Pending receipt	R-09 to R-16 (8)	External transfer made; confirmation pending
Internal coordination	R-17 to R-24 (8)	Five closed; three open at cut-off
Returned before external disclosure	R-25 to R-32 (8)	Returned; no external disclosure or transfer
Total	32	Operational population represented in this packet

Operational export reference: CRH-RF-Q2-26. This packet is the complete supplied evidence set for the publication assessment; it does not establish facts outside the listed period or cut-off.