Case Intake and Correspondence: 2026 Housing Maintenance Campaign Candidates

Bronx Housing Justice Project — 2026-05-30

1. Bronx Housing Justice Project -- Compiled Case File: 2026 Housing Maintenance Campaign Candidates

File reference: BHJP-CF-2026-05 · **Compiled by:** Keisha Merriweather, intake paralegal · **PDF export:** 2026-05-30

This file collects the intake material for the four candidate buildings under consideration for the office's next Bronx housing maintenance campaign. It is organised in ten parts: the case intake log, client interviews and housing history, lease review summaries, rent payment and repair complaint logs, tenant repair requests, the managing agent correspondence for the Grand Concourse property, HPD notice of violation copies with inspection notes, open case summaries, building services and conditions notes, and the internal meeting and quarterly campaign planning notes. Original documents are retained in the intake cabinet; this compilation is working material for the litigation committee.

2. Case Intake Log

The log records every intake event for the candidate buildings between December 2025 and May 2026. File numbers follow the office's intake series. Where a household appears more than once, the later entry carries the current status of the earlier complaints.

Table 1

Date	File no.	Building	Household	Taken by	Subject
2025-12-09	GC-118	2871 Grand Concourse	Vasquez, Apt 4A	Keisha Merriweather	Entrance door interlock; elevator outages; lobby lighting.
2025-12-09	GC-119	2871 Grand Concourse	Yamamoto, Apt 2B	Keisha Merriweather	Entrance door interlock; radiator valve; hallway plaster.
2026-01-06	GC-121	2871 Grand Concourse	Ivanov, Apt 5C	Keisha Merriweather	Entrance door interlock; window guard; stairwell lighting.
2026-01-14	WA-043	2323 Walton Avenue	Ruiz, Apt 3A	Keisha Merriweather	Elevator outages; hallway plaster; apartment door viewer.

Date	File no.	Building	Household	Taken by	Subject
2026-02-03	BO-031	2165 Bolton Street	Simmons, Apt 1A	Keisha Merriweather	Compactor room odor; rear-yard fence; basement corridor lighting.
2026-02-11	BR-056	750 Bryant Avenue	Dawson, Apt 2C	Keisha Merriweather	Bathroom ceiling leak; January boiler shutdown.
2026-03-02	GC-124	2871 Grand Concourse	Vasquez, Apt 4A	Helen Harris	Follow-up on entrance door; photographs of interlock supplied.
2026-03-16	WA-045	2323 Walton Avenue	Ruiz, Apt 3A	Stephanie Watson	Complaint list compiled for transmittal to the owner's agent.
2026-04-06	BO-033	2165 Bolton Street	Simmons, Apt 1A	Helen Harris	Compactor odor returns; cleaning log requested.
2026-04-21	BR-058	750 Bryant Avenue	Dawson, Apt 2C	Keisha Merriweather	Leak active again after February plumber visit.
2026-05-04	GC-127	2871 Grand Concourse	Yamamoto, Apt 2B	Helen Harris	Interlock still engaging; no power-outage key provided.
2026-05-11	BO-034	2165 Bolton Street	Two Bolton Street households	Keisha Merriweather	Compactor odor and basement lighting confirmed on intake calls.

Candidate identifiers used in the office workbook are GC-2871 for 2871 Grand Concourse, WA-2323 for 2323 Walton Avenue, BO-2165 for 2165 Bolton Street and BR-750 for 750 Bryant Avenue.

3. Client Interviews and Housing History

Interview write-ups were prepared by the intake paralegal and reviewed by the assigned attorney. Each summary reflects the tenant's own account, with the intake team's observations in brackets.

3.1 2871 Grand Concourse (candidate GC-2871)

Maria Vasquez, Apt 4A. Ms. Vasquez has lived in the building since 2019 and retired from home health aide work last year. She described the front entrance door as her main worry: the electronic lock releases the door only when the interlock is powered, and during the outages in January and February tenants could not get the door to latch at all. She keeps a chair against her apartment door on nights the entrance door will not close. The elevator stopped between floors twice in March; the second time the fire department released the cab. Lobby lighting has been out on the mailboxes side since the winter. [Photographs of the entrance door and the interlock cabinet are in the intake folder; the building's HPD inspection history was reviewed with her at the second interview.]

Kenji Yamamoto, Apt 2B. Mr. Yamamoto moved in in 2021 and works night shifts at a warehouse in Hunts Point. He returns at four in the morning and has twice found the entrance door propped open with a wedge because the closer will not pull the door shut when the interlock is dead. His bathroom door came off its hinge in February; the building's superintendent re-hung it after eleven days. A radiator valve in the bedroom sticks open and the apartment overheats; he shuts the valve manually and opens a window. Hallway plaster above the second-floor landing has been crumbling since the winter, and he reports a persistent smell of damp on the north stairwell.

Petra Ivanov, Apt 5C. Ms. Ivanov has lived in the building since 2017 and works as a school crossing guard. Her grandson visits every other weekend, and she asked at intake that a window guard be installed in the kitchen; the guard arrived without hardware and the superintendent installed it with sheet-metal screws she supplied herself. The smoke detector in the hallway outside 5C chirped for six weeks before the battery was changed. Stairwell lighting between the fourth and fifth floors flickers; she uses the flashlight on her telephone on the way down to the lobby.

3.2 2323 Walton Avenue (candidate WA-2323)

Francisco Ruiz, Apt 3A. Mr. Ruiz has lived at 2323 Walton Avenue since 2018 and works as a bus mechanic at the Kingsbridge depot. The elevator fails, by his count, two or three times a month, and he has carried groceries up five flights on each occasion. Hallway plaster on the third floor is broken out in patches above the cornice, and his apartment door has never had a viewer; he asks who is there before opening. The building's registration and posting notices in the lobby have not been renewed since he can remember. He is the only household from the building currently working with the office, though he reports that neighbors on the fourth and fifth floors have similar complaints. [The intake team's walkthrough confirmed the plaster, the missing viewer and the out-of-date lobby postings.]

3.3 2165 Bolton Street (candidate BO-2165)

Marcus Simmons, Apt 1A. Mr. Simmons has lived at 2165 Bolton Street since 2015 and works as a porter in a commercial building downtown. The compactor room sits across the corridor from his door, and in warm weather the odor is strong enough that he keeps his window open through the night. The rear-yard fence was down between March and April; the superintendent re-set the posts the week after the intake meeting. Basement corridor lighting flickers near the meter room. He described the building's management as responsive on small items and slow on anything that needs a contractor. [Two further Bolton Street households called the intake line in May with the same compactor and lighting complaints.]

3.4 750 Bryant Avenue (candidate BR-750)

Latoya Dawson, Apt 2C. Ms. Dawson moved into 750 Bryant Avenue in 2022 and works in childcare. A bathroom ceiling leak began in January during a boiler shutdown; the ceiling stain has spread from the light fixture to the corner of the room. The managing agent sent a plumber once in February, and the leak returned within two weeks. Heat was restored after the January shutdown but the hallway outside her apartment stays cold. She has photographed the ceiling on the intake team's advice and keeps a log of the dates the stain widens.

4. Lease Review Summaries

The leases below were reviewed by the assigned attorney. Each summary records the parties as they appear on the lease the tenant supplied, the term, and the clauses bearing on repairs and services. Lease copies remain in the tenants' intake folders.

4.1 2871 Grand Concourse (candidate GC-2871)

Table 2

Item	Lease entry
Tenant	Maria Vasquez, Apt 4A
Owner as named in the lease	Morrisania Heights Realty LLC
Managing agent as named in the intake sheet	Lenox Property Management Corp.
Owner's notice address on the lease	1120 East 179th Street, Bronx, NY 10460
Agent's notice address on the intake sheet	1120 East 179th Street, Bronx, NY 10460
Term	Two years from commencement; month-to-month thereafter
Repairs clause	Owner to keep the premises and public parts in good repair
Services clause	Heat, hot water, elevator and entrance security included

The Grand Concourse leases on file were signed in 2019 (Apt 4A), 2021 (Apt 2B) and 2017 (Apt 5C), each naming Morrisania Heights Realty LLC as owner and Lenox Property Management Corp. as the managing agent responsible for repairs. Rent is payable to the agent at the notice address above. The intake sheets carried the same parties.

4.2 2323 Walton Avenue (candidate WA-2323)

Table 3

Item	Lease entry
Tenant	Francisco Ruiz, Apt 3A
Owner as named in the lease	Fordham Terrace Owners LLC
Managing agent as named in the intake sheet	Aqueduct Management Services
Owner's notice address on the lease	2501 Marion Avenue, Bronx, NY 10458
Agent's notice address on the intake sheet	2501 Marion Avenue, Bronx, NY 10458
Term	Two years from commencement; month-to-month thereafter

Item	Lease entry
Repairs clause	Owner to keep the premises and public parts in good repair
Services clause	Heat, hot water, elevator and entrance security included

The Walton Avenue lease was signed in 2018 and continues month to month. The tenant pays rent online to the agent; the owner's notice address on the lease matches the agent's office.

4.3 2165 Bolton Street (candidate BO-2165)

Table 4

Item	Lease entry
Tenant	Marcus Simmons, Apt 1A
Owner as named in the lease	Olinville Plaza Associates
Managing agent as named in the intake sheet	Pelham Gardens Property Management
Owner's notice address on the lease	3210 White Plains Road, Bronx, NY 10467
Agent's notice address on the intake sheet	3210 White Plains Road, Bronx, NY 10467
Term	Two years from commencement; month-to-month thereafter
Repairs clause	Owner to keep the premises and public parts in good repair
Services clause	Heat, hot water, elevator and entrance security included

The Bolton Street lease was signed in 2015 and renewed twice on the same terms. The superintendent collects written repair requests for the agent.

4.4 750 Bryant Avenue (candidate BR-750)

Table 5

Item	Lease entry
Tenant	Latoya Dawson, Apt 2C
Owner as named in the lease	University Heights Realty LLC
Managing agent as named in the intake sheet	Mott Haven Management Group
Owner's notice address on the lease	55 East Burnside Avenue, Bronx, NY 10453
Agent's notice address on the intake sheet	55 East Burnside Avenue, Bronx, NY 10453
Term	Two years from commencement; month-to-month thereafter
Repairs clause	Owner to keep the premises and public parts in good repair
Services clause	Heat, hot water, elevator and entrance security included

The Bryant Avenue lease was signed in 2022. The tenant's complaint log runs through the agent's office, which acknowledged the January boiler shutdown in writing.

5. Rent Payment and Repair Complaint Logs

The rent log records payments reported by the tenants for the first five months of 2026; the complaint log records every repair complaint the office knows of for the four buildings in the same period, whether raised by a tenant or observed on a walkthrough.

5.1 Rent payments reported

Table 6

Month	Building	Apt	Monthly rent	Paid
Jan 2026	2871 Grand Concourse	4A	1680	Yes
Feb 2026	2871 Grand Concourse	4A	1680	Yes
Mar 2026	2871 Grand Concourse	4A	1680	Yes
Apr 2026	2871 Grand Concourse	4A	1680	Yes
May 2026	2871 Grand Concourse	4A	1680	Yes
Jan 2026	2871 Grand Concourse	2B	1545	Yes
Feb 2026	2871 Grand Concourse	2B	1545	Yes
Mar 2026	2871 Grand Concourse	2B	1545	Yes
Apr 2026	2871 Grand Concourse	2B	1545	Yes
May 2026	2871 Grand Concourse	2B	1545	Yes
Jan 2026	2323 Walton Avenue	3A	1892	Yes
Feb 2026	2323 Walton Avenue	3A	1892	Yes
Mar 2026	2323 Walton Avenue	3A	1892	Yes
Apr 2026	2323 Walton Avenue	3A	1892	Yes
May 2026	2323 Walton Avenue	3A	1892	Yes
Jan 2026	2165 Bolton Street	1A	1350	Yes
Feb 2026	2165 Bolton Street	1A	1350	Yes
Mar 2026	2165 Bolton Street	1A	1350	Yes
Apr 2026	2165 Bolton Street	1A	1350	Yes
May 2026	2165 Bolton Street	1A	1350	Yes
Jan 2026	750 Bryant Avenue	2C	1620	Yes

Month	Building	Apt	Monthly rent	Paid
Feb 2026	750 Bryant Avenue	2C	1620	Yes
Mar 2026	750 Bryant Avenue	2C	1620	Yes
Apr 2026	750 Bryant Avenue	2C	1620	Withheld in part after leak returned
May 2026	750 Bryant Avenue	2C	1620	Withheld in part after leak returned

5.2 Repair complaints

Table 7

Date	Building	Apt / location	Complaint	Reported to	Response
2026-01-08	2871 Grand Concourse	Entrance	Interlock dead; door will not latch	Managing agent	No response logged
2026-01-12	2871 Grand Concourse	Entrance	Door propped open overnight	Managing agent	Superintendent removed wedge
2026-01-19	2871 Grand Concourse	Elevator	Cab stopped between floors	Elevator company	Released by fire department
2026-02-02	2871 Grand Concourse	Apt 2B	Bathroom door off hinge	Superintendent	Re-hung after eleven days
2026-02-16	2871 Grand Concourse	Lobby	Lighting out at mailboxes	Managing agent	No response logged
2026-02-26	2323 Walton Avenue	3rd floor hall	Plaster broken out above cornice	Managing agent	Written complaint list sent
2026-03-04	2323 Walton Avenue	Elevator	Out of service two days	Managing agent	Restored
2026-03-11	2323 Walton Avenue	Apt 3A	No door viewer since occupancy	Managing agent	No response logged
2026-03-03	2165 Bolton Street	Rear yard	Fence down between posts	Superintendent	Posts re-set same week
2026-04-06	2165 Bolton Street	Compactor room	Odor in warm weather	Superintendent	Cleaning log requested
2026-05-12	2165 Bolton Street	Basement corridor	Lighting flickers at meter room	Superintendent	Pending
2026-01-21	750 Bryant Avenue	Apt 2C	Bathroom ceiling leak during boiler shutdown	Managing agent	Plumber sent in February
2026-03-24	750 Bryant Avenue	Apt 2C	Leak returned; stain widened	Managing agent	Second plumber visit

Date	Building	Apt / location	Complaint	Reported to	Response
2026-05-19	750 Bryant Avenue	Apt 2C	Leak active again	Managing agent	Repair schedule requested in writing

5.3 Repair notes carried in the office workbook

The intake workbook carries the office's own repair notes for each candidate, maintained by the organizing staff. The notes below are current to 2026-05-30.

Table 8

Date	Building	Author	Note	Follow-up
2026-02-18	2871 Grand Concourse	Keisha Merriweather	Tenant association reports the entrance door interlock still engages without a power-outage key; managing agent notified the same day by email and by telephone. Photographs from Apt 4A and from the lobby, taken on three separate dates, are in the intake folder together with the tenant association interest sheet.	Yes
2026-03-27	2871 Grand Concourse	Helen Harris	Organizing meeting held in the lobby with tenants from 2B, 4A and 5C. Elevator outages and entrance security dominated the discussion; the January power dip and the March entrapment were both described from the floor. Eleven tenants signed the association interest sheet and two asked to be recorded as witnesses for any proceeding. Minutes circulated to the organizing staff.	Yes

Date	Building	Author	Note	Follow-up
2026-04-14	2871 Grand Concourse	Keisha Merriweather	Managing agent's correction confirmation letter of 2026-04-10 received and filed in the case record with the enclosure from our March letter. The roof-door closer repair described in the letter is shown closed in the HPD record. The letter was reviewed at the May association meeting, where tenants from 2B and 4A reported the entrance door had again failed to latch during the May 4 power dip; photographs were taken and added to the folder.	Yes
2026-02-26	2323 Walton Avenue	Brandon Cox	Walkthrough with the tenant of 3A: third-floor hallway plaster broken out above the cornice, missing apartment door viewer and repeated elevator outages recorded with dates and photographs. The out-of-date lobby postings were photographed as well. The owner's agent asked for a written complaint list before scheduling any visit.	Yes

Date	Building	Author	Note	Follow-up
2026-03-19	2323 Walton Avenue	Stephanie Watson	Sent the owner's agent the compiled complaint list for 2323 Walton Avenue by certified mail with a request for a correction schedule and a walk-through date; the certified receipt is on file. No response has been received to date; a follow-up letter is drafted for the Litigation Director's signature.	Yes
2026-05-06	2323 Walton Avenue	Brandon Cox	Follow-up call with the tenant of 3A. Building-wide registration and posting items from the last inspection cycle remain outstanding and the elevator failed twice in April. The tenant has agreed to photograph the hallway conditions weekly and to collect names of neighbors willing to join an association drive if the building is selected.	Yes
2026-03-03	2165 Bolton Street	Jasmine Tillman	Met the tenant of 1A at the building and walked the basement, the rear yard and the compactor room. Compactor room odor and a broken rear-yard fence reported to the managing agent the same day; the superintendent made temporary repairs the same week and re-set the fence posts.	No

Date	Building	Author	Note	Follow-up
2026-04-08	2165 Bolton Street	Jasmine Tillman	Rear-yard fence repaired and photographed for the file. Compactor odor returns in warm weather exactly as the tenant of 1A described in his April letter; asked the superintendent for the compactor cleaning log and for the name of the hauling contractor. Neither has been provided.	Yes
2026-05-12	2165 Bolton Street	Keisha Merriweather	Intake call with two additional Bolton Street households confirmed the compactor odor and a basement corridor lighting outage near the meter room; both households added to the complaint list and asked to keep a written record of dates. The superintendent's channel remains open and he has confirmed receipt of the lighting report.	Yes

Date	Building	Author	Note	Follow-up
2026-02-11	750 Bryant Avenue	Kevin Liu	Tenant of 2C reports a persistent bathroom ceiling leak that began during the January boiler shutdown, when the building was without heat for four days. The owner's agent sent a plumber once in February; the leak returned within two weeks and the ceiling stain has spread from the light fixture toward the corner. Photographs from January and February are in the intake folder.	Yes
2026-03-24	750 Bryant Avenue	Kevin Liu	Second plumber visit logged by the managing agent; the work order describes a drain-line snaking above the bathroom. The tenant reports the ceiling stain has widened since February and filed current photographs. Heat has held since the January shutdown, though the hallway outside 2C stays cold and the tenant has asked about weather-stripping.	Yes

Date	Building	Author	Note	Follow-up
2026-05-19	750 Bryant Avenue	Keisha Merriweather	Tenant of 2C reports the bathroom leak is active again after the second plumber visit; the stain now reaches the corner of the room and the plaster is soft to the touch. Asked the managing agent for a written repair schedule and for the name of the contractor who will open the ceiling; if nothing arrives this month the file goes to the litigation team ahead of the July calendar date.	Yes

6. Tenant Repair Requests

Copies of the written repair requests tenants sent to their managing agents, as supplied to the office. Spelling and layout are the tenants' own.

6.1 Letter from Maria Vasquez, Apt 4A, 2871 Grand Concourse (February 2026)

To the building management. I am writing again about the front door. The electric lock only works when it has power, and when it does not the door does not close and latch. This has happened on and off since January. At night I put a chair against my own door because the front door is open to the street. My neighbor on the second floor found the door propped with a wedge at 4 in the morning. Please fix the door so it closes and can be opened from inside without power. I also ask again about the mailbox lights in the lobby. Respectfully, Maria Vasquez, Apt 4A.

6.2 Letter from Francisco Ruiz, Apt 3A, 2323 Walton Avenue (March 2026)

To whom it concerns. This is a list of the repairs I have asked about since last year: the elevator stops working two or three times a month; the plaster on the third floor hallway is broken out above the cornice and pieces have come down; there is no viewer in my apartment door; and the notices posted in the lobby are years out of date. I have called the management office every time. Nobody has come except for the elevator. I am sending this list by certified mail. Francisco Ruiz, Apt 3A.

6.3 Letter from Latoya Dawson, Apt 2C, 750 Bryant Avenue (May 2026)

Dear Manager. The leak in my bathroom ceiling came back two weeks after the plumber came in February. The stain is bigger than it was, from the light fixture to the corner. In January the boiler was off for four days and the hallway was freezing. I have pictures of the ceiling from January, February and this week. I am asking in writing for a date when the ceiling will be opened and repaired. Latoya Dawson, Apt 2C.

6.4 Letter from Marcus Simmons, Apt 1A, 2165 Bolton Street (April 2026)

Hello. The smell from the compactor room is back now that it is warm. Last summer it was the same. The fence in the back yard was fixed, thank you for that. The light by the meter room flickers every evening. Can someone from the office walk through with the superintendent? Marcus Simmons, Apt 1A.

7. Managing Agent Correspondence for Grand Concourse Property

The office wrote to the managing agent of 2871 Grand Concourse on March 27, 2026 following the organizing meeting, enclosing the tenant complaints and the photographs of the entrance door. The reply below arrived on April 14, 2026 and is reproduced in full.

NORWOOD RESIDENTIAL MANAGEMENT INC.

915 East Tremont Avenue, Suite 210, Bronx, NY 10460

April 10, 2026

Bronx Housing Justice Project

Attn: Keisha Merriweather, Intake

Re: 2871 Grand Concourse, Bronx, NY 10458 -- status of outstanding repairs

Dear Ms. Merriweather:

We are in receipt of your letter of March 27, 2026, together with the enclosure of tenant complaints and photographs concerning the above-referenced property. This letter confirms that, as of the date of this letter, all open violations at the subject building have been corrected. The unit-by-unit account below sets out the work performed in response to your enclosure.

Entrance and lobby. The entrance door closer was adjusted and the strike plate relocated so that the door pulls shut against the interlock under all conditions. The interlock control cabinet was serviced by our access-control contractor in the last week of March. Lobby lighting at the mailbox bank was rewired and fitted with new fixtures on April 3. The mailboxes themselves were re-set and re-keyed.

Roof door. The self-closing arm cited in the notice of violation issued last November was replaced on December 15, 2025. Our office submitted the contractor's certification, and the Department's record shows the item closed on December 20, 2025. The bulkhead sweep and the door bottom were addressed in the same work order.

Apt 2B. The bathroom door was re-hung with new pivots and a new stop; the sticking radiator valve was replaced with a new quarter-turn valve on March 18. The hallway plaster above the second-floor landing was patched, taped and painted. The superintendent checked the north stairwell for the damp odor and applied an antimicrobial wash to the wall base.

Apt 4A. The kitchen faucet cartridge was replaced and the drain trap re-seated. The hallway lamp outside the apartment was re-wired. The window guard hardware in the kitchen of Apt 5C was replaced with manufacturer-supplied hardware; the smoke detector battery on the fifth floor was changed and the detector was replaced outright as a precaution.

Stairwells and public halls. The flicker between the fourth and fifth floors was traced to a failing switch-leg and repaired on March 25. All stairwell fixtures were re-lamped. The public hall on each floor was walked and any dark corner was re-lamped.

Boiler room. Access procedures for the boiler room were revised. Our staff now maintains a key at the front desk during business hours for any inspector, and the department's access requirement has been posted at the boiler room door.

Elevator. The elevator maintenance contract was renewed with the servicing company, and the January and March entrapments were each answered within the contract response time. The cab door reversal edges were adjusted.

Our staff remains available to walk the building with your office at your convenience. We ask that future repair requests be routed through our office so that work orders can be tracked to completion.

This confirmation is not intended to cover any rent-impairing Class C violations that remain uncertified in the HPD system as of the date of this letter. The Department's certification of

completed work proceeds on its own schedule, and our office will continue to file documentation as the Department requires. We appreciate your office's attention to the conditions at the property.

Very truly yours,

Tiana Mack

Property Manager, Norwood Residential Management Inc.

The letter was filed in the case record on April 14, 2026 and circulated to the organizing staff. The tenant association's May meeting discussed the letter; tenants from 2B and 4A reported that the entrance door had again failed to latch during the May 4 power dip.

8. HPD NOV Copies and Inspection Notes

Copies of the notices of violation for 2871 Grand Concourse on file with the office, in the order issued. Each entry records the notice number, the issue date, the class, the quoted violation text, the inspection date and the office's inspection note. The office's copy of the HPD violation record for the candidate buildings is maintained in the separate extract workbook.

8.1 NOV No. 17460304

Table 9

Field	Entry
Violation number	17460304
NOV issued	not issued (registration violation)
Inspection date	2024-11-25
Class	I
Rent-impairing	N
Violation text	§27-2107 ADM CODE OWNER FAILED TO FILE A VALID REGISTRATION STATEMENT WITH THE DEPARTMENT AS REQUIRED BY ADM CODE §27-2097 AND IS THEREFORE SUBJECT TO CIVIL PENALTIES, PROHIBITED FROM CERTIFYING VIOLATIONS, AND DENIED THE RIGHT TO RECOVER POSSESSION OF PREMISES FOR NONPAYMENT OF RENT UNTIL A VALID REGISTRATION STATEMENT IS FILED.

Inspection note: Registration violation; the Department's record shows it was dismissed on December 6, 2024.

8.2 NOV No. 17636994

Table 10

Field	Entry
Violation number	17636994
NOV issued	2025-01-22
Inspection date	2025-01-21
Class	C
Rent-impairing	Y
Violation text	§ 27-2005, 2007 ADM CODE REMOVE THE ILLEGAL FASTENING ELLECTROMAGNETIC LOCKING DEVICE INSTALLED AT THE BUILDING ENTRANCE DOOR, 1ST STORY. , 1st STORY

Inspection note: Inspector found the electromagnetic locking device holding the entrance door shut without a compliant mechanical latch; re-inspection access has not been granted since the notice was issued.

8.3 NOV No. 17636995

Table 11

Field	Entry
Violation number	17636995
NOV issued	2025-01-22
Inspection date	2025-01-21
Class	B
Rent-impairing	N
Violation text	§ 27-2005 ADM CODE PROVIDE SECURITY IN THE EVENT OF A POWER OUTAGE BY MEANS OF AN ACCEPTABLE MECHANICAL HEAVY DUTY LOCK AND LATCH SET AT THE BUILDING ENTRANCE DOOR 1ST STORY , 1st STORY

Inspection note: Inspector noted the absence of a power-outage lock and latch set at the entrance door; the notice was issued with the January entrance-door notice after the first no-access visit.

8.4 NOV No. 18364836

Table 12

Field	Entry
Violation number	18364836
NOV issued	2025-11-13
Inspection date	2025-11-12
Class	C
Rent-impairing	N
Violation text	§ 27-2033 ADM CODE PROVIDE READY ACCESS TO BUILDINGS HEATING SYSTEM DOOR LOCKED AT BOILER ROOM

Inspection note: Inspector found the boiler room door locked and no key available at the premises; the superintendent was not on site during the inspection window.

8.5 NOV No. 18468429

Table 13

Field	Entry
Violation number	18468429
NOV issued	2025-11-28
Inspection date	2025-11-27
Class	C
Rent-impairing	N

Field	Entry
Violation text	§ 27-2005, 27-2007, 27-2041.1 HMC, §238, § 309; § 107 (2) (C) MDL AND 28 RCNY §25-171: REPLACE OR REPAIR THE SELF-CLOSING DOORS THAT IS MISSING OR DEFECTIVE CLOSURE ARM AT ROOF DOOR AT 1st PUBLIC HALL BULKHEAD FROM NORTH, 5th STORY

Inspection note: Roof door self-closing arm; the contractor's certification was filed and the Department recorded the correction on December 20, 2025.

8.6 NOV No. 18468432

Table 14

Field	Entry
Violation number	18468432
NOV issued	2025-11-28
Inspection date	2025-11-27
Class	B
Rent-impairing	N
Violation text	§ 27-2005 ADM CODE PROVIDE IN THE EVENT OF POWER OUTAGE BY MEANS OF AN ACCEPTABLE HEAVY DUTY LOCK AND LATCH SET AT BUILDING ENTRANCE DOOR , 1st STORY

Inspection note: Power-outage lock and latch set at the entrance door; issued from the November inspection of the entrance and lobby.

8.7 NOV No. 18520255

Table 15

Field	Entry
Violation number	18520255
NOV issued	2025-12-22
Inspection date	2025-12-21
Class	C
Rent-impairing	N
Violation text	§ 27-2005 HMC: PROPERLY REPAIR OR REPLACE THE BROKEN OR DEFECTIVE THE LOCK SET AT ENTRANCE DOOR TO BLDG AT PUBLIC HALL, 1st STORY

Inspection note: Entrance door lock set at the public hall; the inspector found the cylinder loose and the strike misaligned.

8.8 NOV No. 18538810

Table 16

Field	Entry
Violation number	18538810
NOV issued	2025-12-31
Inspection date	2025-12-29
Class	C
Rent-impairing	Y
Violation text	§ 27-2005, 2007 ADM CODE REMOVE THE ILLEGAL FASTENING CONSISTING OF A ELECTRO MAGNETIC LOCKING DEVICE INSTALLED AT BUILDING STREET ENTRANCE DOOR , 1st STORY

Inspection note: Inspector found the electromagnetic locking device installed at the street entrance door; photograph in the intake folder from the December walkthrough.

8.9 NOV No. 18538812

Table 17

Field	Entry
Violation number	18538812
NOV issued	2025-12-31
Inspection date	2025-12-29
Class	A
Rent-impairing	N
Violation text	§ 53, 187, 231 M/D LAW AND DEPARTMENT RULES AND REGULATIONS. PROVIDE A SHOE PROPERLY SECURED TO BOTTOM OF STRING OF DROPLADDER WELDED SHOE, PROPERLY SECURE WITH APPROPRIATE NUTS AND BOLTS AT 1ST FIRE ESCAPE FROM SOUTH AT EAST EXTERIOR WALL AT FIRE ESCAPE, 2nd STORY

Inspection note: Dropladder shoe on the second-story fire escape from the south; noted from the December exterior inspection.

8.10 NOV No. 18569299

Table 18

Field	Entry
Violation number	18569299
NOV issued	2026-01-15
Inspection date	2026-01-14
Class	C
Rent-impairing	Y

Field	Entry
Violation text	§ 27-2005, 2007 ADM CODE REMOVE THE ILLEGAL FASTENING CONSISTING OF UNACCEPTABLE ELECTROMAGNETIC LOCKING DEVICE INSTALLED AT BUILDING ENTRANCE DOOR AT PUBLIC HALL, 1st STORY

Inspection note: Inspector found the unacceptable electromagnetic locking device at the building entrance door at the public hall; the January notice follows two earlier entrance notices.

8.11 NOV No. 18569300

Table 19

Field	Entry
Violation number	18569300
NOV issued	2026-01-15
Inspection date	2026-01-14
Class	B
Rent-impairing	N
Violation text	§ 27-2005 ADM CODE PROVIDE SECURITY IN THE EVENT OF A POWER OUTAGE BY MEANS OF AN ACCEPTABLE MECHANICAL HEAVY DUTY LOCK SET AT BUILDING ENTRANCE DOOR AT PUBLIC HALL, 1st STORY

Inspection note: Power-outage lock and latch set at the building entrance door at the public hall; issued with the January entrance notice.

The notices above were served on the owner or posted at the premises as the Department's practice requires. Inspection notes are the intake team's own record of what the inspector described at the walkthrough or in the re-inspection window.

9. Open Case Summaries

Litigation status of each candidate building as compiled by the litigation team on May 26, 2026.

9.1 2871 Grand Concourse (GC-2871)

No proceeding is currently pending against the owner in Housing Court or Supreme Court. A part 130 repair proceeding brought by the prior tenant association in 2023 was settled by stipulation and closed. The office's demand correspondence with the managing agent is documented in the preceding part of this file. The tenant association interest sheet signed in March carries eleven households.

9.2 2323 Walton Avenue (WA-2323)

Two nonpayment proceedings are pending against tenants of the building in Housing Court, both answerable this quarter; the office does not represent either party. No repair proceeding is pending. The owner's counsel has corresponded with the office once, in March, acknowledging the complaint list for Apt 3A without a correction schedule.

9.3 2165 Bolton Street (BO-2165)

A part 130 repair proceeding brought by a former tenant was settled in 2024 and closed. Nothing is pending. The managing agent's superintendent has an open channel to the intake team and has made contractor repairs on request during the review period.

9.4 750 Bryant Avenue (BR-750)

The tenant of Apt 2C has a repair action on the Housing Court calendar for July 2026, filed pro se in March; the office is consulting on whether to appear. The managing agent's counsel has asked for an extension to respond to the repair schedule demand. The January boiler shutdown generated a service complaint the office forwarded to the Department at the time.

9.5 Court calendar

Table 20

Date	Building	Matter	Forum
2026-06-18	2323 Walton Avenue	Nonpayment (tenant, 4th floor)	Housing Court, Part S
2026-06-25	2323 Walton Avenue	Nonpayment (tenant, 5th floor)	Housing Court, Part S
2026-07-09	750 Bryant Avenue	Repair action (Apt 2C)	Housing Court, Part R

10. Building Services and Conditions Notes

The organizing staff's conditions notes for each candidate building, compiled from walkthroughs between February and May 2026.

10.1 2871 Grand Concourse

Entrance security depends on the electric interlock; the door does not latch when the interlock loses power, and the office has photographs from three separate dates showing the door open or propped. The elevator is serviced under a maintenance contract but has trapped passengers twice this year. Boiler room access was raised at the March meeting and the agent's April letter describes a revised key procedure. Mailbox-bank lighting was out through the winter and was rewired in early April. Stairwell lighting between the fourth and fifth floors was repaired in late March.

10.2 2323 Walton Avenue

The elevator fails several times a month. Third-floor hallway plaster is broken out above the cornice with loose material overhead. No apartment door viewers were installed in the original renovation. The lobby postings, including the building registration notice and the window guard notice, are years out of date. The building is otherwise swept regularly and the front door closer works.

10.3 2165 Bolton Street

The compactor room across from Apt 1A generates a strong odor in warm weather; the superintendent requests a cleaning log each season. The rear-yard fence was down between March and April and was re-set. Basement corridor lighting near the meter room flickers. Public halls are clean and the stairwells are well lit.

10.4 750 Bryant Avenue

The January boiler shutdown left the building without heat for four days; heat was restored and has held since. The bathroom ceiling leak in Apt 2C has persisted through two plumber visits and the stain is widening. The hallway outside 2C stays cold. The building's front door, intercom and hallway lighting are in working order.

11. Internal Meeting and Quarterly Campaign Planning Notes

Quarterly campaign planning meeting, May 27, 2026, conference room B. Present: Pavel Sokolov (Litigation Director), Abena Okonkwo (Managing Attorney), Helen Harris (Organizer), Keisha Merriweather (Intake), Stephanie Watson and Jamal Jenkins (Staff Attorneys), and the assigned organizers Latoya Whitfield, Brandon Cox, Jasmine Tillman and Kevin Liu. Notes taken by Keisha Merriweather.

The meeting opened with a review of the intake file for the four candidate buildings. Keisha Merriweather presented the compiled case file and the intake workbook; the candidate summaries and the staffing plan are maintained there. The litigation committee will select the single campaign the office runs in the 2026 Q3 planning quarter at its June meeting. Pavel Sokolov and Abena Okonkwo will present the decision package, and the organizing staff will begin at the selected building the week after the committee meets.

On the buildings, the organizers reported: at 2871 Grand Concourse the tenant association interest sheet carries eleven households and the May power dip brought the entrance door complaints back; at 2323 Walton Avenue one tenant is working with the office and neighbors have not yet committed; at 2165 Bolton Street the superintendent's channel works and two further households called in May; at 750 Bryant Avenue the tenant of 2C has a repair action on the July calendar.

On staffing, Danielle Peterson circulated the quarterly staffing plan for 2026 Q3, including the employed attorney hours and the commitments already on the docket, together with the separate intern, volunteer and paralegal availability and the campaign-hour estimates the team prepared for each candidate package. Abena Okonkwo noted that the summer interns arrive the first week of July and that volunteer coverage for outreach is confirmed through September.

On the public records, Keisha Merriweather confirmed that the HPD violation extract for the candidate buildings was pulled on June 1 and the multiple dwelling registration extract on May 28, and that both sit with the intake workbook in the campaign folder. The period under review is the period covered by those records. Pavel Sokolov asked that the decision package show the factors used to compare the buildings, the ranking, and the source behind each factor so the committee can reproduce it.

The meeting closed at 5:40 p.m. The decision package is due to the committee administrator by June 12.