

Ключ преподавателя	Фамилия	Имя	Электронная почта
1	Савельев	Николай	saveliev.n@mai.ru
2	Петрова	Наталья	petrova.n@yandex.ru
3	Малышева	Елена	malisheva.e@google.com

Ключ потока	Номер потока	Дата начала обучения	Количество учеников
1	203	12.11.2020	35
2	178	02.10.2020	37
3	165	18.08.2020	34
4	210	03.12.2020	41

Ключ курса	Курс
1	Базы данных
2	Основы Python
3	Linux. Рабочая станция

Ключ успеваемости	Успеваемость учеников
1	4,7
2	4,8
3	4,9

```
E:\Пиром\sqlite-tools-win32-x86-3370000\sqlite3.exe
SQLite version 3.37.0 2021-11-27 14:13:22
Enter ".help" for usage hints.
Connected to a transient in-memory database.
Use ".open FILENAME" to reopen on a persistent database.
sqlite>.help
.archive ...          Manage SQL archives
.auth ON|OFF          Show authorizer callbacks
.backup ?DB? FILE     Backup DB (default "main") to FILE
.bail on|off          Stop after hitting an error. Default OFF
.binary on|off        Turn binary output on or off. Default OFF
.cd DIRECTORY         Change the working directory to DIRECTORY
.changes on|off        Show number of rows changed by SQL
.check GLOB           Fail if output since .testcase does not match
.clone NEWDB          Clone data into NEWDB from the existing database
.connection [close] [#] Open or close an auxiliary database connection
.databases            List names and files of attached databases
.dbconfig ?op? ?val?  List or change sqlite3_db_config() options
.dbinfo ?DB?         Show status information about the database
.dump ?OBJECTS?       Render database content as SQL
.echo on|off          Turn command echo on or off
.eqp on|off|full|...  Enable or disable automatic EXPLAIN QUERY PLAN
.excel               Display the output of next command in spreadsheet
.exit ?CODE?         Exit this program with return-code CODE
.expert             EXPERIMENTAL. Suggest indexes for queries
.explain ?on|off|auto? Change the EXPLAIN formatting mode. Default: auto
.filectrl CMD ...    Run various sqlite3_file_control() operations
.fullschema ?--indent? Show schema and the content of sqlite_stat tables
.headers on|off       Turn display of headers on or off
.help ?-all? ?PATTERN? Show help text for PATTERN
.import FILE TABLE  Import data from FILE into TABLE
.imposter INDEX TABLE Create imposter table TABLE on index INDEX
.indexes ?TABLE?     Show names of indexes
.limit ?LIMIT? ?VAL? Display or change the value of an SQLITE_LIMIT
.lint OPTIONS        Report potential schema issues.
.load FILE ?ENTRY?   Load an extension library
.log FILE|off        Turn logging on or off. FILE can be stderr/stdout
.mode MODE ?TABLE?   Set output mode
.once STRING         Disable safe mode for one command if the nonce matches
.nullvalue STRING    Use STRING in place of NULL values
.once ?OPTIONS? ?FILE? Output for the next SQL command only to FILE
.open ?OPTIONS? ?FILE? Close existing database and reopen FILE
.output ?FILE?       Send output to FILE or stdout if FILE is omitted
.parameter CMD ...   Manage SQL parameter bindings
.print STRING...     Print literal STRING
.progress N          Invoke progress handler after every N opcodes
.prompt MAIN CONTINUE Replace the standard prompts
.quit               Exit this program
.read FILE           Read input from FILE
.recover             Recover as much data as possible from corrupt db.
.restore ?DB? FILE   Restore content of DB (default "main") from FILE
.save FILE           Write in-memory database into FILE
.scanstats on|off    Turn sqlite3_stmt_scanstatus() metrics on or off
.schema ?PATTERN?   Show the CREATE statements matching PATTERN
```