

Draft Analyser

1. Modeling

1.1. Defining Items and Objects

Let us define a champion by an ID: each champion has a unique ID between 1 and 170 (since there are currently 170 champions).

Let us define the Victory-Defeat matrix $M \in M_{170}(\mathbb{N})$.

For $(i, j) \in \llbracket 1; 170 \rrbracket^2$, the coefficient $M_{i,j}$ represents the number of victories of champion i over the champion j .

Consequently we can have the number of win $w_i \in \mathbb{N}$ and the number of loose $l_i \in \mathbb{N}$.

$$w_i = \frac{\sum_{k=1}^{170} M_{i,k}}{5}$$
$$l_i = \frac{\sum_{k=1}^{170} M_{k,i}}{5}$$

w_i will be the sum of the line i and l_i will be the sum of the column i . We will explain later why these sums are divided by 5.

1.2. Draft

What is a draft ? A draft is the selection of 5 champions against 5 others champions, all of which are distinct. Mathematically, we can define a draft as a 10-tuple, denoted by D :

$$D = (x_1, x_2, x_3, x_4, x_5, x_6, x_7, x_8, x_9, x_{10})$$
$$\forall (i, j) \in \llbracket 1, 10 \rrbracket \text{ we have : } x_i \neq x_j$$

The draft is divided into two teams: the “Red” team and the “Blue” team. We can define these teams as two 5 –tuple: R and B :

$$R = (x_1, x_2, x_3, x_4, x_5)$$
$$B = (x_6, x_7, x_8, x_9, x_{10})$$

And finally after a match one of the two team win and the other team loose and we need to update M .

After a match, one team wins and the other loses, and we update the matrix M accordingly. For each victorious champion, we add 1 to each column corresponding to the defeated champions of the opposing team. Since there are 5 champions on each team, this explains why we divide by 5 when calculating the number of wins and losses.

1.3. Probability

Now let's create your model to calculate probability of win of the “Red” or “Blue” with the history of the last match.

First define the “Strength of a champion” called S_i :

$$S_i = \sum_{k=1}^5 \left(\left(\frac{w_{x_k}}{w_{x_k} + l_{x_k}} \right) \frac{1}{3} + \left(\frac{M_{i,k}}{M_{i,k} + M_{k,i}} \right) \frac{2}{3} \right)$$

2. Historical of draft and command in Prolog

3. Result and conclusion