



DEALER BEST PRACTICE SERIES

Storage and Transport Basket for Brake Discs and Plates

Maintenance and Repair Application Component Life Management Component Renewal (CRC) MARC Management

Storage and Transport Basket for Brake Discs and Plates.....0

1.0 Introduction.....1

2.0 Best Practice Description.....1

3.0 Implementation Steps4

4.0 Benefits.....5

5.0 Resources Required5

6.0 Supporting Attachments / References5

7.0 Related Best Practices5

8.0 Acknowledgements.....6

DISCLAIMER: The information and potential benefits included in this document are based upon information provided by one or more Cat® dealers, and such dealer(s) opinion of “Best Practices”. Caterpillar makes no representation or warranty about the information contained in this document or the products referenced herein. Caterpillar welcomes additional “Best Practice” recommendations from our dealer network.

1.0 Introduction

This Best Practice is a fabricated adjustable basket for the quick, safe, and easy storage and transport of brake discs. Previously, a disc storage “tree” style rack was used. The “tree” rack was typically top heavy and difficult to move from a staging area to the work bay when needed. In general, parts in process are staged in a staging area instead of using work bay space for staging. Parts are delivered “just in time” as required. This new device reduces the risk of damage to the discs due to tip over of the “tree” design racks.


2.0 Best Practice Description

Ferreyros has developed an adjustable device for the transport of brake discs.



Figure 1

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Storage Device to Transport Brake Discs	DATE 10/31/2014	CHG NO 00	NUMBER 1407-4.01-1346

Now**Figure 2****Figure 3**

The storage basket can be adjusted with the help of a pin (made from a steel tube and plastic cover), depending on the size of the brake discs. A forklift is used to transport the baskets.

**Pin****Figure 4**

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Storage Device to Transport Brake Discs

DATE
10/31/2014CHG
NO
00NUMBER
1407-4.01-1346



Figure 5



Figure 6 – Pin made from steel tube with plastic cover

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR


Storage Device to Transport Brake Discs

DATE
10/31/2014CHG
NO
00NUMBER
1407-4.01-1346

3.0 Implementation Steps


The following drawings show the designs with dimensions (in centimeters) of the basket.

Basket



General Basket assembly

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR			
Storage Device to Transport Brake Discs	DATE	CHG NO	NUMBER
	10/31/2014	00	1407-4.01-1346



4.0 Benefits

- Improved safety in the handling and transport of brake discs.
- Improved efficiency
- Parts in process are kept organized.

5.0 Resources Required

- Fabrication of basket

6.0 Supporting Attachments / References

None

7.0 Related Best Practices

None

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Storage Device to Transport Brake Discs

DATE
10/31/2014

CHG
NO
00

NUMBER
1407-4.01-1346

8.0 Acknowledgements

This Best Practice was written by:

Aninu Mitacc
Ferreyros S.A.

The idea for this Best Practice belongs to:

Quality circle
Ferreyros S.A.

Members
David Vera Dianderas
Juan Sanchez Cuba
Jhon Casella Agreda
Luis Luy Chavez
Antonio Vizcarra Zuasnabar

THE INFORMATION HEREIN MAY NOT BE COPIED OR TRANSMITTED TO OTHERS WITHOUT THE WRITTEN PERMISSION OF CATERPILLAR

Storage Device to Transport Brake Discs	DATE 10/31/2014	CHG NO 00	NUMBER 1407-4.01-1346
---	--------------------	-----------------	--------------------------